

Mbsm.pro, TL2.5G, 102G4251, 1/16 hp, Danfoss Compressors

Category: compressor

written by www.mbsm.pro | 7 September 2022



REDMI NOTE 8
MOH KALEM

2022/9/5 15:51

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, TL2.5G, 102G4251, 1/16 hp, Danfoss Compressors



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

NL10FT 105G6829 105G6839 3/8 113 158 213 235 281 361 455 217 327 10.10
 SC12FT 104G8205 104G8215 3/8 103 163 233 259 314 408 517 645 265 380 12.87
 SC15FT 104G8505 1/2 126 197 280 311 376 489 620 772 311 451 15.28
 SC18FTX 104G8805 5/8 144 229 325 361 437 567 719 896 365 517 17.68
 SC21FTX 104G8105 3/4 192 296 415 460 553 713 901 1119 428 613 20.95
 60 Hz
 PL35G 101G0250 1/16 34 39 48 64 82 104 52 79 2.00
 TL2.5G 102G4251 1/16 14 27 42 48 60 80 105 134 67 96 2.61
 TL3G 102G4350 1/12 30 47 54 69 95 125 70 111 3.13
 TL4G 102G4452 1/10 48 70 78 96 127 166 87 135 3.86
 TL5G 102G4550 1/8 65 92 102 123 162 207 106 170 5.08
 FR6G 103G6660 1/6 51 93 108 141 199 266 119 197 6.23
 FR7.5G 103G6680 103G6690 1/5 67 112 130 166 228 300 138 229 6.93
 FR8.5G 103G6780 103G6790 1/4 92 138 156 195 263 345 164 273 7.95
 FR10G 103G6880 103G6890 1/3 99 153 173 217 292 381 194 314 9.05



Private Picture Copyright : WWW.MBSM.PRO

Refrigerant Frequency	Compressor	Code numbers		Horse- power (approx.)	EN 12900 (CECOMAF)										EN 12900 (CECOMAF)		Dis- place- ment (cm ³)
		Com- pressor	Com- pressor with oil cooling		Capacity [W]										Power consumption [W]		
					Evaporating temperature [°C]										Evaporating temperature [°C]		
					-20	-15	-10	-6.7	-5	0	5	7.2	10	-10	5		
50Hz	PL35G	101G0250		1/16	39	53	69	82	89	112	140	153	172	67	90	2.00	
	TL2.5G	102G4251		1/16	51	69	90	106	116	145	179	196	219	84	113	2.61	
	TL3G	102G4350		1/12	59	81	106	125	136	170	211	230	258	96	133	3.13	
	TL4G	102G4452		1/10	80	107	140	165	180	226	280	306	342	118	154	3.86	
	TL5G	102G4550		1/8	107	139	178	208	224	278	341	372	414	149	205	5.08	
	NL6.1MF	105G6660		1/6	141	189	245	288	312	390	482	527	588	187	243	6.13	
	NL7.3MF	105G6772		1/5	179	236	304	356	385	480	591	645	719	227	298	7.27	
	NL8.4MF	105G6879		1/4	213	277	353	412	445	553	679	735	813	261	349	8.35	
	NL10MF	105G6885	105G6887	1/3	266	346	441	513	554	687	843	919	1028	323	435	10.10	
	NLE10MF	105G6888		1/3			439		555					305		10.10	
	FR6G	103G6660		1/6	124	171	226	267	290	365	452	494	552	172	241	6.23	
	FR7.5G	103G6680	103G6690	1/5	142	193	254	299	325	408	505	553	618	194	272	6.93	
	FR8.5G	103G6780	103G6790	1/4	171	228	298	351	381	478	592	647	722	231	321	7.95	
	FR10G	103G6880	103G6890	1/4	188	250	324	380	412	516	638	697	779	265	362	9.05	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF__TL2.5G-102G4251Télécharger

Mbsm_dot_pro_private_PDF_TL2.5G-102G4251Télécharger