

# Mbsm.pro, COMPRESSOR, SC21B, 104L 2310, 2310, r12, hbp, 3/4 HP++

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 18 November 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

	SC12/12L *	104L4077		190	440	830	1360	1680	2040			760		
	SC15/15CM *	104L4079		230	540	1020	1680	2100	2560			940		
	SC18/18CM**	104L4081		260	620	1170	1960	2460	3000			1020		
<b>R502 LBP</b>	SC10C	104L2516		80	215	365	590	710	870			335		
	SC12C	104L2674		110	270	470	770	950	1140			420		
	SC15CM	104L2848		150	325	590	920	1120	1390			535		
	SC18CM	104L2120		180	400	685	1080	1330	1600			580		
	SC10/10C *	104L4076		160	230	730	1180	1420	1740			670		
	SC12/12C *	104L4077		220	540	940	1540	1900	2280			840		
	SC15/15CM *	104L4079		300	650	1180	1840	2240	2780			1070		
	SC18/18CM**	104L4081		360	800	1370	2160	2660	3200			1160		
<b>R12 LBP HBP</b>	TL2.5B	102U2021			20	45	80	102	126	182	248		112	
	TL3B	102U2023			27	56	96	120	148	215	296		141	
	TL4B	102U2016			39	73	116	145	182	264	364		157	
	FR6B	103U2654			55	110	190	235	295	438	620		243	
	FR7.5B	103U2754	103U2764		65	127	210	275	340	495	695		280	
	FR8.5B	103U2854	103U2864		72	146	240	300	375	555	770		326	
	FR10B	103U2954	103U2964		85	158	268	340	420	620	860		375	
	FR11B	103U2154			110	205	340	420	520	758	1050		485	
	SC10B	104L2510	104L2511		70	170	310	400	490	760	1080		390	
	SC12B	104L2670	104L2671		95	230	410	520	630	950	1330		500	
	SC15B	104L2830	104L2831		130	275	490	615	760	1090	1590		595	
	SC18B	104L2110			170	340	575	715	870	1280	1820		720	
	SC21B	103U2310			220	400	670	840	1010	1450	2080		730	
	SC12/12B *	104L4072			190	460	820	1040	1260	1900	2660		1000	
	SC15/15B *	104L4073			260	550	980	1230	1520	2180	3180		1190	
	SC18/18B **	104L4074			340	680	1150	1430	1740	2560	3640		1440	
	SC21/21B **	104L4075			440	800	1340	1680	2020	2900	4160		1460	
	<b>R22 HBP</b>	SC10D	104L2529	104L2517			510	655	835	1295	1895		545	
		SC12D	104L2694	104L2684			650	840	1070	1615	2290		660	
		SC15D	104L2859	104L2839			800	1045	1325	1975	2750		715	
SC10/10D *		104L4084				1020	1310	1670	2590	3790		1090		
SC12/12D **		104L4085				1300	1680	2140	3230	4580		1320		
SC15/15D **		104L4086				1600	2090	2650	3950	5500		1430		
<b>R12 HBP Heat pump compressors</b>	FR7H		103U2763			215	280	355	520	770		260		
	SC10H		104L2515			260	345	455	730	1060		350		
	SC10HH		104L2514			260	345	455	730	1060		320		
	SC15H		104L2836			455	610	765	1120	1560		5500		
	SC15HH		104L2835			455	610	765	1120	1560		510		



Numéro du parti BOC	Code Danfoss	Puissance nominale et applicable	Réfrigérateur.	Capacité nominale (watts)	Réf . BOC	Code Danfoss	Puissance nominale et applicable	Réfrigérer	Capacité nominale (watts)
FR6B	103U2654	1/5 MBP	R12	354	TL3F	102G4300	1/10 livre	R134a	58
FR8.5B	103U2854	1/4 MBP	R12	450	TL4F	102G4400	1/8 livre	R134a	84
SC10B *	104L2510	1/3 MBP	R12	588	TL5F	102G4520	1/6 livre	R134a	127
FR11B	103U2154	1/3 MBP	R12	624	TL57F	102G4720	1/5 livre	R134a	182
SC12B *	104L2670	4/9 MBP	R12	756	NL7F	105G6706	1/4 livre	R134a	183
SC15B *	104L2830	1/2 MBP (LBP)	R12 (R502)	912 (768)	NL9F **	105G6802	1/4 livre	R134a	214
SC18B *	104L2110	2/3 MBP (LBP)	R12 (R502)	1044 (900)	NL11F**	105G6910	1/4 livre	R134a	274
SC21B	104L2310	3/4 MBP	R12	1212	SC15F**	104G8500	1/3 livre	R134a	319
SC10B	104L2510	1/3 livre	R502	468	SC18F **	104G8800	4/9 livres	R134a	395
SC12B	104L2670	4/9 livres	R502	612	TL3G	104G4350	1/8 MBP	R134a	175
SC15C	104L2832	2/3 LBP	R502	768	TL4G	102G4452	1/6 MBP	R134a	215
SC18C	104L2111	3/4 LBP	R502	900	FR6G	103G6660	1/5 MBP	R134a	351