

www.mbsm.pro, Compresseur THG1365YGS, R134a ,1/5HP ,230V ,148W

Category: Solutions,Tester ok
written by Jamila | 7 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

www.mbsm.pro, Compresseur THG1365YGS, R134a ,1/5HP ,230V ,148W



PictureS Mbsm Dot Pro : www.mbsm.pro

Product Specifications

Performance

Condition	Test Voltage	Refrigeration Capacity		Input Power		Efficiency			EVAP TEMP	COND TEMP	AMBIENT TEMP	RETURN GAS	LIQUID TEMP
		Btu/h	kcal/h	W	W	Btu/Wh	kcal/Wh	W/W					
ASHRAE	220V ~ 50HZ	570	144	167	148	3.85	.97	1.13	-23°C (-10°F)	54°C (130°F)	32°C (90°F)	32°C (90°F)	32°C (90°F)
ASHRAE	220V ~ 60HZ	640	161	188	151	4.24	1.07	1.24	-23°C (-10°F)	54°C (130°F)	32°C (90°F)	32°C (90°F)	32°C (90°F)

General

Evaporating Temp. Range: -34.4°C to -12.2°C (-30°F to 10°F)

Motor Torque: Low Start Torque (LST)

Compressor Cooling: Static

Mechanical

Weight:	8
Weight Unit of Measure:	KG
Displacement (cc):	5.9
Oil Type:	Polyolester
Viscosity (cSt):	10
Oil Charge (cc):	243

Electrical


Voltage Range (50 Hz):	180-242
Voltage Range (60 Hz):	187-242
Locked Rotor Amps (LRA):	12.2
Rated Load Amps (RLA 50 Hz):	1.25
Rated Load Amps (RLA 60 Hz):	1.07
Max. Continuous Current (MCC in Amps):	0
Motor Resistance (Ohm) – Main:	10.34
Motor Resistance (Ohm) – Start:	31.18
Motor Type:	PTCS_IR
Overload Type:	N/A
Relay Type:	N/A

Agency Approval

CE Listed, IRAM Listed, SGS Listed, VDE Listed

E140-E180-E220

1	Line
2	Super
3	Switch control
C	Compressor
O	Over load
R	Relay
Th	Thermostat
L	Lamp
S	Switch lamp
A	Black
B	Blue
E	Red
Y	Gray
G-Y	Green / yellow



KIRIAZI

COMPANY
ELECTRIC



شركة
كريازي
الالكترويك



Model	E180	Class	T
Voltage Supply	220-240V/50HZ	Current / Amp.	0.80
Energy Consumption (KW.h/24h)	1.35	Refrigerant	R 134a
Freezer Capacity / Lt.	12	Refrigerant Charge / kg	0.130
Total Capacity / Lt.	180	Cooling System / bar	20
Serial Number	م.ق.م - ٢٢٠ - ١٩٩٠		



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_THG1365YGSTélécharger