

Compressor ,TECUMSEH 1/4HP ,THG1374YS, R134A ,tm271-ms-393

Category: Technologie,Tester ok
written by www.mbsm.pro | 4 April 2020



Compressor ,TECUMSEH 1/4HP ,THG1374YS, R134A ,tm271-ms-393



PictureS Mbsm Dot Pro : www.mbsm.pro

Gas Refrigerante Refrigerant	Modelo del Compresor Compressor Model	Listado de Materiales Bill of Materials	Referencia Comercial Commercial Reference	Desplazamiento Displacement	50 Hz (ASHRAE)	
					Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	C.O.P.
				cm ³ /rev	W	W/W
R-134a	THB1324Y	TH324	1/14	2,72	62	0,93
	THG1330Y	TH261	1/10+	3,14	84	1,10
	THG1335Y	TH251	1/8	3,40	92	1,12
	THG1340Y	TH201	1/8+	3,79	104	1,21
	THG1346Y	TH211	1/6	4,23	117	1,12
	THG1352Y	TH221	1/6+	5,01	135	1,20
	THG1358Y	TH231	1/5	5,60	154	1,17
	THG1365Y	TH241	1/5	5,90	167	1,16
	TSB1355Y	TS304	1/5	4,59	140	1,61
	TSB1360Y	TS305	1/5	5,23	149	1,53
	TPH1380Y	TP152	1/5+	6,53	204	1,40
	THG1374Y	TH271	1/4	6,95	192	1,28
	TSB1374Y	TS306	1/4	5,65	167	1,37
	TSB1380Y	TS307	1/4	6,53	191	1,49
	TSB1390Y	TS308	1/3	7,28	215	1,35
	TPH1410Y	TP154	1/3	8,37	270	1,40
	TPH1413Y	TP155	1/3+	10,86	315	1,29
TPH1415Y	TP156	1/2	12,52	363	1,34	





TH271 - MS - 394
THG1374YMS

Model	Capacity
TH271	100
TH271	50

WARNING / A ADVERTENCIA

CAUTION: HOT SURFACES. DO NOT TOUCH. TO PREVENT BURNING, ALWAYS USE PROTECTIVE GLOVES. ALWAYS USE THE CORRECT LIFTING TECHNIQUE. ALWAYS USE THE CORRECT LIFTING POINTS. ALWAYS USE THE CORRECT LIFTING POINTS. ALWAYS USE THE CORRECT LIFTING POINTS.