

NL8.4FT ,Tropical , 1/4 Hp Compressor
R134a 220-240V 50Hz ,HERMETIC ,143 W
-25/+55 °C , LBP, 105g6866, 105g6865

Category: Technologie,Tester ok
written by www.mbsm.pro | 21 April 2020

NL8.4FT

220-240V~50Hz



SECOP

LBP LST/HST R134a

SUCTION



MKB56203

105G

6865

MADE IN SLOVAKIA

NL8.4FT

220-240V~50Hz



SECOP

LBP LST/HST R134a

SUCTION



ERL



MKB56203



105G

6865

CE

MADE IN SLOVAKIA

-25/+55 °C , LBP

Mbsm_dot_pro_private_picture_n18.4ft-1Télécharger

Refrigerant	Applique	oil cooling		Evaporating temperature [°C]											Evaporating tem			
				-35	-30	-25	-20	-15	-10	-5	0	5	10	15	-25	-10		
LBP	PL50F	101G0220		1/20	14	26	40	56	74	95							60	86
	TL53FT	102G4324		1/16	21	34	50	69	92	120							62	93
	TL54FT	102G4424		1/10	27	43	63	88	117	152							88	123
	TL55FT	102G4524		1/8+	48	71	98	131	170	216							114	165
	TL55.7FT.3	102G4615		1/6	66	90	120	156	200	253							120	170
	TL56.5FT.3	102G4703		1/5			136										139	
	NL6FT	105G6628		1/6	60	84	115	152	198	253							123	184
	NL6.1FT	105G6620		1/6	60	84	115	152	198	253							123	184
	NL7FT	105G6728	105G6738	1/5	71	100	136	181	235	299							145	220
	NL7.3FT	105G6726		1/5	71	100	136	181	235	299							145	220
	NL8.4FT	105G6865		1/4	87	120	162	213	275	350							169	252
	NL9FT	105G6828	105G6838	1/4	87	120	162	213	275	350							169	252
	NL10FT	105G6829	105G6839	1/3	113	158	213	281	361	455							215	316
	NLE7.3FT	105G6710		1/4	92	118	154	201	258	325							148	221
	SC12FT	104G8205	104G8215	1/3	103	163	233	314	408	517	645						265	380
	SC15FT	104G8505		1/2	126	197	280	376	489	620	772						311	451
	SC18FTX	104G8805		5/8	144	229	325	437	567	719	896						365	517
	SC21FTX 50Hz	104G8105		3/4	192	296	415	553	713	901	1119						428	613
	SC21FTX 60Hz	104G8106		3/4	240	345	470	620	800	1012	1262						475	707
	R134a	TL2.5G	102G4251		1/12	11	23	36	51	69	90	116	145	179	219	264	60	84
TL3G		102G4350		1/12		25	41	59	81	106	136	170	211	258	312	66	96	
TL4G		102G4452		1/8		41	58	80	107	140	180	226	280	342	413	83	118	
TL5G		102G4550		1/6		56	79	107	139	178	224	278	341	414	497	100	149	
FR6G		103G6660		1/5		48	83	124	171	226	290	365	452	552		109	172	
FR7.5G		103G6680	103G6690	1/5		62	99	142	193	254	325	408	505	618		126	194	
FR8.5G		103G6780	103G6790	1/4		85	123	171	228	298	381	478	592	722		151	231	
FR10G		103G6880	103G6890	1/4		92	136	188	250	324	412	516	638	779		179	265	
FR11G		103G6980		1/3		115	170	233	307	395	501	628	780			202	317	
TL6.5MF		102G4781		1/4				174	219	279	349	425	520				202	
NL6.1MF		105G6660		1/5				141	189	245	312	390	482	588	709		187	
NL7.3MF		105G6772		1/4				179	236	304	385	480	591	719	867		227	
NL8.4MF		105G6879		1/4+				213	277	353	445	553	679	825	994		261	
NL10MF	105G6885		1/3				266	346	441	554	687	843	1023	1231		323		
NLE10MF	105G6888		1/3	88	137	194	262	343	440	554	688	845			198	308		