

**DAEW00 Compressor ,
HSL25YE-5, 1/5 hp++, 1/4HP- ,
1PH, R134a , 220-240V
50Hz, Puissance frigorifique
176 W , 690 BTU**

written by Lilianne | 30 April 2020





Private Picture Copyright : WWW.MBSM.PRO

Serie	Model	Displacement [cc/rev]	Consumption Power [W]	Cooling Capacity			Efficiency			Motor Type	Cooling Type	Net Weight [kg]	Oil Qty. [cc]
				kcal/h	Watt	Btu/h	EFF kcal/Wh	COP W/W	EER Btu/Wh				
YH	HPL17YH-5	5.55	108	129	150	512	0.84	1.39	4.74	RSCR	ST/OC/FC	9.5	290
	HPL19YH-5	5.84	115	136	158	540	0.85	1.38	4.69	RSCR	ST/OC/FC	9.5	290
	HPL19YH-5A	5.84	115	136	158	540	0.85	1.38	4.69	RSCR	ST/OC/FC	9.5	290
	HPL21YH-5	6.73	129	152	177	603	0.85	1.37	4.68	RSCR	ST/OC/FC	9.5	290
	HPL23YH-5	7.03	139	166	193	659	0.84	1.39	4.74	RSCR	ST/OC/FC	9.5	290
	HPL25YH-5	7.96	155	194	226	770	0.80	1.46	4.97	RSCR	ST/OC/FC	9.5	290
YX	HPL26YH-5	8.25	164	205	238	814	0.80	1.45	4.96	RSCR	ST/OC/FC	9.5	290
	YX58LHP5	5.84	112	141	164	560	0.79	1.46	5.00	RSCR	ST/OC/FC	9.8	290
YG	HPL25YG1-5	7.68	153	180	209	714	0.85	1.37	4.67	RSCR	ST/OC/FC	9.5	290
	HPL27YG1-5	8.69	175	206	240	817	0.85	1.37	4.67	RSCR	ST/OC/FC	9.5	290
	HPL30YG-5	9.92	207	235	273	933	0.88	1.32	4.51	RSCR	ST/OC/FC	9.5	290
	HPL30YG-5A	9.92	208	228	265	905	0.91	1.27	4.35	RSCR	ST/OC/FC	9.5	290
	HSL25YG-5	7.68	175	185	215	734	0.95	1.23	4.20	RSCR	ST/OC/FC	9.5	290
	HSL27YE-5	6.73	155	151	176	599	1.03	1.13	3.87	CSR	ST/OC/FC	9.0	290
YE	HKL23YE-5	7.03	162	159	185	631	1.02	1.14	3.89	CSR	ST/OC/FC	9.3	290
	HKL25YE-5	7.68	186	177	206	702	1.05	1.11	3.78	CSR	ST/OC/FC	9.5	290
	HKL27YE-5	8.69	200	200	233	794	1.00	1.16	3.97	CSR	ST/OC/FC	9.3	290
	HKL30YE-5	9.92	241	236	274	937	1.02	1.14	3.89	CSR	ST/OC/FC	9.5	290
	HPL27YE-5	8.69	180	204	237	810	0.88	1.32	4.50	RSCR	ST/OC/FC	9.5	290
	HPL30YE-5	9.92	211	228	265	905	0.93	1.26	4.29	RSCR	ST/OC/FC	9.5	290
	HSL27YE-ST1	8.69	197	205	238	814	0.96	1.21	4.13	RSCR	ST/OC/FC	9.5	290
	HSL21YE-5	6.73	149	151	176	599	0.99	1.18	4.02	RSCR	ST/OC/FC	9.0	290
	HSL23YE-5	7.03	161	155	180	615	1.04	1.12	3.82	RSCR	ST/OC/FC	9.3	290
	HSL23YE-5B	7.03	161	155	180	615	1.04	1.12	3.82	RSCR	ST/OC/FC	9.3	290
	HSL23YE-ST1	7.03	163	159	185	631	1.03	1.13	3.87	RSCR	ST/OC/FC	9.3	290
	HSL25YE-5	7.68	176	174	202	690	1.01	1.15	3.92	RSCR	ST/OC/FC	9.5	290
	HSL25YE-5A	7.68	168	169	197	671	0.99	1.17	3.99	RSCR	ST/OC/FC	9.0	290
	HSL27YE-5	8.69	196	197	229	782	0.99	1.17	3.99	RSCR	ST/OC/FC	9.5	290
	HSL27YE-5A	8.69	193	195	227	774	0.99	1.18	4.01	RSCR	ST/OC/FC	9.5	290
	HSL30YE-5	9.92	253	230	267	913	1.10	1.06	3.61	RSCR	ST/OC/FC	9.5	290
	HSL30YE-5B	9.92	239	229	266	909	1.04	1.11	3.80	RSCR	ST/OC/FC	10.4	290
	HPL25YE-S-K	7.68	171	175	203	694	0.98	1.19	4.05	RSCR	ST/OC/FC	9.0	290
	HPL27YE-S-K	8.69	196	199	231	790	0.98	1.18	4.03	RSCR	ST/OC/FC	9.0	290
	HPL30YE-S-K	9.92	207	221	257	876	0.94	1.24	4.22	RSCR	ST/OC/FC	9.0	290
DH	DH70LHPS	7.03	124	161	187	639	0.77	1.51	5.15	RSCR	FC	10.4	290
	DH80LHPS	7.89	143	189	220	750	0.76	1.54	5.24	RSCR	FC	10.4	290
	DH90LHPS	8.93	157	205	238	814	0.77	1.52	5.18	CSR	FC	10.4	290
	DH90LHK5	8.93	175	205	238	814	0.85	1.36	4.65	RSCR	FC	10.4	290
	DH99LHPS	9.92	234	309	359	1226	0.76	1.54	5.24	CSR	FC	10.4	290
DM	DM99LHK5	9.92	237	246	286	976	0.96	1.21	4.12	CSR	FC	10.4	290

PictureS Mbsm Dot Pro : www.mbsm.pro



Pdf Documentation

Mbsm_dot_pro_private_picture_hsl25ye-5Télécharger

