


Toeflex Ltd , Pw4.0vk , L□MBP
serie,1/10 Hp , 1Phase , r134a
refrigerant , refrigeration
compressor ,220~240v Ac 50hz , 112W
,RSIR

Category: Non classé,Technologie,Tester ok
written by www.mbsm.pro | 30 April 2020

PW4.0VKL



220-240V~50Hz



SINGLE PHASE

R134a

THERMALLY PROTECTED

← SUCTION CONNECTOR

Sichuan Danfu Compressor Co., Ltd.
DF

PW4.0VKL   
220-240V~50Hz A002364 
SINGLE PHASE R134a
THERMALLY PROTECTED
← SUCTION CONNECTOR
Sichuan Danfu Compressor Co., Ltd.
DF

Private Picture : www.MBSM.PRO

: www.mbsm.pro

R134a L□MBP Series

| Model | Power (HP) | Capacity (W) | | COP | |
|----------------------|------------|--------------|------|------|------|
| | | 50Hz | 60Hz | 50Hz | 60Hz |
| 220 – 240 V 50/60 Hz | | | | | |
| PW1.5VK | 1/20 | 41 | 49 | 0.73 | 0.79 |
| PW2.0VK | 1/15 | 52 | 62 | 0.84 | 0.91 |
| PW2.5VK | 1/12 | 56 | 79 | 0.85 | 0.95 |
| PW4.0VK | 1/10 | 76 | 102 | 0.96 | 1.05 |
| PW4.5VK | 1/8 | 108 | 110 | 1.05 | 1.16 |
| PW5.5VK | 1/5 | 126 | | 1.15 | |
| 110 – 120 V 60 Hz | | | | | |
| PW1.5DV | 1/20 | | 41 | | 0.80 |
| PW2.0DV | 1/15 | | 52 | | 0.90 |
| PW2.5DV | 1/12 | | 62 | | 1.00 |
| PW3.0DV | 1/10 | | 72 | | 1.05 |
| PW3.5VK | 1/10+ | | 78 | | 0.95 |
| PW4.0VK | 1/10 | | 86 | | 1.06 |
| PW4.5VK | 1/8 | | 108 | | 1.10 |

| | | | | | |
|---------|-------|--|-----|--|------|
| PW1.5DV | 1/20 | | 41 | | 0.80 |
| PW2.0DV | 1/15 | | 52 | | 0.90 |
| PW2.5DV | 1/12 | | 62 | | 1.00 |
| PW3.0DV | 1/10 | | 72 | | 1.05 |
| PW3.5VK | 1/10+ | | 78 | | 0.95 |
| PW4.0VK | 1/10 | | 86 | | 1.06 |
| PW4.5VK | 1/8 | | 108 | | 1.10 |