

# **Rsir/Rscr ,Compresseur , ACC Cubigel ,Electrolux ,HTH14AA ,R600 , 220 / 240 V/50 Hz,1/4HP ,Engine 14 cm<sup>3</sup>,LBP ,245W**

written by Lilianne | 3 May 2020

- Further features: LBP 9,37kg 1/4HP engine size 14 cm<sup>3</sup>
- Manufacturer: Rsir/Rscr
- Air Conditioning: R600 a
- Type: HTH14AA
- Frequency: 50 Hz

HTH14AA R600A 220-240V/50Hz refrigeration compressor in China

Characteristics:

1. Small size
2. High efficiency & reliability
3. Reliable starting performance
4. Low sound & vibration

Application:

LBP, refrigerator, freezer, liquor cabinet, display cabinet and other medium sized refrigeration machines

TEST CONDITIONS (ASHRAE)

Evaporating temperature -23.3degree

Condensing temperature 54.4 degree

Subcooling temperature 32.2 degree

Suction temperature 32.2 degree

Ambient temperature 32.2degree

They are the best selling high-tech compressors sold in the world. They are ideal for domestic refrigeration and also for

small commercial applications. They are small, have low noise and vibration levels, they achieve the highest levels of efficiency available in the market for this category.

For more details of the refrigeration compressor, please contact us.

Model	Displacement	Height	Motor Type	Cooling capacity	COP	Power Supply
HTH14AA	14.0cm <sup>3</sup>	183 MM	RSIR/RSCR	245W	1.37/1.44W/W	220-240V/50Hz

C46553544

**ICE**

**HTH14AA** 1149

220--240V  
50Hz

**< SUCTION** **CE**

8 486 0723410 2 **RoHS**

R 600a



Model NO.	HTH14AA
Type	Piston
Configuration	Stationary
Application	Low Back Pressure Type
Trademark	ZEL
Origin	China

Height	183mm
Power Source	AC Power
Lubrication Style	Lubricated
Mute	Mute
Specification	CE ROHS VDE CCC
HS Code	8414301102

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)