

Compresseur, Samsung , 1/5 HP,  
155/160w , r600a ,220/240v~50,  
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020

SAMSUNG

MK4A5Q-R1U

E09

220-240V 50Hz 5.5 LRA

CE



1PH THERMALLY PROTECTED R-600a



1541CCAX513193

MADE IN KOREA

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_compressor-catalogue-2015-1Télécharger

SAMSUNG

MK4A5Q-R1U

E09

220-240V 50Hz

5.5 LRA

CE



1PH THERMALLY PROTECTED R-600a



1541CCAX513193

MADE IN KOREA

RATED VOLTAGE	MODEL	MOTOR TYPE	VOLTAGE [V-Hz]	ASHRAE							COOLING TYPE	
				COOLING CAPACITY			INPUT	EFFICIENCY				
				Kcal/Hr	Watt	BTU/Hr		W	EFF	COP		EER
AC 115V~60Hz	MSE482C-L1H	RSCR	115-60	150	174	596	96	1.56	1.82	6.20	ST	
	MSE482C-S1H	RSCR	115-60	150	174	596	97.6	1.54	1.79	6.10	ST	
	MSA488C-S1B	RSCR	115-60	160	186	635	124.5	1.29	1.49	5.10	ST	
	MSE4A0C-L1H	RSCR	115-60	186	216	738	123	1.51	1.76	6.00	ST	
	MSE4A0C-S1H	RSCR	115-60	186	216	738	125.1	1.49	1.73	5.90	ST	
	MSA4A1C-S1B	RSCR	115-60	197	229	782	156.3	1.26	1.47	5.00	ST	
220V~60Hz	MK490B-L1UA	RSCR	220-60	152	177	603	114	1.33	1.55	5.29	ST	
AC 220-240V~50Hz	MD462Q-L1UA	RSCR	220-50	78	91	310	68	1.15	1.33	4.55	ST	
	MSS470Q-L1U	RSCR	220-50	98	114	389	67	1.46	1.70	5.81	ST	
	MSE482Q-L1U	RSCR	220-50	128	149	508	77	1.66	1.93	6.60	ST	
	MSE482Q-L1G	RSCR	220-50	128	149	508	82.6	1.55	1.80	6.15	ST	
	MSE482Q-L1H	RSCR	220-50	128	149	508	79.4	1.61	1.88	6.40	ST	
	MSS488Q-L1U	RSCR	220-50	120	140	476	82	1.46	1.70	5.81	ST	
	MSA488Q-L1B	RSCR	220-50	120	140	476	90	1.33	1.55	5.29	ST	
	MSE490Q-L1U	RSCR	220-50	140	163	556	85.5	1.64	1.90	6.50	ST	
	MSE490Q-L1G	RSCR	220-50	138	160	548	91.3	1.51	1.76	6.00	ST	
	MSE4A0Q-L1U	RSCR	220-50	158	184	627	98	1.61	1.88	6.40	ST	
	MSE4A0Q-L1G	RSCR	220-50	162	188	643	107.1	1.51	1.76	6.00	ST	
	MSE4A0Q-L1H	RSCR	220-50	162	188	643	103.7	1.56	1.82	6.20	ST	
	MSS4A1Q-L1U	RSCR	220-50	164	191	651	109	1.50	1.75	5.97	ST	
	MSA4A1Q-L1B	RSCR	220-50	164	191	651	115	1.43	1.66	5.66	ST	
	MSE4A1Q-L1U	RSCR	220-50	176	205	699	110.9	1.59	1.85	6.30	ST	
	MSE4A1Q-L1G	RSCR	220-50	175	203	695	117.7	1.49	1.73	5.90	ST	
	MSS4A2Q-R1U	RSCR	220-50	180	209	715	120	1.50	1.74	5.96	ST	
	MSE4A2Q-L1U	RSCR	220-50	192	223	762	122.9	1.56	1.82	6.20	ST	
	MSE4A2Q-L1H	RSCR	220-50	192	223	762	127	1.51	1.76	6.00	ST	
	MK4A3Q-L1UA	RSCR	220-50	179	208	711	132	1.36	1.58	5.38	ST	
	MK4A5Q-L1U	RSCR	220-50	222	258	881	162	1.37	1.59	5.44	ST	
	<b>MK4A5Q-R1U</b>	RSCR	220-50	230	267	913	160	1.44	1.67	5.71	ST	
	AC	MSE482H-L1G	RSCR	220-60	150	174	596	102	1.47	1.71	5.84	ST
			RSCR	220-50	130	151	516	87	1.49	1.74	5.93	

**Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)**