

# EMT36HLP , EMBRACO , ASPERA , COMPRESSEUR FRIGORIFIQUE , 220/240V 50Hz , 1/10 HP, déplacement 3,97 , R134 , LBP

Category: Technologie, Tester ok  
written by www.mbsm.pro | 11 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

• Fiche technique

Mbsm\_dot\_pro\_private\_PDF\_Catalogue-Compressors-EUR Télécharger

Alimentation	220/240 V-50 Hz-1 ph
Chevaux	1/10 hp
Déplacement	3,97 cm <sup>3</sup>
Application	LBP
Capacité frigorifique en conditions EN12900 MT, R134a	123 W
Capacité frigorifique en conditions ASHRAE pour basses températures, R134a	108 W
Capacité frigorifique en conditions EN12900 LT, R134a	54 W
Réfrigérant	R134a
Aspiration	1/4"
Refoulement	1/4"

Poids	7,5 kg
Hauteur	166 mm
LRA	3,8 A
Huile de recharge	180 cm3
Type d'huile	POE 22 ester
Autres remarques	Accessoires de démarrage inclus
Technologies	Vitesse fixe
Type de refroidissement moteur	Gaz d'aspiration
Type moteur	RSIR/RSCR
Type protection moteur	Externe



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Compressor Embraco Aspera EMT36HLP / EMY3109Z, LBP – R134a, 220 – 240V/1/50Hz, 1/10+ HP, discharge 3.97 cm<sup>3</sup>, motor type RSIR, lubricant type POE 22, lubricant charge 180 mL LRA 3.8A, 108 W at -23.3 / +54.4 °C, cooling: static, expansion device: capillary, weight 7.5 kg

Refrigerant:	R134a
Power range(W):	0 – 100 W 101 – 200 W
Performance range (C):	-35 C to -10 C
Working area:	LBP
Design type:	Hermetic
Model series:	EMT

Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	POE22
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	8,50 Kg
Contents:	1,00 Pieces
Dimensions ( length × width × height ):	22,80 × 15,50 × 16,60 cm
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	Embraco Aspera
Model:	EMT36HLP
Stroke volume (cm3):	3,97
Performance condition:	-23,3 / +54,4
Power (W):	108
Cooling capacity (W):	98
Power (HP):	0,1
Max. Starting current (A):	3,8
Engine type:	RSIR
Note:	Static cooling
Oil quantity (l):	0,18
Compressor type:	Piston
Power range:	-35 C to -10 C