

Compressor ,DANFOSS , 2123
104L,coolant R404a/R507,SC18CL
,220-240V 50Hz, LBP/MBP
(csr),hermetic ,13,7kg ,5/8HP
(Big),781W

Category: Tester ok

written by www.mbsm.pro | 22 May 2020



Private Picture Copyright : WWW.MBSM.PRO

[Mbsm_dot_pro_private_PDF_SC18CL-1Télécharger](#)

[Mbsm_dot_pro_private_PDF_SC18CLTélécharger](#)



Private Picture Copyright: WWW.MBSM.PRO

SECOP Commercial Freezer Compressor SC18CL 104L2123 5/8HP R404aProduct

Description:

- 1.Easy to install ,low cost
- 2.Low noise and high performance
- 3.Strong and durable
- 4.Adapt to unstable power source
- 5.High reliability, long service life

Key Features:

1. Adopt high efficient rotary compressor and Japan made motors, save power 10% or above.
2. The horizontal designed series can save much space.
3. Optimized design can be tightly built inside the equipment, which can save in stallation time and labor cost.
4. Widely used in freezing storage, cold room, automatic vendor machine, cold tanks on the ship, etc. as well as in the home use, commercial, refrigerator, refrigeration machine, dehumidifier, low-temperature laboratory device and some special refrigeration equipment.

Danfoss Refrigerator Compressor Models and Parameter:

Model	Gas	Qty/pallet	HP	Voltage	Code	Details
SC10C	R22	80	1/3	1ph/220V-240/50HZ	104L2516	MLBP HST
SC12C	R22	80	3/8	1ph/220-240V/50HZ	104L2674	MLBP HST
SC15CM	R22	80	1/2	1ph/220V-240V/50HZ	104L2848	MLBP HST
SC18CM	R22	80	5/8	1ph/220-240V/50HZ	104L2120	MLBP HST

SC10D	R22	80	3/8	1ph/220-240V/50HZ	104L2529	MHBP	HST
SC12D	R22	80	1/2	1ph/220-240V/50HZ	104L2694	MHBP	HST
SC15D	R22	80	5/8	1ph/220-240V/50HZ	104L2859	MHBP	HST
SC10CL	R404A	80	1/3	1ph/220-240V/50HZ	104L2523	LMBP	HST
SC12CL	R404A	80	3/8	1ph/220-240V/50HZ	104L2623	LMBP	HST
SC15CL	R404a	80	1/2	1ph/220-240V/50HZ	104L2853	LMBP	HST
SC18CL	R404a	80	5/8	1ph/220V-240V/50HZ	104L2123	LMBP	HST
SC21CL	R404a	80	7/8	1ph/220-240V/50HZ	104L2322	LBP	HST
SC10G	R134a	80	5/16	1ph/220-240V/50HZ	104G8000	LMHBP	HST
SC12G	R134a	80	1/3	1ph/220-240V/50HZ	104G8240	LMHBP	HST
SC15G	R134a	80	3/8	1ph/220V-240V/50HZ	104G8520	LMHBP	HST
SC18G	R134a	80	1/2	1ph/220-240V/50HZ	104G8820	LMHBP	HST
SC21G	R134a	80	5/8	1ph/220-240V/50HZ	104G8140	LMHBP	HST



Compressor DANFOSS SC18CL 104L2123

Refrigerant	R404A/ R507
Working range [stC] LBP	-45 to -5
Nominal capacity [W] (evaporating temperature -23,3, Condensing temperatur +38C)	781
Power supply	220V 50Hz
Engine type	CSR
Displacement [cm ³]	17,69
Oil type	POE
Weight without electrical equipmen [kg]	15

