

Compressor ,WS85YG, 220 to 240V/50Hz, 1/8HP ,RSCR , R600

Category: Technologie,Tester ok
written by www.mbsm.pro | 23 May 2020



WANSHENG

WS85YG

220-240V-50Hz 1PH



NO.1638215



CB



Warning: Risk of fire

Hangzhou Qianjiang Refrigeration Group Co., Ltd

 **WS85YG** 
220-240V-50Hz 1PH

NO.1638215

 **5**
R600a

 **CB**  **CE** **Warning: Risk of fire**


Hangzhou Qianjiang Refrigeration Group Co., Ltd

Homa

UNIVERSAL

MADE IN:	ישראל	ארץ היצרן
TYPE:	DD1-21	מודל EFR-206
CLASS T:	T	סוג אולס T
REFRIGERATOR-FREEZER		מקרר/מקפיא
INSULATION CLASS	I	מבדיל עומס
TOTAL GROSS VOLUME	179	נפח כולל (ליטר)
FOOD FREEZER COMPARTMENT STORAGE VOLUME	125	נפח אוסון את הקפוא
VOLTAGE:	230V	מתח
CURRENT/POWER INPUT	0.65A/95W	זרם / הספק פנוי
FREEZING CAPACITY:	8kg/24hr	כמות הקפוא
REFRIGERANT:	R600a	אמצעי קירור
MASS OF REFRIGERANT	70g	כמות הגז
The Chemical Name of the Gas	cyclo pentane	השם הכימי של הגז
DATE OF MANUFACTURE:	2017	תאריך היצר
SERIAL NO:	מספר	מספר סדרה
	מספר	מספר סדרה

DIAGRAM OF CIRCUIT



C*: The capacitor is optional according to different compressor model


7B110

EFR-206



UVSZ97B110 00101702050226

DIAGRAM OF CIRCUIT



C*: The capacitor is optional according to different compressor model

7B110

EFR-206



UVSZ97B110 00101702050226

Private Picture Copyright: WWW.MBSM.PRO

Founded in December 1994, Hangzhou Qianjiang Compressor Co., Ltd., is specialized in producing hermetic compressors for refrigerators, freezers and various household appliances. Due to attaching great importance to technical

innovation and development of new products, the company owns a technical team to pursue the excellent and constant self-development.

Hermetic compressor R600a

Power Supply: 220 to 240V/50Hz

Displacement (cm³): 8.5

Cooling Capacity (W): 147

Rated Power (W): 92

Nominal power (HP): 1/8

COP (W/W): 1.6

Motor Type: RSCR

Capacitor(μ F):4

Starting Relay: PTC

Cooling Type: S

Packing (PCS/pallet): 100

20" FCL (PCS): 2000

Characteristics:

1. Strong load capacity
2. High efficiency & reliability
3. Reliable starting performance
4. Low sound

Model	Refrigerant	Power Supply	Displacement (cm ³)	Cooling Capacity (W)	Rated Power (W)	Nominal power (HP)	COP (W/W)	Motor Type	Capacitor (μ F)	Starting Relay	Cooling Type	Packing (Pcs/pallet)	1× 20" FCL (pcs)
WS85YG	R600A	220-240V/50Hz	8.5	147	92	1/8	1.6	RSCR	4	PTC	S	100	2000