

QB73C12GAW5, 185W, 1/4Hp , RSIR, Q Series PANASONIC (Reciprocating Fixed Speed), R134a, LBP

Category: compressor

written by www.mbsm.pro | 25 May 2020

Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm ³)	7.3
Voltage (V)	220/240
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	185
COP@ASHRAE	1.26/1.23
Capacity@CECOMAF	-
COP@CECOMAF	-

Private Picture Copyright : WWW.MBSM.PRO

[file_compressor_matsushita__panasonic_125Télécharger](#)



Private Picture Copyright : WWW.MBSM.PRO

Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm ³)	7.3
Voltage (V)	220/240
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	185
COP@ASHRAE	1.26/1.23
Capacity@CECOMAF	-
COP@CECOMAF	-

Private Picture Copyright : WWW.MBSM.PRO







V51GX 6614

MC2402213

87

R134a (M)

3V~50

TFE

THERMALLY

Matsushita Electric Industrial Co., Ltd.

Manufactured by Panas Refrigeration

Services Malaysia Sdn. Bhd.

Made in Malaysia



V51GX 6614

MC2402213

572

R134a

250V ~ 50

THERMALLY

Manufactured by Panas

Malaysia Sdn. Bhd.

TF6

Refrigeration

Made in Malaysia

Industrial Co., Ltd.

Refrigeration

Made in Malaysia



Application & Refrigerant LBP K154a

Voltage	Model	Displacement cm ³	*2) Capacity (W)					*3) C.O.P.		*4) Motor type	Compressor cooling *5)			Net weight kg		Oil charge cm ³	
			Evaporating temperature					NO	YES		ST	OC	FC	ST/FC	OC	ST/FC	OC
			-30°C	-25°C	-23.3°C	-20°C	-15°C										
*6) 100V 50/60Hz	QB57C88RA00	5.65	118	161	178	213	271	1.27	1.33	RSIR/RSCR	O	-	O	9.1	-	250	-
	QB66C12CA00	6.55	119	164	185	219	293	1.19	-	CSIR	-	-	O	8.8	-	250	-
	QB66C13RA00	6.55	133	182	200	239	304	1.28	1.37	RSIR/RSCR	O	-	O	9.4	-	280	-
	QB86C18TA00	8.56	170	226	248	295	376	-	1.35	CSCR	-	-	O	9.9	-	280	-
	QB91C18CA00	9.07	163	226	251	303	394	-	1.21	CSIR	-	-	O	9.6	-	250	-
220V 50Hz	QB66C13GAX5	6.55	108	149	165	200	263	1.23	-	RSIR	O	-	-	9.2	-	250	-
	QB73C15GAX5	7.27	121	167	185	224	294	1.23	-	RSIR	O	O	-	9.7	9.9	250	300
	QB77C16GAX5	7.69	131	182	202	245	319	1.26	-	RSIR	O	O	-	9.8	10.0	250	300
	QB86C18GAX5	8.56	145	200	222	268	347	1.26	-	RSIR	O	O	O	9.9	10.1	250	300
	QB91C19GAX5	9.07	154	213	236	285	372	1.29	-	RSIR	-	O	O	10.2	10.5	250	300
	QB110C25GAX5	10.86	176	246	273	331	432	1.18	-	RSIR	-	O	O	10.4	10.6	250	300
*4) 220-240V 50Hz	QB51C74GAW5	5.10	84	116	128	153	196	1.21	-	RSIR	O	-	-	8.7	-	250	-
	QB57C87GAW5	5.65	97	132	146	175	225	1.23	-	RSIR	O	-	-	8.7	-	250	-
	QB66C97GAW5	6.55	108	149	165	200	263	1.25	-	RSIR	O	O	-	9.0	9.2	250	300
	QB73C12GAW5	7.27	121	167	185	224	294	1.26	-	RSIR	O	O	-	9.4	9.6	250	300
	QB77C13GAW5	7.69	131	182	202	245	319	1.27	-	RSIR	O	O	O	9.8	10.0	250	300
	QB86C13GAW5	8.56	145	200	222	268	347	1.27	-	RSIR	-	O	O	9.9	10.1	250	300
	QB91C16GAW5	9.07	154	213	236	285	372	1.28	-	RSIR	-	O	O	10.0	10.2	250	300
	QB110C19GAW5	10.86	176	246	273	331	432	1.22	-	RSIR	-	O	O	10.4	10.6	250	300
QB51C99GAX0	5.10	104	142	157	188	240	1.21	-	RSIR	O	-	O	8.7	-	250	-	

