

THG1374Y, TH271-ms-316, 1/4 HP, 192 W, Compresor Tecumseh , LBP

Category: compressor

written by www.mbsm.pro | 31 May 2020

Gas Refrigerante Refrigerant	Modelo del Compresor Compressor Model	Listado de Materiales Bill of Materials	Referencia Comercial Commercial Reference	Desplazamiento Displacement	50 Hz (ASHRAE)		60 Hz (ASHRAE)	
					Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	C.O.P.	Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	E.E.R.
				cm ³ /rev	W	W/W	Btu/h	Btu/Wh
R-134a	THB1324Y	TH324	1/14	2,72	62	0,93	250	3,47
	THG1330Y	TH261	1/10+	3,14	84	1,10	320	4,00
	THG1335Y	TH251	1/8	3,40	92	1,12	370	4,11
	THG1340Y	TH201	1/8+	3,79	104	1,21	425	4,25
	THG1346Y	TH211	1/6	4,23	117	1,12	475	4,20
	THG1352Y	TH221	1/6+	5,01	135	1,20	525	4,37
	THG1358Y	TH231	1/5	5,60	154	1,17	600	4,17
	THG1365Y	TH241	1/5	5,90	167	1,16	640	4,27
	TSB1355Y	TS304	1/5	4,59	140	1,61	610	5,42
	TSB1360Y	TS305	1/5	5,23	149	1,53	640	5,11
	TPH1380Y	TP152	1/5+	6,53	204	1,40	880	5,18
	THG1374Y	TH271	1/4	6,95	192	1,28	760	4,20
	TSB1374Y	TS306	1/4	5,65	167	1,37	700	5,04
	TSB1380Y	TS307	1/4	6,53	191	1,49	820	5,36
	TSB1390Y	TS308	1/3	7,28	215	1,35	930	5,10
	TPH1410Y	TP154	1/3	8,37	270	1,40	1100	4,66
TPH1413Y	TP155	1/3+	10,86	315	1,29	1275	4,65	
TPH1415Y	TP156	1/2	12,52	363	1,34	1450	4,75	
R-600a	AZA1330M	AZ526	1/10	5,59	91	1,00	310	3,83
	TSB1335M	TS406	1/8	5,65	91	1,65	365	5,02
	THG1345M	TH671	1/8+	6,96	108	1,12	430	4,39
	TSB1340M	TS404	1/7	6,53	111	1,59	410	5,07
	TSB1345M	TS407	1/6	7,28	123	1,58	500	5,21
	THG1355M	TH681	1/5	8,20	138	1,35	-	-
	TSB1355M	TS408	1/5	8,36	141	1,65	580	5,69
	TSB1360M	TS409	1/5	9,32	167	1,58	675	5,87
	TSB1365M	TS410	1/4	9,98	179	1,50	725	5,53
	TSB1370M	TS411	1/4	10,87	189	1,58	750	5,64
	TSB1380M	TS412	1/4	11,69	202	1,52	800	5,56
AZ1328D	AZ225	1/10	2,95	73	1,02	280	3,26	
AZ1335D	AZ223	1/8	3,60	91	1,05	360	3,45	
AZ1340D	AZ221	1/6	4,00	105	1,05	410	3,47	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_Catálogo-Compresores-y-Unidades-Condensadoras-TecumsehTélécharger

Gas Refrigerante Refrigerant	Modelo del Compresor Compressor Model	Listado de Materiales Bill of Materials	Referencia Comercial Commercial Reference	Desplazamiento Displacement	50 Hz (ASHRAE)		60 Hz (ASHRAE)	
					Capacidad Friorogífica Cooling Capacity -23,3°C (-10°F)	C.O.P.	Capacidad Friorogífica Cooling Capacity -23,3°C (-10°F)	E.E.R.
				cm ³ /rev	W	W/W	Btu/h	Btu/Wh
R-134a	THB1324Y	TH324	1/14	2,72	62	0,93	250	3,47
	THG1330Y	TH261	1/10+	3,14	84	1,10	320	4,00
	THG1335Y	TH251	1/8	3,40	92	1,12	370	4,11
	THG1340Y	TH201	1/8+	3,79	104	1,21	425	4,25
	THG1346Y	TH211	1/6	4,23	117	1,12	475	4,20
	THG1352Y	TH221	1/6+	5,01	135	1,20	525	4,37
	THG1358Y	TH231	1/5	5,60	154	1,17	600	4,17
	THG1365Y	TH241	1/5	5,90	167	1,16	640	4,27
	TSB1355Y	TS304	1/5	4,59	140	1,61	610	5,42
	TSB1360Y	TS305	1/5	5,23	149	1,53	640	5,11
	TPH1380Y	TP152	1/5+	6,53	204	1,40	880	5,18
	THG1374Y	TH271	1/4	6,95	192	1,28	760	4,20
	TSB1374Y	TS306	1/4	5,65	167	1,37	700	5,04
	TSB1380Y	TS307	1/4	6,53	191	1,49	820	5,36
	TSB1390Y	TS308	1/3	7,28	215	1,35	930	5,10
	TPH1410Y	TP154	1/3	8,37	270	1,40	1100	4,66
	TPH1413Y	TP155	1/3+	10,86	315	1,29	1275	4,65
TPH1415Y	TP156	1/2	12,52	363	1,34	1450	4,75	
R-600a	AZA1330M	AZ526	1/10	5,59	91	1,00	310	3,83
	TSB1335M	TS406	1/8	5,65	91	1,65	365	5,02
	THG1345M	TH671	1/8+	6,96	108	1,12	430	4,39
	TSB1340M	TS404	1/7	6,53	111	1,59	410	5,07
	TSB1345M	TS407	1/6	7,28	123	1,58	500	5,21
	THG1355M	TH681	1/5	8,20	138	1,35	-	-
	TSB1355M	TS408	1/5	8,36	141	1,65	580	5,69
	TSB1360M	TS409	1/5	9,32	167	1,58	675	5,87
	TSB1365M	TS410	1/4	9,98	179	1,50	725	5,53
	TSB1370M	TS411	1/4	10,87	189	1,58	750	5,64
	TSB1380M	TS412	1/4	11,69	202	1,52	800	5,56
AZ1328D	AZ225	1/10	2,95	73	1,02	280	3,26	
AZ1335D	AZ223	1/8	3,60	91	1,05	360	3,45	
AZ1340D	AZ222	1/8	4,00	105	1,05	410	3,43	

Private Picture Copyright: WWW.MBSM.PRO



2019/3/5 18:01

Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO