

# Compresseur, réfrigérateur, JIAXIPERA, 115W, 1/7HP, R600a, JM1110Y, RSIR, 220-240~/50

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 21 December 2020

压缩机型号	排量 积 (cm <sup>3</sup> )	电机型式	电压/频率 (V~/Hz)	W	BTU/h	Kcal	W	W/W	BTU/Wh	W/W	电容 (μF)	
JM1080Y	6,0	RSIR	220-240~/50	100	341	86	75	1,45	4,95	1,13	/	CCC/VDE
<i>JM1080Y</i>	<i>6,0</i>	<i>RSIR</i>	<i>220-240~/50</i>	<i>100</i>	<i>341</i>	<i>86</i>	<i>75</i>	<i>1,45</i>	<i>4,95</i>	<i>1,13</i>	<i>/</i>	<i>VDE, CCC</i>
JM1110Y	7,0	RSIR	220-240~/50	118	403	101	89	1,45	4,95	1,13	/	CCC/VDE
<i>JM1110Y</i>	<i>7,1</i>	<i>RSCR</i>	<i>220-240~/50</i>	<i>118</i>	<i>403</i>	<i>101</i>	<i>89</i>	<i>1,42</i>	<i>4,85</i>	<i>1,11</i>	<i>/</i>	<i>VDE, CCC</i>
JK1080Y	6,0	RSCR	220-240~/50	100	341	86	75	1,55	5,29	1,21	4,0	CCC/VDE
<i>JK1080Y</i>	<i>6,0</i>	<i>RSCR</i>	<i>220-240~/50</i>	<i>100</i>	<i>341</i>	<i>86</i>	<i>75</i>	<i>1,55</i>	<i>5,29</i>	<i>1,21</i>	<i>3,0</i>	<i>VDE, CCC</i>
JK1110Y	7,0	RSCR	220-240~/50	118	403	101	89	1,55	5,29	1,21	4,0	CCC/VDE
JT1080Y	6,0	RSCR	220-240~/50	100	341	86	75	1,65	5,63	1,29	2,5	CCC/VDE
JT1110Y	7,0	RSCR	220-240~/50	118	403	101	89	1,65	5,63	1,29	2,5	CCC/VDE
JH1080Y	6,0	RSCR	220-240~/50	100	341	86	75	1,75	5,97	1,37	2,5	CCC/VDE
JH1111Y	7,4	RSCR	220-240~/50	128	437	110	96	1,75	5,97	1,37	3,0	CCC/VDE

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

压缩机型号	容积 (cm <sup>3</sup> )	电机型式	电压/频率 (V ~ / Hz)	W	BTU / h	Kcal	W	W / W	BTU / Wh	W / W	容许容量 (μF)	
JM1080Y	6,0	RSIR	220-240 ~ / 50	100	341	86	75	1,45	4,95	1,13	/	CCC / VDE
<i>JM1080Y</i>	<i>6,0</i>	<i>RSIR</i>	<i>220-240 ~ / 50</i>	<i>100</i>	<i>341</i>	<i>86</i>	<i>75</i>	<i>1,45</i>	<i>4,95</i>	<i>1,13</i>	<i>/</i>	<i>VDE, CCC</i>
JM1110Y	7,0	RSIR	220-240 ~ / 50	118	403	101	89	1,45	4,95	1,13	/	CCC / VDE
<i>JM1110Y</i>	<i>7,1</i>	<i>RSCR</i>	<i>220-240 ~ / 50</i>	<i>118</i>	<i>403</i>	<i>101</i>	<i>89</i>	<i>1,42</i>	<i>4,85</i>	<i>1,11</i>	<i>/</i>	<i>VDE, CCC</i>
JK1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,55	5,29	1,21	4,0	CCC / VDE
<i>JK1080Y</i>	<i>6,0</i>	<i>RSCR</i>	<i>220-240 ~ / 50</i>	<i>100</i>	<i>341</i>	<i>86</i>	<i>75</i>	<i>1,55</i>	<i>5,29</i>	<i>1,21</i>	<i>3,0</i>	<i>VDE, CCC</i>
JK1110Y	7,0	RSCR	220-240 ~ / 50	118	403	101	89	1,55	5,29	1,21	4,0	CCC / VDE
JT1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,65	5,63	1,29	2,5	CCC / VDE
JT1110Y	7,0	RSCR	220-240 ~ / 50	118	403	101	89	1,65	5,63	1,29	2,5	CCC / VDE
JH1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,75	5,97	1,37	2,5	CCC / VDE
JH1111Y	7,4	RSCR	220-240 ~ / 50	128	437	110	96	1,75	5,97	1,37	3,0	CCC / VDE

Private Picture Copyright : WWW.MBSM.PRO

## Specifications

## Description

### Detailed Product Description

- 1.Low levels of noise and vibration
- 2.Standard,medium,high and very high levels of efficiency

Compressor Model	Displ. (cm <sup>3</sup> )	Cooling Type	Motor Type	Vol./Fre. (V~/Hz)	Capacity (W)		COP (W/W)	
					ASHRAE (-23.3°C)	CECOMAF (-25°C)	ASHRAE (-23.3°C)	CECOMAF (-25°C)
JM1080Y	6.02	ST	RSIR	220-240~/50	100	75	1.45	1.13
JM1110Y	7.04	ST	RSIR	220-240~/50	115	86	1.25	0.98
JM1111Y	7.70	ST	RSIR	220-240~/50	125	94	1.30	1.01
JK1080Y	6.02	ST	RSCR	220-240~/50	100	75	1.55	1.21
JT1080Y	6.02	ST	RSCR	220-240~/50	95	71	1.65	1.29

## Description

### Detailed Product Description

- 1.Low levels of noise and vibration
- 2.Standard,medium,high and very high levels of efficiency



Compressor Model	Displ. (cm <sup>3</sup> )	Cooling Type	Motor Type	Vol./Fre. (V~/Hz)	Capacity (W)		COP (W/W)	
					ASHRAE	CECOMAF	ASHRAE	CECOMAF
					(-23.3°C)	(-25°C)	(-23.3°C)	(-25°C)
JM1080Y	6.02	ST	RSIR	220-240~/50	100	75	1.45	1.13
JM1110Y	7.04	ST	RSIR	220-240~/50	115	86	1.25	0.98
JM1111Y	7.70	ST	RSIR	220-240~/50	125	94	1.30	1.01
JK1080Y	6.02	ST	RSCR	220-240~/50	100	75	1.55	1.21
JT1080Y	6.02	ST	RSCR	220-240~/50	95	71	1.65	1.29