

Compresseur, réfrigérateur, JIAXIPERA, 115W, 1/7HP, R600a, JM1110Y, RSIR, 220-240~/50

Category: compressor

written by www.mbsm.pro | 21 December 2020



Private Picture Copyright: WWW.MBSM.PRO

| 压缩机型号 | 容积 (cm ³) | 电机型式 | 电压/频率 (V ~ / Hz) | W | BTU / h | Kcal | W | W / W | BTU / Wh | W / W | 容差 (μF) | |
|----------------|--------------------------|-------------|-----------------------|------------|------------|------------|-----------|-------------|-------------|-------------|------------|-----------------|
| JM1080Y | 6,0 | RSIR | 220-240 ~ / 50 | 100 | 341 | 86 | 75 | 1,45 | 4,95 | 1,13 | / | CCC / VDE |
| <i>JM1080Y</i> | <i>6,0</i> | <i>RSIR</i> | <i>220-240 ~ / 50</i> | <i>100</i> | <i>341</i> | <i>86</i> | <i>75</i> | <i>1,45</i> | <i>4,95</i> | <i>1,13</i> | <i>/</i> | <i>VDE, CCC</i> |
| JM1110Y | 7,0 | RSIR | 220-240 ~ / 50 | 118 | 403 | 101 | 89 | 1,45 | 4,95 | 1,13 | / | CCC / VDE |
| <i>JM1110Y</i> | <i>7,1</i> | <i>RSCR</i> | <i>220-240 ~ / 50</i> | <i>118</i> | <i>403</i> | <i>101</i> | <i>89</i> | <i>1,42</i> | <i>4,85</i> | <i>1,11</i> | <i>/</i> | <i>VDE, CCC</i> |
| JK1080Y | 6,0 | RSCR | 220-240 ~ / 50 | 100 | 341 | 86 | 75 | 1,55 | 5,29 | 1,21 | 4,0 | CCC / VDE |
| <i>JK1080Y</i> | <i>6,0</i> | <i>RSCR</i> | <i>220-240 ~ / 50</i> | <i>100</i> | <i>341</i> | <i>86</i> | <i>75</i> | <i>1,55</i> | <i>5,29</i> | <i>1,21</i> | <i>3,0</i> | <i>VDE, CCC</i> |
| JK1110Y | 7,0 | RSCR | 220-240 ~ / 50 | 118 | 403 | 101 | 89 | 1,55 | 5,29 | 1,21 | 4,0 | CCC / VDE |
| JT1080Y | 6,0 | RSCR | 220-240 ~ / 50 | 100 | 341 | 86 | 75 | 1,65 | 5,63 | 1,29 | 2,5 | CCC / VDE |
| JT1110Y | 7,0 | RSCR | 220-240 ~ / 50 | 118 | 403 | 101 | 89 | 1,65 | 5,63 | 1,29 | 2,5 | CCC / VDE |
| JH1080Y | 6,0 | RSCR | 220-240 ~ / 50 | 100 | 341 | 86 | 75 | 1,75 | 5,97 | 1,37 | 2,5 | CCC / VDE |
| JH1111Y | 7,4 | RSCR | 220-240 ~ / 50 | 128 | 437 | 110 | 96 | 1,75 | 5,97 | 1,37 | 3,0 | CCC / VDE |

Private Picture Copyright : WWW.MBSM.PRO

Specifications

Description

Detailed Product Description

- 1.Low levels of noise and vibration
- 2.Standard,medium,high and very high levels of efficiency

| Compressor Model | Displ. (cm ³) | Cooling Type | Motor Type | Vol./Fre. (V~/Hz) | Capacity (W) | | COP (W/W) | |
|------------------|---------------------------|--------------|------------|-------------------|------------------|-----------------|-------------------|-----------------|
| | | | | | ASHRAE (-23.3°C) | CECOMAF (-25°C) | FASHRAE (-23.3°C) | CECOMAF (-25°C) |
| JM1080Y | 6.02 | ST | RSIR | 220-240~/50 | 100 | 75 | 1.45 | 1.13 |
| JM1110Y | 7.04 | ST | RSIR | 220-240~/50 | 115 | 86 | 1.25 | 0.98 |
| JM1111Y | 7.70 | ST | RSIR | 220-240~/50 | 125 | 94 | 1.30 | 1.01 |
| JK1080Y | 6.02 | ST | RSCR | 220-240~/50 | 100 | 75 | 1.55 | 1.21 |
| JT1080Y | 6.02 | ST | RSCR | 220-240~/50 | 95 | 71 | 1.65 | 1.29 |

Description

Detailed Product Description

1. Low levels of noise and vibration
2. Standard, medium, high and very high levels of efficiency



| Compressor Model | Displ. (cm ³) | Cooling Type | Motor Type | Vol./Fre. (V~/Hz) | Capacity (W) | | COP (W/W) | |
|------------------|---------------------------|--------------|------------|-------------------|--------------|---------|-----------|---------|
| | | | | | ASHRAE | CECOMAF | ASHRAE | CECOMAF |
| | | | | | (-23.3°C) | (-25°C) | (-23.3°C) | (-25°C) |
| JM1080Y | 6.02 | ST | RSIR | 220-240~/50 | 100 | 75 | 1.45 | 1.13 |
| JM1110Y | 7.04 | ST | RSIR | 220-240~/50 | 115 | 86 | 1.25 | 0.98 |
| JM1111Y | 7.70 | ST | RSIR | 220-240~/50 | 125 | 94 | 1.30 | 1.01 |
| JK1080Y | 6.02 | ST | RSCR | 220-240~/50 | 100 | 75 | 1.55 | 1.21 |
| JT1080Y | 6.02 | ST | RSCR | 220-240~/50 | 95 | 71 | 1.65 | 1.29 |