

R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

written by Lilianne | 23 April 2021



Private Picture Copyright: WWW.MBSM.PRO

Evaporating
Temperature -23.3°C
Temperature 54.4°C

Condensing

Subcooling

Temperature 32.2°C
perature 32.2°C

Suction

Tem

Ambient Temperature 32.2°C

Features of danfu compressor PW2.0VK:

- 1) Suit all types of water dispenser
- 2) Best cooling function

Specifications

- 1) Running voltage: 220-240V, 50/60HZ
- 2) Capacity: 70W
- 3) Motor Input: 60W
- 4) Current: 0.70A
- 5) Cop: 0.91(W/W)
- 6) Regrigerant: R134a

Outer packing:

1pc/ctn or 120 pcs/pallet

Carton dimensions:20 x13 x 16cm

R134a L^oMBP Series

Model	Power(HP)	Capacity(W)	COP
50Hz	60Hz	50Hz	60Hz
220 – 240 V 50/60 Hz			
PW1.5VK	1/20	41	49
PW2.0VK	1/15	52	62
PW2.5VK Capillary 0.31 – 2M	1/12	56	79
PW4.0VK	1/10	76	102
PW4.5VK	1/6	108	110

PW5.5VK	1/5	126	
110 – 120 V 60 Hz			
PW1.5DV	1/20		41
PW2.0DV	1/15		52
PW2.5DV	1/12		62
PW3.0DV	1/10		72
PW3.5VK	1/10+		78
PW4.0VK	1/8		86
PW4.5VK	1/6		108

Test Conditions (ASHRAE)

GW: 6.40kgs

Conveyance:

Qty/20' FCL: 6,000pcs

Qty/40' FCL: 13,000pcs

Qty/40' HQ: 16,000pcs

PW2.0VKMF   
220-240V~50/60Hz A002364 
SINGLE PHASE R134a
THERMALLY PROTECTED
Sichuan Danfu Environment Technology Co., Ltd.

 REDMI NOTE 9 PRO
AI QUAD CAMERA