

L111CYA, COMPRESSOR, ASSY, Indesit , Ariston, whirlpool, 1/5hp, 1hp, 180W, r600a

Category: compressor

written by www.mbsm.pro | 21 December 2021



REDMI NOTE 8 PRO
AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO



REDMI NOTE 8 PRO
AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

WARNING

Electrical Shock Hazard



Disconnect power before servicing.
Any ground circuit disconnected during service must be reconnected.
Do not reconnect unit to electrical supply until compressor terminal cover is securely in place.
If refrigerant leak is suspected around compressor terminal, relieve all pressure from the system, keeping terminal, cover in place.
Failure to do so can result in death or electrical shock.

FREQUENCY	50 Hz
VOLTAGE RANGE	220-240VAC
INPUT WATTS	710 W
INPUT CURRENT	3.3 A
COMFORT WATTS	600 W
ICE/COLD CAPACITY	AS PER TABLE
CLIMATE CLASS	T

Do Not service with R134a
Follow only Approved R600a
service procedure & a
Qualified technician while
repairing



Risk of fire



WARNING


Caution: Risk of fire
Always observe the following points of caution when repairing or servicing the refrigerator since the refrigerant is a flammable gas.
Avoid using any flame or heat source to remove the sealed system when the unit is not charged with refrigerant.
In the event of refrigerant leak, fully vent the area before recharging the unit.
Do not use any flammable refrigerant gas leak.

BLOWING AGENT: R600a (ISOTHERM)
C/F: FLUOROCYCLO PENTANE
AS PER TABLE

MFG. BY: WHIRLPOOL OF INDIA LTD.
PLOT NO. A-4, M.D.C.
KARJANGAON, TAL. SHIBPUR,
DIST. PUNE - 412 204

"WHIRLPOOL" IS A REGISTERED TRADEMARK OF
"WHIRLPOOL CORPORATION USA"

WIRING DIAGRAM



SYMBOL CODE

- CONNECTOR - SCREW ON
- ⊕ CONNECTOR - CLOSED END
- DISCONNECT TERMINAL
- PERMANENT CONNECTION
- ⊕ PLUS CONNECTOR
- ⊖ GROUND JUMPER (CHASSIS)

WIRE COLOR CODE

- GR = GREEN
- BL = BLUE
- BR = BLACK
- RD = RED
- WH = WHITE
- YL = YELLOW
- OR = ORANGE
- PK = PINK
- VT = VIOLET
- SL = SILVER
- BRN = BROWN
- BLK = BLACK
- BLU = BLUE
- GRN = GREEN

NAME	MODEL	GROSS CAPACITY	STORAGE CAPACITY	REFRIGERANT (R600a) (EQUVALENT)
L15C0004	WT1117502R	460L	400L	1.13125kg

WT117502R

REDMI NOTE 8 PRO
AI QUAD CAMERA

E	E1130DZ	CSIR	220/60	390	1.35	F	NE	NE6213CK	CSF	
	EU1121DZ	RSCR	220/60	325	1.52	F		NE6213BK	CSF	
S	SK35XZ	RSIR	127/60	88	1.38	S	CT	CT6217CK	CSF	
L	LU65XZ	RSIR	127/60	190	1.52	S		CT6220CK	CSF	
E	EU1121XZ	CSIR	127/60	250	1.50	F	CJ	CJ6228CK	CSF	
R600a L.B.P 宽电压								CJ6232CK	CSF	
S	S66CY	RSIR	160~260/50	108	1.20		L.P	CJ6240CK	CSF	
	SG66CY	RSIR	160~260/50	108	1.40			ES8CU	RSIF	
	SU66CY	RSCR	160~260/50	108	1.60			EN32CU	RSIF	
	SZ66CY	RSCR	160~260/50	108	1.70			LZ58CU	RSCF	
L	L88CYA	RSIR	160~260/50	155	1.36	S	R290 H.B.P			
	L111CYA	RSIR	160~260/50	185	1.40	S		NB	NB5175CU	RSIF
	LK76CYA	RSCR	160~260/50	142	1.50	S		NE	NE5195CU	RSIF
	LK88CYA	RSCR	160~260/50	155	1.50	S				

Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_L111CYATélécharger