

Mbsm.pro, Compressor Necchi, Esm5, 1/5 Hp, R12, Replaced by , COMPRESSOR, DANFOSS, TL 5G, 1/6++ (1/5 hp) HP, MBP / HBP -R134a, 220-240V/1/50/60Hz, displacement 5.08 cm<sup>3</sup>, motor type RSCR

Category: compressor

written by www.mbsm.pro | 6 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

COMPRESSOR TL 5G 1/5 HP 1/6++ R134 230/1/50 DANFOSS

CV Watt	1	2	Porte	Portes	Conge-Lateur	ASPERA	DANFOSS	EMBRACO	IRE	NECCHI	PRESCOLD	UH	ZEM	ELUX
1/12	45	160	l	120	l	90	l	BP	TL 2.5	PW 3.5	AS 14AM	AZ	D 36	
								1058	ATL 2.5	K7	55 ZF	1320	E	ASL
									B			AAE 12	30101	33
												Z7		AU



223105 1/ 5 CV TL 7.5 A

223106 1/ 4 CV TL 8.5 A

223107 1/ 4 CV FR 10 A

223108 1/ 3 CV FR 11 A

223109 1/ 3 CV SC 12 A

101GL4550, compressor Secop / Danfoss TL5G, MBP / HBP -R134a,  
220-240V/1/50/60Hz, discharge 5.08 cm<sup>3</sup>, motor type RSCR / CSIR, oil type POE,  
oil charge 280 cm<sup>3</sup>, 79 W at -25 / 55° C, LRA 5.7 A, maximum refrigerant charge  
400 g, height: 173 mm, weight 7.5 kg

---

Refrigerant:	R134a
Power range(W):	0 – 100 W
Working area:	HBP MBP
Design type:	Hermetic
Model series:	TL
Power supply:	230 V
Oil type:	POE
Engine type:	CSIR RSCR
Article condition:	New
Info:	Oil filled
Shipping weight:	9,50 Kg
Contents:	1,00 Pieces
Dimensions ( height ):	17,30 cm
customs tariff number:	84143081
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	Danfoss Secop
Model:	TL5G
Modelname:	101G4550
Modellname 3:	TL5GX
Stroke volume (cm <sup>3</sup> ):	5,08
Cooling capacity (W):	79
Max. Starting current (A):	5,7
Engine type:	RSCR
Note:	Maximum refrigerant amount 400 g
Oil quantity (l):	0,28
Compressor type:	Piston
Alternative:	BP5132Z, B5132Z, PW4.5HK11

## Compressor Danfoss FR7.5G 1/5HP



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_tl5-Danfoss\_LC\_Compressors\_Catalogue-1Télécharger  
Mbsm\_dot\_pro\_private\_PDFMbsm.pro-Compressor-ESC-8.5-R134a-Necchi-530591-15-  
Hp-159-wTélécharger

Sr Material Material Description Capacity Cons. Watts -25

**R134a**

1	103G6660	Danfoss	Compressor	FR 6G	1/6 HP	119 W
2	103G6680	Danfoss	compressor	FR 7.5G	1/5 HP	138 W
3	103G6780	Danfoss	compressor	FR 8.5G	1/4 HP	164 W
4	103G6880	Danfoss	compressor	FR 10G	1/3 HP	194 W

**R12a**

5	103G2630	Danfoss	compressor	FR 6S	1/6 HP	119 W
6	103U2730	Danfoss	compressor	FR 7.5S	1/5 HP	138 W
7	103U2830	Danfoss	compressor	FR 8.5S	1/4 HP	164 W
8	103U2930	Danfoss	compressor	FR 10S	1/3 HP	194 W

**R134a**

9	104G8240	Danfoss	compressor	SC 12G	3/8 HP	298 W
10	104G8520	Danfoss	compressor	SC 15G	1/2 HP	356 W
11	104G8820	Danfoss	compressor	SC 18G	5/8 HP	615 W
12	104G8140	Danfoss	compressor	SC 21G	7/8 HP	702 W

**R404a / R507a**

13	104L2523	Danfoss	Compressor	SC 10CL	1/3 HP	352 W
14	104L2623	Danfoss	Compressor	SC 12CL	3/8 HP	445 W
15	104L2853	Danfoss	Compressor	SC 15CL	1/2 HP	560 W
16	104L2123	Danfoss	Compressor	SC 18CL	5/8 HP	615 W
17	104L2322	Danfoss	Compressor	SC 21CL	7/8 HP	702 W

