Mbsm.pro, Compressor, Haili, sl310MV, 5270 W, 17981 BTU, 220 V, 1PH, R22, 2.2 HP


Category: compressor
written by www.mbsm.pro | 11 February 2022




HIGHLY R22 FIXED SPEED AIR

CONDITIONING COMPRESSOR SL310MV

technical data sheet:
brand: HIGHLY air conditioning compressor
Model: SL310MV
Power supply: 1Φ, 220-240V, 50Hz
Cooling capacity: 5270(W)
Refrigerant: R22 refrigerant
displacement: 31 (cc/rev)
Energy efficiency ratio COP: 3.14 (W/W)



Private Picture Copyright : WWW.MBSM.PRO



R22 Constant-speed T3 R22
240V 50Hz

SL203MV	20.3	3475	11857	3.22	35/450	279.0	ASHRAE/T
SL232MV	23.2	3890	13273	3.05	45/450	264.0	ASHRAE/T
SL310MV	31.0	5270	17981	3.14	40/450	313.0	ASHRAE/T
SH307MV-1	30.7	5250	17913	3.20	45/420	293.4	ASHRAE/T
SH315MV	31.5	5470	18664	3.31	55/450	307.8	ASHRAE/T
SH356MV-1	35.6	6120	20881	3.16	50/450	307.8	ASHRAE/T
SH410MV	41.0	7170	24464	3.28	60/450	330.9	ASHRAE/T
SH417MV	41.7	7040	24020	3.01	60/450	338.9	ASHRAE/T
TH410MV	41.8	7150	24396	3.15	60/450	358.9	ASHRAE/T
TH470MV	47.0	8100	27637	3.15	70/450	380.7	ASHRAE/T
TH508MV-1	50.8	8660	29548	3.00	90/450	358.9	ASHRAE/T
TH532MV	53.2	9150	31220	3.12	90/450	358.9	ASHRAE/T
TH550MV	55.0	9600	32755	3.08	90/450	395.6	ASHRAE/T

定速 T3 R410A Constant-speed T
[1φ]230V 60Hz

ASL150DG-3	15.0
AS[illegible]7DG-4	15.7
ASL1[illegible]DG-1	17.0
AS[illegible]175DG-2	17.5
ASL[illegible]80DG-2	18.0
ASL[illegible]93DG-1	19.3
ASH201DG	20.1
ASH201DG-1	20.1
ASH215DG	21.5
ASH232DG	23.2
ASH250DG	25.0
ASH264DG	26.4
ASH280DG	28.0

WWW.MBSM.PRO
L
H
Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_HIGHLY-CATALOG-2018Télécharger

HIGHLY Haili SL310MV compressor is an R22 refrigerant fixed speed air conditioning refrigeration compressor produced by Shanghai Haili Electric Appliance Co., Ltd., power supply: 1Φ, 220-240V, 50Hz, displacement is 31 (cc/rev), cooling capacity is 5270 (W)/17981 (Btu/h), energy efficiency ratio COP is 3.14 (W/W)