Mbsm.pro, Compressor, NE2130Z, R-134a, 1/3HP, 230V, Embraco, LBP

Category: air conditioner
written by www.mbsm.pro | 12 March 2022



Private Picture Copyright : WWW.MBSM.PRO

NE2130Z Compressor R-134a 1/3HP 230VNE2130Z Compressor R-134a 1/3HP 230VNE2130Z Compressor R-134a 1/3HP 230V

- Eunasa code: **20751**
- Range: **Refrigeration**
- Machine type: **Different Machines**

- Product type: **Compressor**
- Product subtype: **Compressor**
- Brand: **Aspera**
- **Original**
- Quantity/Packaging: 1

— +Add

Technical data

- Model: **NE2130Z**
- Refrigerant Gas: **R-134a**
- Pression/temperature: **LBP**
- Power: **1/3 HP**
- Voltage: **230 V**
- Current Type: **Single-Phase**
- Frequency: **50 Hz**
- Compressor Type: **Hermetic**
- Displacement: **12.11 cm³**
- Power Cons. -35°C: **185 W**
- Power Cons. -25°C: **241 W**
- Power Cons. -10°C: **346 W**
- Compressor Aplic.: **Valve/Capillary**
- T° Condensation: **45 °C**
- Cooling Cap. -35°C: **151 Kcal/h**
- Cooling Cap. -30°C: **196 Kcal/h**
- Cooling Cap. -25°C: **257 Kcal/h**
- Cooling Cap. -20°C: **334 Kcal/h**
- Cooling Cap. -15°C: **426 Kcal/h**
- Cooling Cap. -10°C: **534 Kcal/h**
- Test Type: **Ashare 32**



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_ne2130zTélécharger

Compressor ASPERA NE2130Z

Refigerant	R134A
Working range[stC **LBP**]	-30 to -5
Nominal capacity [W] (evaporating temperature -23,3C, Condensing temperatur +54,4C)	314
Power supply	200-220V 50Hz
Engine type	CSIR
Cylinder capacity [cm³]	12,11
Weight [kg]	11,65

Substitutes for this compressor are: Cubigel/Elektrolux GP12FB, GP14FB

Refrigerant: R134A