

**Mbsm.pro, File, pdf, air
conditioner, raq015b5cr,
Unionaire, 14500 btu, R22,
0.850 g, 4.25 KW, 3854
Kcal/h, 220 v, 1 PH , 1.8 Hp,
1.2 Ton**

written by Mbsm | 13 mars 2022



 **unionaire®** IPX4

Model **RAQ015B5CR**

S.N **098002**

I.C. **015HR*5E**

Design Pressure	H:400 PSI
	L:82 PSI

VOLT	Hz	Ph
220-240	50	1

Comp.	RLA	7.7	LRA	38.6
Motor	RLA	1.2	LRA	6

Min.C.B	16 A
Max.Fuse Size	16 A
Rated Current Input	9 A
Ref. Charge R22	0.850 Kg

Cooling Capacity/ Capacite Du Froid	14500 BTU/hr
	4.25 Kw
	3654 Kcal/hr

Weight/Poids **46Kg/101 LBS**

"USE ON A SINGLE OUTLET CIRCUIT ONLY"

"UTILISER DANS LA SORTIE D'UN CIRCUIT
UNIQUE SEULEMENT"

MOTOR COMPRESSOR THERMAL PROTECTED

Cooling & Heating Cap. AT AGRAS
Cable Size Ref. To Rated Current Input

MADE IN EGYPT
FABRIQUE EN EGYPTE

Model: **RAQ015B5CR**

S.N **098002**

I.C. **015HR*5E**

Design Pressure	H:400 PSI
	L:82 PSI

VOLT	Hz	Ph
220-240	50	1

Comp.	RLA	7.7	LRA	38.8
Motor	RLA	1.2	LRA	8

Min.C.B	18 A
Max.Fuse Size	18 A
Rated Current Input	9 A
Ref. Charge R22	0.850 Kg

Cooling Capacity/ Capacité Du Froid	14500 BTU/hr
	4.25 Kw
	3854 Kcal/hr

Weight/Poids **48Kg/101 LBS**

"USE ON A SINGLE OUTLET CIRCUIT ONLY"

"UTILISER DANS LA SORTIE D'UN CIRCUIT
UNIQUE SEULEMENT"

MOTOR COMPRESSOR THERMAL PROTECTED

Cooling & Heating Cap. AT A9HRAE
Cable Size Acc. To Rated Current Input

**MADE IN EGYPT
FABRIQUE EN EGYPTE**