

Mbsm.pro, Compressor, DONPER, NE 2125
CE, NE2125CE, r22, 3/8hp++, HMBP, 266
W

Category: compressor

written by Lilianne | 2 June 2022



NE2125CE

220V-50Hz 1PH

CSR

3/8+HP



THERMALLY PROTECTED

MADE IN CHINA-TECH OF ITALY



H140422568320302154

R22

CHARACTERISTICS OF THE COMPRESSOR COMPRESSOR DONPER NE 2125 CE

- Weight (kg): 11.4
- Dimensions (WxD mm): 151.6 x 192.4
- Engine type: CSIR
- Height (h, mm): 232
- Power (W at -23.3°):285
- Cylinder volume (cm³):9
- Cooling type: F
- Operating mode: Low temperature HMBP
- Gas: R22

Other Model

R134a Series

Refrige-rant	Applica-tion	Model	Series	Power	Cool-ing	Motor type	Power supply	Cooling capacity		COP W/W	
								*ASHRAE -23.3	*CECOMAF -25	*ASHRAE -23.3	*CECOMAF -25
R134a	LBP	W25CZ	W	1/14	S	RSIR	220/50 60	42	0.85	0.65	
R134a	LBP	W30CZ	W	1/12	S	RSIR	220/50 66	48	0.85	0.68	
R134a	LBP	W25BZ	W	1/14	S	RSIR	115/60 65	47	0.8	0.62	
R134a	LBP	W30BZ	W	1/10	S	RSIR	115/60 72	53	0.83	0.65	
R134a	LBP	S53CZ	S	1/6-	S	RSIR	220/50 118	86	1.15	0.89	
R134a	LBP	S30BZ	S	1/10	S	RSIR	220/50 72	53	0.96	0.74	
R134a	LBP	S43BZ	S	1/6-	S	RSIR	115/60 125	91	1.16	0.89	
R134a	LBP	S53BZ	S	1/6+	S	RSIR	115/60 145	106	1.18	0.91	
R134a	LBP	L58CZ	L	1/6+	S	RSIR	115/60 140	117	1.2	0.94	
R134a	LBP	L65CZ	L	1/5	S	RSCR	220/50 160	102	1.23	0.95	
R134a	LBP	E1112CZ	B	1/6+	S	RSCR	220/50 140	117	1.18	0.91	
R134a	LBP	E1120CZA	E	1/3	F1	RSCR	220/50 230	197	1.15	0.9	
R134a	LBP	E1121CZA	E	3/8	F1	RSCR	220/50 270	237	1.16	0.96	
R134a	LBP	E1130CZA	E	3/8+	F1	CSIR	220/50 325	273	1.16	0.96	
R134a	LBP	E1134CZA	E	1/2	F1	CSIR	220/50 375	151	1.25	0.96	
R134a	LBP	E1118BZ	E	1/4+	S	RSIR	115/60 207	197	1.16	0.89	
R134a	LBP	E1121BZ	E	3/8	F1	RSIR	115/60 270	237	1.16	0.89	
R134a	LBP	E1130BZ	E	3/8	F1	CSIR	115/60 325	151	1.2	0.92	
R134a	LBP	NE1118BZ	NE	1/4+	S	RSIR	220/50 207	197	1.16	0.95	
R134a	LBP	NE1121BZ	NE	3/8	F1	RSIR	220/50 270	237	1.16	0.96	
R134a	LBP	NE1130BZ	NE	3/8+	F1	CSIR	220/50 325	288	1.16	0.96	
R134a	LBP	CT2134CZ	CJ	1/2	F2	RSIR	220/50 395	288	1.08	0.83	
R134a	LBP	CJ2140CZ	CJ	3/4	F3	RSIR	220/50 450				
R134a	LBP	CJ2152CZ	CJ	1	F3	RSIR	220/50 760				
R134a	LBP	SK30CZ	S	1/10	S	RSCR	220/50 80	58	1.25	0.96	
R134a	LBP	SK36CZ	S	1/8	S	RSCR	220/50 95	69	1.25	0.96	
R134a	LBP	SK43CZ	S	1/6-	S	RSCR	220/50 115	84	1.3	1	
R134a	LBP	SK53CZ	S	1/6	S	RSCR	220/50 130	95	1.3	1	
R134a	LBP	SK30BZ	S	1/8	S	RSCR	115/60 95	69	1.25	0.96	
R134a	LBP	SK36BZ	S	1/6-	S	RSCR	115/60 120	88	1.3	1	
R134a	LBP	SK43BZ	S	1/6	S	RSCR	115/60 140	102	1.35	1.04	
R134a	LBP	SK53BZ	S	1/5	S	RSCR	115/60 158	115	1.35	1.04	



NE2125CE

220V-50Hz 1PH

CSR

3/8+HP



THERMALLY PROTECTED

MADE IN CHINA-TECH OF ITALY



H140422568320302154

R22