


Mbsm.pro, refrigerator, No frost,  
brf-44wa, 44wa-140, 12 feet, 340wL,  
140 w, Compressor, 1/5 hp, r134a, 140  
G, defrost power 155 w

Category: compressor, Refrigerator

written by [www.mbsm.pro](http://www.mbsm.pro) | 10 August 2022



**BEAC**

MODEL BRF-44WA

CLIMATIC CATEGORY	T
PROTECTIVE CLASSIFICATION OF ELECTRIC SHOCK RESISTANCE	I
GROSS CAPACITY	440L
NET CAPACITY	340L
RATED VOLTAGE	220-240V~
RATED FREQUENCY	60Hz
TOTAL INPUT POWER	140W
DEFROST POWER	155W
RATED POWER OF LAMP	10W
ENERGY CONSUMPTION	1.35kW-h/24h
REFRIGERANT	R134a(140g)
FREEZING CAPACITY	4.5kg/24h
MADE IN CHINA	
SERIAL No.	44WA 140

Keep the key out of reach of children and not in the vicinity of the refrigerator  
 \* \* \* \* \*  
 \* \* \* \* \*

Z/187

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, refrigerator, No frost, brf-44wa, 44wa-140,12 feet, 340wL, 140 w, Compressor, 1/5 hp, r134a, 140 G, defrost power 155 w

The diagram shows the electrical circuit for the refrigerator. It includes a power plug, a door switch (DOOR SW) with normally closed (NCO) and normally open (NCO) contacts, a fan motor, a lamp, a thermostat, a defrost timer, a defrost heater, a thermal fuse, a motor protector, a compressor with a starter and capacitor, and a defrost thermostat. The defrost timer is connected to the thermostat and the defrost heater. The compressor is connected to the motor protector and the capacitor.

## BEAC

MODEL BRF-44WA

CLIMATIC CATEGORY T

PROTECTIVE CLASSIFICATION OF ELECTRIC SHOCK RESISTANCE I

GROSS CAPACITY	440L
NET CAPACITY	340L
RATED VOLTAGE	220-240V~
RATED FREQUENCY	60Hz
TOTAL INPUT POWER	140W
DEFROST POWER	155W
RATED POWER OF LAMP	10W
ENERGY CONSUMPTION	1.35kW·h/24h
REFRIGERANT	R134a(140g)
FREEZING CAPACITY	4.5kg/24h
MADE IN CHINA	
SERIAL No.	44WA 140
	ZJ187

Keep the key out of reach of children and not in the vicinity of the refrigerator  
 احتفظوا بالمفتاح بعيداً عن متناول الأطفال ولا في مكان قريب من الثلاجة



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)