

# Mbsm.pro, CUBIGEL, NUh55LA, compressor, R290, 1/3HP, 1bp, 220-240V

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 29 December 2023

**cubigel**  
compressors

**NUH55LA**



THERMALLY 220-240V~ 50 Hz PH1  
PROTECTED



NUH55LA 17062802121



SHOT ON MI 8 LITE  
AI DUAL CAMERA

200-230,50/220-240,60 HZ												
نوع التبريد	التعليق	COOLING CAPACITY					Freq	الأمبير	الإزاحة	القدرة المسحوبة		MODEL
		W 7.2+	W -5	W -23	B T U	k CAL/HR	HZ	RLA	Displ.CC	W	H P	
	R290	LBP			100	341	86	2.5		50		NBG25CA
	R290	LBP			147	502	126	3.5		50		NBG35CA
	R290	LBP			180	614	155	4.1		50		NBG41CA
	R290	LBP			195	665	168	4.5		50		NBG45CA
	R290	LBP			200	682	172	4.5		50		NSG45CA
	R290	L/MBP			180	614	155	4.0		50		NUT40NA
	R290	LBP			180	614	155	4.0		50		NUS40CA
	R290	LBP			200	682	172	4.5		50		NUC45LA
	R290	LBP			200	682	172	4.5		50		NUC45CA
	R290	LBP			200	682	172	4.5		50		NUH45LA
	R290	LBP			258	880	222	5.5		50		NUC55LA
	R290	LBP			280	887	224	5.5		50		NUH55LA
	R290	LBP			280	887	224	5.5		50		NUM55CA
	R290	LBP			280	887	224	5.5		50		NUK55CA
	R290	LBP			280	887	224	5.5		50		NUT55CA
	R290	LBP			280	887	224	5.5		50		NUT55NA
	R290	LBP			295	1007	254	6.0		50		NUC60LA
	R290	LBP			295	1007	254	6.0		50		NUH60LA
	R290	LBP			295	1007	254	6.0		50		NUM60LA
	R290	LBP			295	1007	254	6.0		50		NUK60CA
	R290	L/MBP			295	1007	254	6.0		50		NUT60NA
	R290	LBP			325	1109	279	6.7		50		NUC70LA
	R290	LBP			325	1109	279	6.7		50		NUH70LA
	R290	LBP			325	1109	279	6.7		50		NUM70LA
	R290	LBP			325	1109	279	6.7		50		NUK70CA
	R290	LBP			325	1109	279	6.7		50		NUT70CA

Private Picture Copyright : WWW.MBSM.PRO

#### R290-LMBP 220V~50Hz

220-240V 50Hz (Cubigel 1 品牌)

220-240V 50Hz (Cus18C1 品种)										ASHRAE 工况												高度 mm
系列	型号	排气量 cm <sup>3</sup>	应用 类型	冷却 方式	电压/频率	电机 类型	启动 器类型	节流 装置	标准点		制热量 (W)											
									-23.3/54.4		蒸发温度 (℃)											
									制冷量	COP	-40	-35	-30	-25	-20	-15	-10	-5	0			
B	NBC35CA	3.5	LBP	S	220-240V 50Hz	RSIR	P	C	147	1.3	64	84	109	135	170	209	257			161.1		
	NBC35CA	3.5	LBP	S	220-240V 50Hz	RSCR	P	C	147	1.43	64	84	109	135	170	209	257			161.1		
	NBC35CG	3.5	LBP	S	200-220V 50Hz 230V 60Hz	RSIR	P	C	147	1.3	64	84	109	135	170	209	257			161.1		
	NBC41CA	4.1	LBP	S	220-240V 50Hz	RSIR	P	C	180	1.3	79	98	132	165	207	255	314			161.1		
	NBG40CA	4.1	LBP	S	220-240V 50Hz	RSCR	P	C	180	1.43	79	98	132	165	207	255	314			161.1		
	NBG45CA	4.5	LBP	S	220-240V 50Hz	RSCR	P	C	200	1.52	86	113	147	189	238	292	362			161.1		
S	NSG45CA	4.5	LBP	S	220-240V 50Hz	RSCR	P	C	200	1.55	86	113	147	189	238	292	362			165		
	*NUS40CA	4	LBP	S	220-240V 50Hz	RSCR	P	C	180	1.8	79	98	132	165	207	255	314			173.5		
	NUS70CA	6.7	LBP	S	220-240V 50Hz	RSCR	P	C	325	1.85	135	178	233	300	376	467	565			173.5		
	NUS45NA	4.5	LMBP	S	220-240V 50Hz	RSCR	P	C	210	1.85	86	113	147	189	238	292	362	474	580	176		
	NUS55NA	5.5	LMBP	S	220-240V 50Hz	RSCR	P	C	265	1.85	114	143	192	239	300	370	455	564	671	176		
	NUS60NA	6	LMBP	S	220-240V 50Hz	RSCR	P	C	295	1.85	124	168	218	277	347	434	527	660	785	176		
	NUC45LA	4.5	LBP	S/F	220-240V 50Hz	CSIR	R	C-V	200	1.35	86	113	147	189	238	292	362			173.5		
	NUC45CA	4.5	LBP	S/F	220-240V 50Hz	RSIR	P	C	200	1.35	86	113	147	189	238	292	362			173.5		
	NUC55LA	5.5	LBP	F	220-240V 50Hz	CSIR	R	C-V	258	1.35	114	143	192	239	300	370	455			173.5		
	NUC60LA	6.0	LBP	F	220-240V 50Hz	CSIR	R	C-V	295	1.35	124	168	218	277	347	434	527			173.5		
	NUC70LA	6.7	LBP	F	220-240V 50Hz	CSIR	R	C-V	325	1.35	135	178	233	300	376	467	565			173.5		
	NUH45LA	4.5	LBP	S/F	220-240V 50Hz	CSIR	R	C-V	200	1.45	86	113	147	189	238	292	362			173.5		
	NUH55LA	5.5	LBP	F	220-240V 50Hz	CSIR	R	C-V	260	1.45	114	143	192	239	300	370	455			173.5		
	NUH60LA	6.0	LBP	F	220-240V 50Hz	CSIR	R	C-V	295	1.45	124	168	218	277	347	434	527			173.5		
	NUH70LA	6.7	LBP	F	220-240V 50Hz	CSIR	R	C-V	325	1.45	135	178	233	300	376	467	565			173.5		

Private Picture Copyright : WWW.MBSM.PRO

	NBG40CA	4.1	LBP	S	220-240V 50Hz	RSCR	P	C	180	1.43	79	98	132	165	207	255	314			161.1
	NBG45CA	4.5	LBP	S	220-240V 50Hz	RSCR	P	C	200	1.52	86	113	147	189	238	292	362			161.1
	NSG45CA	4.5	LBP	S	220-240V 50Hz	RSCR	P	C	200	1.55	86	113	147	189	238	292	362			165
	*NUS40CA	4	LBP	S	220-240V 50Hz	RSCR	P	C	180	1.8	79	98	132	165	207	255	314			173.5
	NUS70CA	6.7	LBP	S	220-240V 50Hz	RSCR	P	C	325	1.85	135	178	233	300	376	467	565			173.5
	NUS45NA	4.5	LMBP	S	220-240V 50Hz	RSCR	P	C	210	1.85	86	113	147	189	238	292	362	474	580	176
	NUS55NA	5.5	LMBP	S	220-240V 50Hz	RSCR	P	C	265	1.85	114	143	192	239	300	370	455	564	671	176
	NUS60NA	6	LMBP	S	220-240V 50Hz	RSCR	P	C	295	1.85	124	168	218	277	347	434	527	660	785	176
	NUC45LA	4.5	LBP	S/F	220-240V 50Hz	CSIR	R	C-V	200	1.35	86	113	147	189	238	292	362			173.5
	NUC45CA	4.5	LBP	S/F	220-240V 50Hz	RSIR	P	C	200	1.35	86	113	147	189	238	292	362			173.5
	NUC55LA	5.5	LBP	F	220-240V 50Hz	CSIR	R	C-V	258	1.35	114	143	192	239	300	370	455			173.5
	NUC60LA	6.0	LBP	F	220-240V 50Hz	CSIR	R	C-V	295	1.35	124	168	218	277	347	434	527			173.5
	NUC70LA	6.7	LBP	F	220-240V 50Hz	CSIR	R	C-V	325	1.35	135	178	233	300	376	467	565			173.5
	NUH45LA	4.5	LBP	S/F	220-240V 50Hz	CSIR	R	C-V	200	1.45	86	113	147	189	238	292	362			173.5
	NUH55LA	5.5	LBP	F	220-240V 50Hz	CSIR	R	C-V	260	1.45	114	143	192	239	300	370	455			173.5
	NUH60LA	6.0	LBP	F	220-240V 50Hz	CSIR	R	C-V	295	1.45	124	168	218	277	347	434	527			173.5
	NUH70LA	6.7	LBP	F	220-240V 50Hz	CSIR	R	C-V	325	1.45	135	178	233	300	376	467	565			173.5
	NUH80LA	8.1	LBP	F	220-240V 50Hz	CSIR	R	C-V	400	1.50	167	219	287	369	462	574	695			173.5
	NUH90LA	8.9	LBP	F	220-240V 50Hz	CSIR	R	C-V	440	1.48	183	241	316	406	508	631	765			173.5
			LBP	S/F	220-240V 50Hz	RSIR	P	C	260	1.45	114	143	192	239	300	370	455			173.5

**cubigel**  
compressors

**NUH55LA**



THERMALLY 220-240V~ 50 Hz PH1  
PROTECTED



NUH55LA 17062802121



SHOT ON MI 8 LITE  
AI DUAL CAMERA