


Mbsm.pro, compressor, Secop,
SC18CLX.2, 104L2197, Danfoss R404A,
R507, 3/4 hp, 1bp

Category: compressor

written by www.mbsm.pro | 20 January 2024



Private Picture Copyright : WWW.MBSM.PRO

SECOP Compressor
R134a

220~240V LBP

Model	Freq.	Code No. Nominal	Oil Cooling	Nominal Ashrae Capacity (W)	Displ. cm3
HP				-45 -40 -35 -30 -25 -23.3 -20 -15 -10 -5	

SC12FT	104G8205	104G8215	3/8	-	-	103	163	233	259	314	408	517	645	12.87
SC15FT	104G8505	104G8515	1/2	-	-	126	197	280	311	376	489	620	772	15.28
SC18FTX	104G8805	-	5/8	-	-	144	229	325	361	437	567	719	896	17.69
SC21FTX	104G8105	-	3/4	-	-	192	296	415	460	553	713	901	1119	20.95
SC12FT	104G8205	104G8215	1/2	-	-	125	192	272	302	366	477	608	761	12.87
SC15FT	104G8505	-	5/8	-	-	154	235	330	365	441	571	724	904	15.28
SC18FTX	104G8805	-	3/4	-	-	187	280	390	432	520	675	857	1071	17.69
SC21FTX	104G8106	-	7/8	-	-	240	345	470	518	620	800	1012	1262	20.95

R404a / R507

220~240V LBP

Model	Freq.	Code No.		Nominal Ashrae Capacity (W)										Displ. cm3	
		Nominal	Oil Cooling	HP	-45	-40	-35	-30	-25	-23.3	-20	-15	-10		-5
SC10CLX		104L2533	-	1/3	-	-	166	255	360	400	483	625	789	977	10.29
SC12CL		104L2623	-	3/8	58	140	237	353	490	541	650	835	1048	1292	12.87
SC12CLX.2		104L2697	-	1/2	130	205	294	399	522	569	666	834	1026	-	12.87
SC15CL		104L2853	-	1/2	-	151	299	452	615	673	792	988	1208	1458	15.28
SC15CLX.2	50Hz	104L2896	-	1/2	159	250	358	486	637	694	813	1017	$\frac{12}{51}$	1519	15.28
SC18CL		104L2123	-	5/8	167	271	395	542	715	781	918	1154	1425	1735	17.69
SC18CLX.2		104L2197	-	3/4	194	306	439	595	780	849	995	1245	1532	-	17.69
SC21CL		104L2322	-	7/8	226	325	455	617	813	887	1042	1306	1606	-	20.95
SC10CL.X		104L2533	-	3/8	-	-	224	335	455	499	588	738	906	1096	10.29
SC12CLX		104L2695	-	1/2	-	146	282	429	590	649	770	972	1200	-	12.87
SC12CLX.2	60Hz	104L2697	-	1/2	155	233	342	473	626	683	804	1011	1248	-	12.87
SC15CLX		104L2854	-	5/8	-	179	351	530	720	788	928	1158	1417	-	15.28
SC15CLX.2		104L2897	-	5/8	194	305	437	593	776	846	991	1239	1525	-	15.28
SC18CLX.2		102L2195	-	7/8	113	338	542	737	938	1010	1157	1410	1708	-	17.69

R404a / R507

220~240V LBP

Model	Freq.	Code No.		Nominal Ashrae Capacity (W)										Displ. cm3
		Nominal	Oil Cooling	HP	-20	-15	-10	-6.7	-5	0	5	7.2	10	
SC10G		104G8000	-	5/16	183	268	369	445	486	618	764	833	925	10.29
SC12G		104G8240	104G8250	1/3	252	348	464	553	603	768	960	1054	1182	12.87
SC15G	50Hz	104G8520	104G8530	3/8	290	424	568	672	728	908	1110	1207	1340	15.28
SC18G		104G8820	104G8830	1/2	394	526	684	804	870	1087	1337	1459	1624	17.68
SC21G		104G8140	-	5/8	453	606	793	934	1013	1269	1561	1700	1889	20.95
SC21MFX		104G8120	-	5/8	530	682	866	1006	1085	1343	1645	1793	1996	20.95
SC12G		104G8245	-	3/8	248	370	519	632	696	907	1157	1280	1449	12.87
SC15G	60Hz	104G8526	-	1/2	308	468	641	766	834	1049	1292	1409	1567	15.28
SC18G		104G8823	-	5/8	432	573	745	879	955	1207	1506	1654	1858	17.68

R404a / R507

220~240V MBP

Model	Freq.	Code No.		Nominal Ashrae Capacity (W)										Displ. cm3
		Nominal	Oil Cooling	HP	-20	-15	-10	-6.7	-5	0	5	7.2	10	

SC10ML.X		104L2506 –	1/2	546	687	855	981	1051	1278	1537	1662	–	10.29
SC12ML.X		104L2606 –	5/8	669	838	1038	1188	1272	1542	1852	2001	–	12.87
SC15MLX	50Hz	104L2869 –	3/4	829	1038	1285	1471	1574	1909	2293	–	–	15.28
SC18ML.X		104L2139 –	7/8	968	1210	1497	1712	1832	2220	2665	–	–	17.68
SC18MLX.3		104L2146 –	7/8	1018	1266	1557	1779	1898	2292	2743	2964	–	17.68
SC10MLX		104L2506 –	5/8	646	816	1015	1164	1246	1510	1812	1958	–	10.29
SC12MLX	60Hz	104L2606 –	3/4	773	970	1199	1370	1465	1770	2118	2286	–	12.87
SC15MLX.2		104L2803 –	7/8	915	1145	1418	1623	1737	2107	2531	2735	–	15.28

C18CLX.2

40V-50Hz

2

104L

HST

R404A

R507



55I

MX5

2197

MADE IN GERMANY