

Mbsm.pro, Toshiba, Compressor, SZ70C1H, 113 w, 1/6 hp, r600a, lbp, 7.0 cm3

Category: compressor

written by www.mbsm.pro | 24 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Parameter

Series	C Series
Application Type	LBP
Refrigerant	R600a
Displacement	7.0 cc
Cooling Type	ST
Motor Type	RSIR
Voltage	220V
Frequency	50Hz
Cooling Capacity (W)	113
Cooling Capacity (Kcal/h)	97
Cooling Capacity (Btu/h)	386
COP (W/W)	1.35
COP (Btu/Wh)	4.61



Private Picture Copyright : WWW.MBSM.PRO

产品性能参数

系列 型号 气缸容积 冷却方式 电机类型 电源频率 制冷量 性能系数 认证 电机描述 壳体重量

R600a LBP

220V-240V~50Hz

C	PZ50C1D	5.0	ST	RSCR	220V~50Hz	80	1.58	----	AI	157
	PZ50C1E	5.0	ST	RSCR	220V~50Hz	80	1.55	----	AI	157
	PZ55C1E	5.5	ST	RSCR	220V~50Hz	85	1.55	CCC/CB	AI	157
	PZ59C1D	5.9	ST	RSCR	220V~50Hz	96	1.65	CCC/VDE	AI	157
	PZ59C1E	5.9	ST	RSCR	220V~50Hz	96	1.62	CCC/VDE	AI	157
	PZ59C1F	5.9	ST	RSCR	220V~50Hz	96	1.50	CCC/VDE /CB	AI	152
	PZ70C1D	7.0	ST	RSCR	220V~50Hz	113	1.55	CCC	AI	157
	SZ35C1K	3.5	ST	RSIR	220V~50Hz	50	1.35	----	AI	147
	SZ40C1K	4.0	ST	RSIR	220V~50Hz	55	1.25	----	AI	147
	SZ45C1K	4.5	ST	RSIR	220V~50Hz	70	1.27	CCC/VDE /CB	AI	147
	SZ52C1M	5.2	ST	RSIR	220V~50Hz	81	1.25	----	AI	148
	SZ55C1J	5.5	ST	RSIR	220V~50Hz	85	1.37	CCC/VDE /CB	AI	152
	SZ55C1M	5.5	ST	RSIR	220V~50Hz	85	1.18	----	AI	142
	SZ59C1H	5.9	ST	RSIR	220V~50Hz	96	1.42	CCC	AI	157
	SZ59C1J	5.9	ST	RSIR	220V~50Hz	96	1.40	CCC/VDE /CB	AI	152
S	SZ70C1H	7.0	ST	RSIR	220V~50Hz	113	1.35	----	AI	157
	SZ75C1J	7.5	ST	RSIR	220V~50Hz	120	1.35	----	AI	157
	SZ80C1H	8.0	ST	RSIR	220V~50Hz	135	1.30	----	AI	157
	PZ35E1G	3.5	ST	RSCR	220V~50Hz	50	1.45	----	AI	164
	PZ40E1C	4.0	ST	RSCR	220V~50Hz	60	1.63	VDE/CB	AI	169
	PZ45E1C	4.5	ST	RSCR	220V~50Hz	71	1.65	CCC/VDE /CB	AI	169
	PZ50E1B	5.0	ST	RSCR	220V~50Hz	82	1.73	CCC/VDE /CB	AI	174

Page

Name	Value
Left (Page Size)	-44.503899
Bottom (Page Size)	-44.503899
Width (Page Size)	1279.558952
Height (Page Size)	896.881889
Left (Content Size)	-44.503899
Bottom (Content Size)	-44.503899
Width (Content Size)	1279.558952
Height (Content Size)	896.881889
Page Rotate	0

Private Picture Copyright : WWW.MBSM.PRO

Series 系列	Model 机型	Disp. (cm ³) 排量	Cooling type 冷却方式	Motor type 电机类型	Power frequency 电源频率	ASHRAE (-23.3/54.4/32.2℃)					Certification 认证	Motor description 电机描述	Body height 壳体高度
						Cooling Capacity 制冷量			COP				
						W	Kcal/h	Btu/h	WW	Btu/Wh			

C系列（吸排气异侧） SUCTION AND DISCHARGE ON OPPOSITE SIDES

C	SZ65C1H	6.5	ST	RSIR	220V/50Hz	105	90	358	1.40	4.78	CCC	AI	157
	SZ65C1J	6.5	ST	RSIR	220V/50Hz	105	90	358	1.27	4.33	CCC	AI	147
	PZ65C1E	6.5	ST	RSCR	220V/50Hz	105	90	358	1.56	5.32	CCC	AI	157
	SZ70C1H	7.0	ST	RSIR	220V/50Hz	113	97	386	1.35	4.61	-	AI	157
	PZ70C1D	7.0	ST	RSCR	220V/50Hz	113	97	386	1.55	5.29	CCC	AI	157
	SZ75C1J	7.5	ST	RSIR	220V/50Hz	120	103	409	1.35	4.61	-	AI	157
	SZ80C1H	8.0	ST	RSIR	220V/50Hz	135	116	461	1.30	4.44	-	AI	157
	SE30C1P-9	3.0	ST	RSIR	220V/50Hz	72	62	246	1.02	3.48	CB	AI	152
	SE40C1P-9	4.0	ST	RSIR	220V/50Hz	91	78	310	1.10	3.75	CB	AI	157
	SE40C1R-9	4.0	ST	RSIR	220V/50Hz	88	76	300	0.96	3.28	-	AI	157
	SZ50C1J-9	5.0	ST	RSIR	220V/50Hz	81	70	276	1.30	4.44	-	AI	157
	SZ59C1H-9	5.9	ST	RSIR	220V/50Hz	96	83	328	1.35	4.61	-	AI	157
	SZ65C1J-9	6.5	ST	RSIR	220V/50Hz	108	93	368	1.35	4.61	-	AI	157
	SZ40C1H-4	4.0	ST	RSIR	220V~240V/50Hz	60	52	205	1.28	4.37	-	AI	157
					220V~240V/60Hz	70	60	239	1.40	4.78			
	PE40C1H-4	4.0	ST	RSCR	220V~240V/50Hz	96	83	328	1.20	4.09	CB	AI	157
					220V~240V/60Hz	112	96	382	1.33	4.54			
	SZ59C1H-4	5.9	ST	RSIR	220V~240V/50Hz	93	80	317	1.33	4.54	CB	AI	157
					220V~240V/60Hz	105	90	358	1.45	4.95			
	SE30C1P-N	3.0	ST	RSIR	220V~240V/60Hz	80	69	273	1.10	3.75	CB	AI	152
	SE35C1R-N	3.5	ST	RSIR	220V~240V/60Hz	80	72	273	1.00	3.41	CB	AI	152