

Mbsm.pro, Pictures, Find Compressor Size HP With Refrigerator Watt

Category: Archivation

written by www.mbsm.pro | 2 April 2022

75 to 95 Watt 1/10



Private Picture Copyright: WWW.MBSM.PRO


Mbsm.pro, Pictures, Find Compressor Size HP With Refrigerator Watt

Mbsm.pro, DIAGRAMAS, ELECTRICOS, THB PTCSCR, THB PTCSIR, THB CSIR, THB RSIR

Category: Chaud&Froid

written by www.mbsm.pro | 2 April 2022

THB CSIR



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, DIAGRAMAS, ELECTRICOS, THB PTCSR, THB PTCSIR, THB CSIR, THB RSIR

Mbsm.pro, Motor, compressor, type, RSIR, RSCR, CSIR, CSCR, PSC

Category: compressor

written by www.mbsm.pro | 2 April 2022

(1) RSIR

Resistance start induction run

(2) RSCR

Resistance start capacitor run

(3) CSIR

Capacitor start induction run

(4) CSCR/CSR

Capacitor start capacitor run

(5) PSC

Permanent split capacitor

(1) RSIR

Resistance start induction run

(2) RSCR

Resistance start capacitor run

(3) CSIR

Capacitor start induction run

(4) CSCR/CSR

Capacitor start capacitor run


(5) PSC

Permanent split capacitor

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Compressor Windings




Private Picture Copyright: WWW.MBSM.PRO




(1) RSIR
Resistance start induction run

Private Picture Copyright: WWW.MBSM.PRO

RSIR



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO


(2) RSCR Resistance start capacitor run

Private Picture Copyright : WWW.MBSM.PRO

RSCR



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO


(3) CSIR Capacitor start induction run

Private Picture Copyright: WWW.MBSM.PRO

CSIR



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO




(4) CSCR/CSR Capacitor start capacitor run

Private Picture Copyright: WWW.MBSM.PRO

CSCR/CSR



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO

www.mbsm.pro

(5) PSC


Permanent split capacitor

Private Picture Copyright: WWW.MBSM.PRO

PSC



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO

Changing Filter 1/5 Hp

Category: Refrigeration

written by www.mbsm.pro | 2 April 2022



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Step-by-step guide to changing a 1/5 HP filter: unplug, relieve pressure, twist-lock removal, and the “grey water” trick for water filters. Avoid spray backs and ensure a clean swap

1/5 HP Compressor oil change: How much and how to do it right

Category: Refrigeration

written by www.mbsm.pro | 2 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Learn the exact 1/5 HP compressor oil change process: 200–250 ml oil quantity, POE oil type for R134a, and vacuum-based recharge. Avoid oil logging and diagnose motor condition by inspecting old oil.


Deep cleaning AC units from A to Z... that's our craft

Category: Mbsmpro


written by www.mbsm.pro | 2 April 2022




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



بعد التنظيف

17 mai 2025 16:30

WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO

Plumbing Fittings Explained

Category: Equipment


written by www.mbsm.pro | 2 April 2022

TYPES OF PLUMBING FITTINGS




(1) COUPLING

(2) HEX NIPPLE



(3) REDUCER HEX NIPPLE

(4) TEE



(5) HOSE NIPPLE

(6) HEX BUSHING

Private Picture Copyright : WWW.MBSM.PRO

1. Coupling

A coupling is used to connect two pipes of the **same diameter**. It features internal (female) threads on both ends. This is the go-to fitting for extending a straight run of pipe.

2. Hex Nipple

A hex nipple has external (male) threads on both ends. The "hex" refers to the hexagonal section in the middle, which allows a wrench to grip the fitting securely during installation. It is used to connect two female-threaded fittings or valves.

3. Reducer Hex Nipple

Similar to a standard hex nipple, but the two threaded ends are **different sizes** (e.g., transitioning from a 1" pipe to a 1/2" pipe). This allows you to join components of unequal diameters.

4. Tee

A T-shaped fitting with three openings. It is used to split a single line into two separate branches or to combine two lines into one. In the image, this specific tee features male threads on all three ends.

5. Hose Nipple (Barb Fitting)

This fitting is designed to connect a flexible hose to a threaded pipe system.

- **Barbed Stems:** These slide into the hose, and the ridges grip the interior to prevent it from slipping off.
- **Hex Grip:** Used to tighten the fitting into a threaded port.

6. Hex Bushing

A bushing is used to **reduce the size** of a female threaded opening. It has male threads on the outside and female threads on the inside. You would screw this into a larger port so that a smaller pipe or fitting can be attached to it.

Key Technical Note: Thread Types

The image mentions two common thread standards:

- **NPT (National Pipe Tapered):** Common in North America; the threads are tapered to create a liquid-tight seal.
- **G (BSP – British Standard Pipe):** Common in Europe and internationally; these are parallel threads that usually require a washer or O-ring to seal.

TYPES OF PLUMBING FITTINGS



(1) COUPLING



(2) HEX NIPPLE



(3) REDUCER HEX NIPPLE



(4) TEE



(5) HOSE NIPPLE



(6) HEX BUSHING

Private Picture Copyright : WWW.MBSM.PRO

Can the GL80 compressor be installed in place of the GL90?

Category: Refrigeration
written by www.mbsm.pro | 2 April 2022



Private Picture Copyright : WWW.MBSM.PRO

The main difference is the winding material: the GL80 uses aluminum coils, while the GL70 uses copper. Performance-wise, the GL80 is suitable for an upright deep freezer, whereas the GL70 is best for a 12ft double-door refrigerator

"The technical difference between the two compressors, manufactured by ZEM or ACC, lies primarily in the horsepower (HP) and displacement volume:

GL80: Has a slightly lower capacity, rated at approximately 1/5 HP

GL90: Typically rated at 1/4 HP (or equivalent, depending on the specific model)

Technical Conclusion: Compressor

Interchanges

1. Replacing GL80 by GL90 yes
2. Replacing GL90 by GL80 non
3. Replacing GL80 by GL70 non
4. Replacing GL70 by GL80 yes






Private Picture Copyright : WWW.MBSM.PRO

The process of replacing the air conditioner compressor is successful, and it is working as it was before ?

Category: Refrigeration
written by www.mbsm.pro | 2 April 2022



Private Picture Copyright : WWW.MBSM.PRO

“The process of replacing the air conditioner compressor is successful, and it is working as it was before.”

Alternatively, if you are asking whether the process *is* viable, it can be translated as: “Is replacing the air conditioner compressor effective, and will it work as well as it did before?”

Key Points regarding Compressor Replacement:

If you are considering this repair, here are a few things to keep in mind to ensure it works “as it was”:

- **Matching Specifications:** The new compressor must have the exact same cooling capacity (BTU) and electrical specifications as the original.
- **System Flushing:** It is vital to flush the refrigerant lines to remove any contaminants or burnt oil from the old compressor; otherwise, the new one may fail quickly.
- **Vacuuming:** A deep vacuum must be pulled on the system to remove moisture before recharging with gas.
- **Cost-Benefit:** Since the compressor is the “heart” of the AC, the repair can be expensive. If the unit is more than 10 years old, it is often more cost-effective to replace the entire unit.



Private Picture Copyright : WWW.MBSM.PRO

A problem with a Brand refrigerator:
ice forms, it makes a noise, and it
stops cooling

Category: Refrigeration

written by www.mbsm.pro | 2 April 2022



Private Picture Copyright : WWW.MBSM.PRO

The issues you are experiencing with your Brandt refrigerator (ice buildup, unusual noise, and poor cooling) indicate a failure in the No Frost defrost system. Since a specialist was unable to fix it, the fault may have been misdiagnosed.

The refrigerator has a problem, it works for a minute and then shuts off

Category: Refrigeration

written by www.mbsm.pro | 2 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Our technical investigation revealed a dual issue. The system was suffering from a **restricted filter drier**, causing a blockage that choked the cooling cycle. This strain had also compromised the motor's starting components.

Technical Specifications

Feature	Specification
Model	S65CZ1
Brand	Panasonic
Refrigerant	R134a
Power Supply	220-240V / 50Hz
Cooling Capacity	Approximately 165W (at ASHRAE conditions)
Horsepower	1/5 HP
Displacement	6.5 cm ³
Motor Type	RSIR (Resistive Start-Inductive Run)




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Our intervention included:

- **System Clearing:** Replacing the clogged filter to allow the refrigerant to flow freely once again.
- **Electrical Upgrade:** Installing a brand-new high-quality "Starting Kit" (Relay/Overload) to ensure the compressor starts smoothly every time.
- **The Mbsmpro Promise:** We don't just fix; we provide peace of mind. This repair is backed by a **full 6-month warranty**.

**Danfoss Secop SLV15CNK / SLV15CNK.2 –
Complete Technical Review &**

Replacement Guide

Category: Refrigeration

written by www.mbsm.pro | 2 April 2022



PictureS Mbsm Dot Pro | www.mbsm.pro

The Danfoss Secop SLV15CNK is a variable-speed LBP hermetic compressor running on R290 propane refrigerant, designed exclusively for commercial freezing applications. With a 15.28 cm³ displacement, permanent magnet TRI motor, and mandatory SLV electronic controller, it powers chest freezers and display cases across retail worldwide – including AHT deep freezer cabinets.

Compressor, KCE444HAG, 3/8 HP, Copeland, R-134a, 1077 W, 2.2 A, 230V, HBP, CSCR, High Temp

Category: Refrigeration

written by www.mbsm.pro | 2 April 2022



KCE444HAG
APPLICATION:- R-134a CSCR HIGH TEMP
ELECTRICAL CIRCUIT:-
OPERATING VOLTAGE:- 1Ph 180-260 V AC
RELAY:- KARP-4241
OLP:- KAT0072/H3 OR MRA-12309-12101
RUN CAPACITOR:- 10 μ F @ 440 V AC
START CAPACITOR:- 40-60 μ F @ 230 V AC
P/N:- A07-052-04-17

Private Picture Copyright : WWW.MBSM.PRO

Field data and technical breakdown of the Emerson Copeland KCE444HAG 3/8 HP commercial refrigeration compressor, including performance charts and direct replacement options.