

Refrigeration, Compressor, K270CZ1, 1/3++, DONPER, Dongbei , K325CZ1, K375CZ1 ,freezer, R134a, White HIK-BD-500 Chest Freezers, Top Open Door, -18 degrees to +10 degrees, 500L

Category: compressor

written by Lilianne | 15 February 2021

Quick Details

Temperature:

-25° ~ +15°

Cooling Capacity:

1ton

Panel Thickness:

50mm

Applicable Industries:

Retail

After Warranty Service:

Online support

Local Service Location:

None

Showroom Location:

None

Condition:

New

Place of Origin:

Hubei, China

Voltage:

220V, 220V/50HZ

Dimension(L*W*H):

10-10*10

Weight:

15KGS

Certification:

CE ROHS

Warranty:

1 Year

After-sales Service Provided:

Online support, No overseas service provided

Key Selling Points:

Sustainable

Machinery Test Report:

Not Availabl

Video outgoing-inspection:

Provided

Marketing Type:

New Product 2020

Warranty of core components:

1 Year

Core Components:

Motor

Color:

Balck

Product name:

Refrigerator Compressor

Refrigerant:

R134a

model:

K270CZ1

Cooling capacity:

230W

Product Description

Refrigerant

R134a **Cooling capacity** 270W

| | | | |
|--------------------------------|--------------------|---------------------|--------------------|
| Input power | 220W | Hose Power | 220W |
| Temperature application | L/MBP | Displacement | 9.5cm ³ |
| Working Current | 1.5A | Voltage | 220V~240V/50Hz |
| COP | 1.3W/W | Motor type | RSIR |
| Cylinder capacity | 9.5cm ³ | Weight | 9.8±0.4kg |

Structure



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



PRODUCT PARAMETERS

| | |
|------------------|---------------------|
| MODEL NO. | K270CY1 |
| COOLING CAPACITY | 270W |
| REFRIGERANTS | R600a |
| INPUT POWER | 208W |
| HORSE POWER | 1/3+ |
| DISPLACEMENT | 16.2cm ³ |



Private Picture Copyright : WWW.MBSM.PRO

Notice : process channel and air suction pipe can not interchangeable

| | | | |
|------------------------|---------------------|-----------------|-----------------|
| Product Name | : Donper Compressor | Model: | K270CZ1 |
| Application | : Refrigerator | Power supply | :220v~240v/50Hz |
| Refrigeration capacity | :270W | Power | :220W |
| cylinder volume | :9.5cm ³ | refrigerant | : R134a |
| Motor | :RSIR | COP | :1.3W/W |
| Weight | :9.8±0.4kg | working current | :1.5A |



Private Picture Copyright : WWW.MBSM.PRO

Compressor Details

| | | | |
|------------------|----------------------------------|-------------|----------------|
| Production Name | Refrigerator compressor | Model | K270CZ1 |
| Application | Refrigerator/ Freezer(300L~400L) | Power | 220V~240V/50HZ |
| Cooling capacity | 270W | Input power | 220W |
| Cylinder volume | 9.5Cm ³ | Refrigerant | R134a |
| Motor type | RSIR | COP | 1.3W/W |
| Weight | 9.8±0.4kg | Current | 1.5A |

Private Picture Copyright : WWW.MBSM.PRO

Product Specification

| | |
|-------------------|----------------------------|
| Capacity | 500 L |
| Type | Top Open |
| Temperature Range | -18 degrees to +10 degrees |
| Model Number | HIK-BD-500 |
| Model Number/Name | HIK-BD-500 |

| | |
|--------------------|---|
| Energy Consumption | 2.02 kWh/24hr |
| Product Dimensions | 1650 x 755 x 830mm |
| Door Type | Top Open Door |
| Color | White |
| Door No. | 2 |
| Features | Adjustable Temperature Control,Digital Display,75mm Insulation Wall Thickness,Defrost Water Drain |
| Usage/Application | Freezer/Chiller |
| Weight | 73kg |
| Depth | 755mm |
| Refrigerant Used | R134a |
| Number Of Basket | 2 |
| Height | 830 mm |
| Power Source | Electric |
| Energy Efficiency | 2.02 kWh/24hr |
| Compressor Brand | Donper |
| Compressor Model | K270CZ1 |
| Power | 255 W |
| Width | 1650 mm |
| Colour | White |
| Refrigerant | R134a |
| No of Doors | 1 |
| Number of Baskets | 2 |

Product Description

Haikawa now launches its latest range of Chest Freezers in 200 L, 300 L, 400 L and 500 L variants. The freezers come with an Adjustable Temperature Control, enabling its use as a freezer (-18 degrees to 0 degrees) or as a chiller (0 degrees to 10 degrees), depending on requirement. The 75mm Insulation Wall Thickness helps improve energy efficiency, while the unique digital display brings in a whole new level of convenience. The Chest freezers come with removable baskets and a defrost water drain. The Inner PP lining improves hygiene while a lock and key mechanism ensures maximum safety. Insulation: Cyclopentane. Refrigerant: R134a. The HIK-BD-500 model has a rated current of 1.5A, thus lowering the power consumption. The Chest Freezer is packed with the following features:

- Adjustable Temperature Control
- Electronic Controller with Digital Display
- 75mm Insulation Wall Thickness
- Low Power Consumption
- Inner PP Lining for Improved Hygiene
- Store-More Removable Basket
- Defrost Water Drain
- Lid Handle
- Lock and Key Safety Mechanism

Additional Information

Packaging Details Box Dimensions: 1695 x 760 x 880mm Included: 1 Chest Freezer/ 1 Instruction Manual/ 2 Keys/ 2 Inner Metal Trays



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Compresseur de réfrigérant R134a Donper K375CZ1 220-240V 50Hz SC-SD-388Y

Description

Compresseur de réfrigérant R134a Donper K375CZ1 220-240V 50Hz SC-SD-388Y

Réfrigérant: R134a

Tension: 220 V ~ 240 V / 50 HZ

Puissance en chevaux: 1/2 ph

Puissance d'entrée: 235 W

Capacité de refroidissement: 325 W

Cylindre de capacité: 11,4 centimètres cubes

Courant de travail: 1.6A

Type de moteur: CSIR

Poids: 9,9 ± 0 4 kg

875000033

 **K375CZ**
220-240V~50Hz 1PH
THERMALLY PROTECTED

     1

<http://www.donper.com>

160111104220202452

R134a



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresoor, 1/8 hp, r12,
1ph/220v/50hz, AEZ1336A, B8A39,
AE1027, TL4A, L45AU, PW4.5K9,
AZ1335A, 8L300, FN43F67S, M4J, B8A10,
A1075A, V792, V792E, AS8, E36601,
LK39.0, TL4B, L45AW, AZ1340A,
FNE75WS5, ESM4, PB9AF88, A1085A,
E44101A, LK45.0, TL4A, AEZ1336A,
BP1072A

Category: compressor

written by Lilianne | 15 February 2021



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresoor, 1/8 hp, r12, 1ph/220v/50hz, AEZ1336A, B8A39, AE1027, TL4A, L45AU, PW4.5K9, AZ1335A, 8L300, FN43F67S, M4J, B8A10, A1075A, V792, V792E, AS8, E36601, LK39.0, TL4B, L45AW, AZ1340A, FNE75WS5, ESM4, PB9AF88, A1085A, E44101A, LK45.0, TL4A, AEZ1336A, BP1072A