

Mbsm.pro, Compressor Tecumseh, AE
4425 Z , AE-8007-f, AE4425Z-FZ,
H/MBP, AE 4425 Z, AEZ 4425 Z, 1/5
hp++, 1/4 hp-, r404a

Category: compressor

written by www.mbsm.pro | 24 April 2023





Image Copyright : WWW.MBSM.PRO

www.mbsm.pro

تعداد n	تعداد مجموعه	تعداد تجزیه	تعداد مجموعه	تعداد مجموعه	تعداد مجموعه	تعداد مجموعه		exp. (I)	exp. cytology	hp	تعداد
						75 x (° C)	10-15-				
2.4	1	1/4	1/4	1/4	1/4	100	889 802 807 224 287	c/v	4.28	1/5	ee4420e
3.4	-	1/4	1/4	1/4	1/4	100	1037 08 500 404 320	c/v	5.36	1/4	ee4430e
3	-	1/4	1/4	1/4	1/4	100	1427 028 076 948 423	c/v	6.05	1/2	ee4440e
3.5	-	1/4	1/4	1/4	1/4	212	983 1014 888 120 976	c/v	6.80	3/7	ee4450e
6.2	-	1/4	1/4	1/4	1/4	212	2117 1278 3062 876 713	c/v	10.33	1/2	ee4460e
5.6	-	1/4	1/4	1/4	1/4	215	1447 1495 1251 815 843	c/v	10.00	1/3	ee4470e
10.1	-	1/8	1/8	1/8	1/8	271	2802 1487 1373 881 783	c/v	16.2	1/8	ee4480e
8	-	1/8	1/8	1/8	1/8	282	3628 1854 1476 101 890	c/v	18.2	1	ee4490e
10.1	-	1/8	1/8	1/8	1/8	282	4458 2263 1770 1248 840	c/v	24.2	1/8 1	ee4500e
10.6	-	1/8	1/8	1/8	1/8	282	5188 2677 2084 1614-	c/v	28.28	1/4 1	ee4510e
16.1	22.0	1/2	1/2	1/2	1/2	354	7488 2847 2038 2245-	c/v	36.86	1/4 1	ee4520e
26.3	34.0	1/2	1/2	1/2	1/2	370	8901 4381 3487 2570-	c/v	43.6	2	ee4530e
27.0	34.0	1/2	1/2	1/2	1/2	370	8222 4704 4418 3390-	c/v	56.66	1/2 2	ee4540e



TECUMSEH - Baja temperatura R404A / R452A			
Código	Modelo	Hp	PVP
AE2410Z	AE 2410 Z soldar monof.	1/4	224
AE2415Z	AE 2415 Z soldar monof.	1/3	240
AE2420Z	AE 1420/2420 Z soldar monof.	3/8	307
AE2425Z	AE 2425 Z soldar monof.	3/8	370
CAJ2428Z	CAJ 2428 Z rotalock monof.	1/2	440
CAJ2428Z	CAJ 2428 Z soldar monof.	1/2	398
TAJ2428Z	TAJ 2428 Z rotalock trif.	1/2	550
TAJ2428Z	TAJ 2428 Z soldar trif.	1/2	515
CAJ2432Z	CAJ 2432 Z rotalock monof.	5/8	530
CAJ2432Z	CAJ 2432 Z soldar monof.	5/8	480
CAJ2440Z	CAJ 2440 Z soldar monof.	5/8	510
CAJ2446Z	CAJ 2446 Z rotalock monof.	3/4	525
CAJ2446Z	CAJ 2446 Z soldar monof.	3/4	550
TAJ2446Z	TAJ 2446 Z rotalock trif.	1,25	615
TAJ2446Z	TAJ 2446 Z soldar trif.	1,25	565
CAJ2464Z	CAJ 2464 Z rotalock monof.	1,25	490
CAJ2464Z	CAJ 2464 Z soldar monof.	1,25	475
TAJ2464Z	TAJ 2464 Z rotalock trif.	1,25	610
TAJ2464Z	TAJ 2464 Z soldar trif.	1,25	640
FH2-2480Z	FH2 2480 Z - XC rotalock monof.	1,75	1.010
FH2-2480XG	FH2 2480 Z - XG rotalock trif.	1,75	960
FH2-2511Z	FH2 2511 Z - XC rotalock monof.	2,5	1.125
FH2-2511XG	FH2 2511 Z - XG rotalock trif.	2,5	999
TAG2516Z	TAG 2516 Z rotalock	3,5	1.350
TAG2522Z	TAG 2522 Z rotalock	4	1.450
TAG2525Z	TAG 2525 Z rotalock trif.	4,5	1.550
TAG2525Z	TAG 2525 Z soldar trif.	4,5	1.586

* Hasta finalizar existencias





TECUMSEH - Media alta temperatura R90AA / R452A			
Código	Modelo	Hp	PVP
AE4425Z	AE 4425 Z soldar monof.	1/5	173
AE4430Z	AE 4430 Z soldar monof.	1/4	178
AE4440Z	AE 4440 Z soldar monof.	1/3	198
AE4450Z	AE 4450 Z soldar monof.	3/8	215
AE4460Z	AE 4460 Z soldar monof.	1/2	230
AE4470Z	AE 4470 Z soldar monof.	1/2	279
CAJ9480Z	CAJ 9480 Z rotalock monof.	5/8	479
CAJ9480ZS	CAJ 9480 Z soldar monof.	5/8	350
TAJ9480Z	TAJ 9480 Z rotalock trif.	5/8	390
TAJ9480ZS	TAJ 9480 Z soldar trif.	5/8	349
CAJ9510Z	CAJ 9510 Z rotalock monof.	3/4	503
CAJ9510ZS	CAJ 9510 Z soldar monof.	3/4	500
TAJ9510Z	TAJ 9510 Z rotalock trif.	3/4	590
TAJ9510ZS	TAJ 9510 Z soldar trif.	3/4	580
CAJ9513Z	CAJ 9513 Z rotalock monof.	1	540
CAJ9513ZS	CAJ 9513 Z soldar monof.	1	593
TAJ9513Z	TAJ 9513 Z rotalock trif.	1	625
TAJ9513ZS	TAJ 9513 Z soldar trif.	1	608
CAJ4517Z	CAJ 4517 Z rotalock monof.	1.25	525
CAJ4517ZS	CAJ 4517 Z soldar monof.	1.25	560
TAJ4517Z	TAJ 4517 Z rotalock trif.	1.25	630
TAJ4517ZS	TAJ 4517 Z soldar trif.	1.25	597
CAJ4519Z	CAJ 4519 Z rotalock monof.	1.5	558
CAJ4519ZS	CAJ 4519 Z soldar monof.	1.5	570
TAJ4519Z	TAJ 4519 Z rotalock trif.	1.5	585
TAJ4519ZS	TAJ 4519 Z soldar trif.	1.5	570
FH4522Z	FH 4522 Z rotalock monof.	1.8	772
TFH4522Z	TFH 4522 Z rotalock trif.	1.8	700
FH2-4524Z	FH2 4524 Z - XC rotalock monof.	2	965
FH2-4524ZS	FH2 4524 Z - XC soldar monof.	2	933
TFH2-4524ZS	TFH2 4524 Z soldar trif.	2	750
FH2-4524ZXS	FH2 4524 Z - XG rotalock trif.	2	899
FH2-4532Z	FH2 4532 Z - XC rotalock monof.	2.5	995
FH2-4532ZS	FH2 4532 Z - XC soldar monof.	2.5	960
FH2-4532ZXS	FH2 4532 Z - XG rotalock trif.	2.5	925
FH2-4532ZXS	FH2 4532 Z - XG soldar trif.	2.5	895
FH2-4538Z	FH2 4538 Z - XC rotalock monof.	3	1085
FH2-4538ZS	FH2 4538 Z - XC soldar monof.	3	1065
FH2-4538ZXS	FH2 4538 Z - XG rotalock trif.	3	985
TAG4546Z	TAG 4546 Z rotalock trif.	4	1270
TAG4553Z	TAG 4553 Z rotalock trif.	4.5	1315
TAG4561Z	TAG 4561 Z rotalock trif.	5	1360
TAG4568Z	TAG 4568 Z rotalock trif.	6	1415
TAG4573Z	TAG 4573 Z rotalock trif.	6.5	1495
TAG4581Z	TAG 4581 Z rotalock trif.	7	1515
TAG4581ZS	TAG 4581 Z soldar trif.	7	1485





TECUMSEH - Media alta temperatura R134a			
Código	Modelo	Hp	PVP
AE4425Y	AE 4425 Y soldar monof.	1/4	186
AE1390Y	AE 1390 Y soldar monof.	1/4	210
AE4430Y	AE 4430 Y soldar monof.	1/4	188
AE4440Y	AE 4440 Y soldar monof.	3/8	196
AE4450Y	AE 4450 Y soldar monof.	3/8	211
AE4456Y	AE 4456 Y soldar monof.	3/8	231
AE4460Y	AE 4460 Y soldar monof.	3/8	302
CAJ4461Y	CAJ 4461 Y rotalock monof.	1/2	430
CAJ4461YS	CAJ 4461 Y soldar monof.	1/2	445
TAJ4461Y	TAJ 4461 Y rotalock trif.	1/2	560
TAJ4461YS	TAJ 4461 Y soldar trif.	1/2	515
CAJ4476Y	CAJ 4476 Y rotalock monof.	5/8	475
CAJ4476YS	CAJ 4476 Y soldar monof.	5/8	455
CAJ4492Y	CAJ 4492 Y rotalock monof.	3/4	495
CAJ4492YS	CAJ 4492 Y soldar monof.	3/4	515
TAJ4492Y	TAJ 4492 Y rotalock trif.	3/4	615
TAJ4492YS	TAJ 4492 Y soldar	3/4	559
CAJ4511Y	CAJ 4511 Y rotalock monof.	1	545
CAJ4511YS	CAJ 4511 Y soldar monof.	1	585
TAJ4511Y	TAJ 4511 Y rotalock trif.	1	595
TAJ4511YS	TAJ 4511 Y soldar	1	602
FH2-4518Y	FH2 4518 Y - XC rotalock monof.	1,5	965
TFH4518Y	TFH 4518 Y rotalock trif.	1,5	830
FH2-4518YXG	FH2 4518 Y - XG rotalock trif.	1,5	899
FH2-4525Y	FH2 4525 Y - XC rotalock monof.	2	1.035
FH2-4525YS	FH2 4525 Y - XC soldar monof.	2	998
TFH4525Y	TFH 4525 Y rotalock trif.	2	895
FH2-4525YXG	FH2 4525 Y - XG rotalock trif.	2	960
TAG4528Y	TAG 4528 Y rotalock trif.	2,25	1.250
TAG4534Y	TAG 4534 Y rotalock trif.	2,5	1.295
TAG4537Y	TAG 4537 Y rotalock trif.	3	1.340
TAG4543Y	TAG 4543 Y rotalock trif.	3,5	1.390

* Hasta finalizar existencias



Private Picture Copyright : WWW.MBSM.PRO

R404A, R507, R407C : H/MBP 220/240-1-50

Modello	HP	Cilindra-taExp. cm ³ (1)	Capacità Watt. Te=(°C)	Dim. mm H	Dim. Mm Basamento	Conn. Aspira-zione	Conn. Scarico	Peso netto Kg	I max A
AE4425Z	1/5	4,24	C/V	257 326 407 502 889	186	170x70	1/4"	3/16"	2,4
AE4430Z	1/4	5,16	C/V	320 404 500 611 1057	186	170x70	1/4"	3/16"	3,4
AE4440Z	1/3	6,69	C/V	433 546 676 826 1427	199	178x114,3	3/8"	1/4"	3
AE4450Z	3/7	8,85	C/V	576 720 885 1074 1812	212	178x114,3	3/8"	1/4"	3,9
AE4460Z	1/2	10,33	C/V	713 875 1062 1275 2117	212	178x114,3	3/8"	1/4"	5,2
AE4470Z	1/2	12,01	C/V	843 1035 1251 1495 2447	215	178x114,3	3/8"	1/4"	5,6
CAJ9480ZS	8	15,2	C/V	762 911 1173 1487 2903	271	203,2x122,21/2"	5/16"	5/16"	10,1
CAJ9510Z1	18,3		C/V	890 1151 1476 1866 3628	282	203,2x122,25/8"	5/16"	5/16"	8
CAJ9513Z _{1/8}	24,2		C/V	941 1349 1770 2263 4418	282	203,2x122,25/8"	5/16"	5/16"	10,1
CAJ4517Z _{1/4}	25,95		C/V	- 1614 2104 2677 5158	282	203,2x122,25/8"	3/8"	3/8"	10,6
FH4522Z	1	39,95	C/V	- 2240 3038 3947 7459	354	191x191	5/8"	1/2"	33,0
FH4524Z	2	43,5	C/V	- 2570 3407 4361 8101	370	191x191	7/8"	1/2"	36,0
FH4531Z	2	56,65	C/V	- 3300 4419 5706 10222	370	191x191	7/8"	1/2"	34,0