


Mbsm.pro, AG5518E, Tecumseh
compressor, 18000 btu, AJ5518E-FZ3C,
AJ5518E-CZ3C, AJ5518E, 1.5 HP, 32.7
cm³/rev, R22 , R417A, R422B

Category: compressor

written by www.mbsm.pro | 4 April 2023



AG5518E is a model number for a Tecumseh compressor . It is available in different variants such as AJ5518E-FZ3C , AJ5518E-CZ3C and AJ5518E. It is a hermetic compressor that is used in refrigeration and air conditioning systems. The compressor has a power of 1.5 HP and a displacement of 32.7 cm³/rev. It is compatible with refrigerants such as R22 , R417A and R422B. The compressor is available for purchase from various suppliers and online stores AG5518E is a product code for a Tecumseh 220V unit. BTU is a unit of energy used to measure heating and cooling capacity. For example, a GE window air conditioner with heating and cooling capacity of 8,000 BTUs and 3,800 BTUs respectively can cool and heat small rooms up to 350 square feet.. A Gree Capacité de 18 000 BTU mini AC split is also available.

Product Specifications

Performance

Condition	Test Voltage	(R) Btu/h	(R) kcal/h	(R) W	(I) W	(E) Btu/Wh	(E) kcal/Wh	W/W	EVAP TEMP	COND TEMP	AMBIENT TEMP	RETURN GAS	LIQUID TEMP
EN12900	230V ~ 60HZ	16981	4279	4975	2221	7.64	1.92	2.24	5°C (41°F)	50°C (122°F)	32°C (90°F)	15°C (59°F)	50°C (122°F)
EN12900	208V ~ 50HZ	14426	3635	4226	1844	7.82	1.97	2.29	5°C (41°F)	50°C (122°F)	32°C (90°F)	15°C (59°F)	50°C (122°F)
EN12900	230V ~ 60HZ	16981	4279	4975	2221	7.64	1.92	2.24	5°C (41°F)	50°C (122°F)	32°C (90°F)	15°C (59°F)	50°C (122°F)
EN12900	208V ~ 50HZ	14426	3635	4226	1844	7.82	1.97	2.29	5°C (41°F)	50°C (122°F)	32°C (90°F)	15°C (59°F)	50°C (122°F)

General

Evaporating Temp. Range: -15°C to 15°C (5°F to 59°F)

Motor Torque: Low Start Torque (LST)

Compressor Cooling: Fan

Mechanical

Weight: 21

Weight Unit of Measure: KG

Displacement (cc): 32.7

Oil Type: Mineral

Viscosity (cSt): 68

Oil Charge (cc): 475

Electrical

Voltage Range (50 Hz):	187-230
Voltage Range (60 Hz):	207-253
Locked Rotor Amps (LRA):	57
Rated Load Amps (RLA 50 Hz):	11
Rated Load Amps (RLA 60 Hz):	11
Max. Continuous Current (MCC in Amps):	0
Motor Resistance (Ohm) – Main:	0.9
Motor Resistance (Ohm) – Start:	5.6
MotorType:	PSC
Overload Type:	N/A
Relay Type:	N/A





Copyright : WWW.MBSM.PRO

AJ5518E is a model number for a [Tecumseh compressor](#). It is available in different variants such as AJ5518E-FZ3C, AJ5518E-C23C and AJ5518E. It is a hermetic compressor that is used in refrigeration and air conditioning systems. The compressor has a power of 1.5 HP and a displacement of 32.7 cm³/rev. It is compatible with refrigerants such as R22, R417A and R422B. The compressor is available for purchase from various suppliers and online stores^[1].



5 SOURCES

Show list

1 tecumseh 2 tecumseh 3 Actrol 4 All Baba 5 okmart

REPORT

what is AJ5518E for

where can i buy AJ5518E

what is the price of AJ5518E

Request a follow-up



Private Picture Copyright : WWW.MBSM.PRO