

www.mbsm.pro , Full Form of Short Answer , Electric , climatisation , Terms

Category: Solutions,Technologie

written by www.mbsm.pro | 28 December 2018

<u>FULL FORM OF SHORT ANSWER</u>	
HVAC	- heat ventilation air conditioner
AHU	- Air handling unit
FCU	- Fan coil unit
CSU	- Ceiling suspended unit
PAC	- Precession air condition
BMS	- Building management system
BTU	- British thermal unit
PSI	- Pound square inches
TR	- Tonnage of refrigerant
CFM	- Cubic feet per minute
VFD	- Variable frequency drive
VCD	- Volume control damper
VAV	- Variable adjustable valve
VRF	- Variable refrigerant flow
RPM	- Revolution per Munit
VRV	- Variable refrigerant valve
UPS	- Uninterrupted power supply
KW	- kilo watt
KVA	- Kilo volt amps
AC	- Alternative current
DC	- Direct current
DOL	- Direct on line
DB	- Distribution board
ACB	- Air circuit breaker
PCB	- Printed circuit board
PLC	- Programming logic control
MCCB	- Molded case circuit breaker
MCB	- Miniature circuit breaker
ELCB	- Earth leakage circuit breaker.
STP	- Sewage treatment plant
CCTV	- Closed circuit television

PictureS Mbsm Dot Pro : www.mbsm.pro

www.mbsm.pro , Full Form of Short Answer , Electric , climatisation , Terms

www.mbsm.pro , TLES7FT.4 ,
COMPRESSORE SECOP ,TLES7FT.4 4707,

R134a , LBP ,1/4 hp/60hz, 1/5 hp/50hz
, 1ph ,Danfoss,4707, compressors
,medium temperature, Kiriazi 335l

Category: Technologie,Tester ok

written by www.mbsm.pro | 28 December 2018



Private Picture Copyright : WWW.MBSM.PRO

www.mbsm.pro , TLES7FT.4 , COMPRESSORE SECOP ,TLES7FT.4 , R134a , LBP ,Danfoss
compressors ,medium temperature, HMBP

للشاعر التونسي [مرئيات في فلسفة عينيك
Mbsm.pro , Poète Tunisien Mounir Ben
Salah Miled منير بن صالح ميلاد

Category: News

written by www.mbsm.pro | 28 December 2018




PictureS Mbsm Dot Pro : www.mbsm.pro

في عينيك
رقّة الفجر
تَدْرَع كؤوس الندى
عطرا
وروح الربيع
تختال في شعابي
في صمت
تُؤنقُ الأرض
رائعات ورد وزهرا
وحياة في حقل العمر
في سحرها القدسيّ
تماطلت سَكرا

Mbsm.pro, cheville papillon pour
plafond , ou La cheville ou l'ancrage
sert à fixer un objet sur une surface

Category: Technologie, Tester ok
written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Les ancrages sont beaucoup utilisés en construction, mais on en utilise aussi régulièrement pour des choses simples comme faire la pose d'un portrait sur un mur.

L'ancrage est beaucoup utilisé pour visser dans un mur de gypse, car celui-ci n'est pas assez rigide pour maintenir un clou ou une vis fermement. Il faut donc utiliser un moyen afin pouvoir visser quelque chose solidement, malgré la fragilité du revêtement de mur.

**Mbsm.pro , Compresseur Aspera ,
Embraco NT6220Z , R134a ,power 3/4
Hp, déplacement 22.40 cc , gas R134a
HMBP , 220/240V**

Category: Solutions,Tester ok

written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Compresseur Aspera , Embraco NT6220Z , R134a , power 3/4 Hp, displacement 22.40 cc , gas R134a HMBP , 220/240V

Compresseur hermetique de Aspera – Embraco NT6220Z – R134a

3/4 HP

220V 50Hz 1~

Cylindrée = 22.37 CM3

APPLICATIONS = HBP

Moteur type: CSIR

EMBRACO Asprea Compressor NT6220Z

Technical Details

- 220/240V
- 50Hz
- power 3/4 Hp, displacement 22.40 cc
- gas R134a HMBP
- ASPERA

SKU: 3070180

Suitable For/Compatible With

- NT6220Z ASPERA
- NT6220Z-CSIR ASPERA
- NT6220Z EMBRACO
- NT6220Z-CSIR EMBRACO

embraco



CE

THERMALLY PROTECTED

R 134a

POE. OIL 450CC

1 PH

NT6220Z

200-240V ~ 50Hz

230V ~ 60Hz

MADE IN SLOVAKIA NO START WITHOUT STARTING DEVICE



212CN06

FA

M13G/TF6

embraco NT




R134a

HBP

PictureS Mbsm Dot Pro : www.mbsm.pro

EM/NE/NT/NJ



50Hz 50-60Hz	R134a							
	LBP	VOLT. FREQ.	COOL. CAP. [W]	DISPL. [cc]	HBP	VOLT. FREQ.	COOL. CAP. [W]	DISPL. [cc]
NT NTU					NT6215Z	C / N	1.405	17,39
					NT6217Z	A / N	1.619	20,44
					NT6220Z	N	1.744	22,37
					NTU6222ZV	A	2.117	23,70
					NTU6224ZV	A	2.582	27,80

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Compressors ZMC, EGL90AA,
R-134a ,1/4 HP LBP, 220 – 240 V

Category: Solutions,Tester ok
written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Compressors ZMC, EGL90AA, R-134a ,1/4 HP LBP, 220 – 240 V

BRAND

◦ – ZMC

TECHNICAL SPECIFICATIONS :

- MODEL: **EGL 90 AA**
- POWER: **1/4 Hp**
- VOLTAGE: **220 – 240 V**
- WATT: **227.00 W**
- REFRIGERANT GAS: **R 134**
- K.CAL: **195.00 Cal.**

Features : The compressors form the basis of the refrigerant system and function to compress the gas from the evaporation to the condensation pressure.

USAGE PLACES :

It is used in Refrigerator devices belonging to all brands and models.

INSTRUCTIONS FOR USE:

Zmc EGL90AA;It is recommended to be used by a specialist authorized or authorized service.



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm_dot_pro_private_PDF_catalogo_cubigel_R134aTélécharger

Mbsm_dot_pro_private_PDF_cubigel-katalogTélécharger

**www.mbsm.pro, FN66Q14G ,Refrigerator
Compressors, equivalent in 1/5 HP
,R12, Powerful**

Category: Solutions,Tester ok

written by www.mbsm.pro | 28 December 2018



www.mbsm.pro, FN66Q14G ,Refrigerator Compressors, equivalent in 1/5 HP ,R12, Powerful

www.mbsm.pro, COMPRESSOR , 1/5Hp ,EGL75AA , R134A, 155W, LBP, 7.39CM³

Category: Solutions,Tester ok

written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Low-temperature refrigerator compressor with a cylinder capacity of 7.39cm³ and a cooling capacity of 155W. Works with refrigerant R134a.

www.mbsm.pro, Danfoss SC12G 104G8240 ,Refrigerator 1/3 HP++, R134a, HMBP, Compressor, Cooling solution for Refrigerators

Category: Technologie,Tester ok

written by www.mbsm.pro | 28 December 2018

Danfoss R134a



PictureS Mbsm Dot Pro : www.mbsm.pro

DANFOSS Compressor SC12G SC12G220-240/1/50 VOLTS1/3 HP
R134a

www.mbsm.pro , Embraco FG 75 HAK
,true cooler compressor, 1/4hp

Category: Tester ok

written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

FG 85 HAK,
FG 75 HAK,
FFU 80 HAK ,
FFU 100 HAK,
FG 65 HAK ,

EMYE 70 HEP ,
EMT 60 HLP ,
EMT 49 HLP ,
EMIE 65 HER ,
EMIE 40 HJP ,
EMI 70 HER ,
EM 55 HNR ,
EM 45 HNR ,
EM 30 HHR ,
EGAS 100 HLR ,
EGAS 90 HLR ,
EGAS 80 HLR ,



FG 85 HAK

FG 75 HAK

FFU 80 HAK

FFU 100 HAK

FG 65 HAK

EMYE 70 HEP

EMT 60 HLP

EMT 49 HLP

EMIE 65 HER

EMIE 40 HJP

EMI 70 HER

EM 55 HNR

EM 45 HNR

EM 30 HHR

EGAS 100 HLR

EGAS 90 HLR

EGAS 80 HLR



EMI 70 HER

1 / 5 HP



EMIE 40 HJP

1 / 8 HP



EMIE 65 HER

1 / 6 HP



EMT 49 HLP

1 / 6 HP



EMT 60 HLP

1 / 5 HP



EMYE 70 HEP

1 / 5 HP



FFU 80 HAK

1 / 4 HP



FFU 100 HAK

1 / 4 + HP



FG 65 HAK

1 / 5 HP



FG 75 HAK

1 / 4 HP



FG 85 HAK

1 / 4 + HP



EGAS 80 HLR

1 / 4 + HP



EGAS 90 HLR

1 / 4 HP



EGAS 100 HLR

1 / 4 + HP



EM 30 HHR

1 / 10 HP



EM 45 HNR


1 / 8 HP



EM 55 HNR

1 / 6 HP

PictureS Mbsm Dot Pro : www.mbsm.pro



 **Embraco FG 75 HAK**

BERB Approved 

7 LRA

R 134a PH

THERMALLY PROTECTED 220-240V~ 50Hz

JOINVILLE-SC
MADE IN BRAZIL NO START WITHOUT STARTING DEVICE



513207808 F97LQ4CP

