

Mbm.pro, Comprssor, UR8b180DTAeH, Samsung , R22,18000 btu, 8 A

Category: compressor

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbm.pro, Comprssor, UR8b180DTAeH, Samsung , R22,18000 btu

Mbsm.pro, Daewoo Compressor, YX58LHP5, R134a, 200 w, 1/4 hp, 683 BTU, Lbp, 95 G, Congélateur, CONDOR NOFROST, 375L

Category: compressor

written by www.mbsm.pro | 2 September 2022




Private Picture Copyright : WWW.MBSM.PRO

	JX58LHK4	5.84	161	170	198	675	1.06	1.23	4.19	CSIR	ST/FC	8.2	230
	JX58LHP4	5.84	139	170	198	675	1.22	1.42	4.85	RSCR	ST/FC	8.2	230
	JX58LHP4-K	5.85	155	170	198	675	1.10	1.28	4.35	RSCR	ST/FC	8.2	230
	JX58LHS4	5.84	150	170	198	675	1.13	1.32	4.50	RSIR	ST/FC	8.2	230
YH	HPL15YH-4	5.12	122	135	157	536	1.11	1.29	4.39	RSCR	ST/OC/FC	8.9	290
	HPL17YH-4	5.55	131	148	172	587	1.13	1.31	4.48	RSCR	ST/OC/FC	8.9	290
	HPL19YH-4	5.84	137	170	198	675	1.24	1.44	4.92	RSCR	ST/OC/FC	9.5	290
	HDL21YH-4	6.72	156	189	220	750	1.21	1.41	4.81	CSIR	ST/OC/FC	9.5	290
	HPL21YH-4	6.73	155	188	219	746	1.21	1.41	4.81	RSCR	ST/OC/FC	9.5	290
	HPL23YH-4	7.03	165	201	234	798	1.22	1.42	4.83	RSCR	ST/OC/FC	9.5	290
	HPL26YH-4	8.25	205	235	273	933	1.15	1.33	4.55	RSCR	ST/OC/FC	9.5	290
YX	YX46LHP4	4.62	104	125	145	496	1.20	1.40	4.77	RSCR	ST/OC/FC	8.8	290
	YX51LHP4	5.12	120	150	174	595	1.25	1.45	4.96	RSCR	ST/OC/FC	8.8	290
	YX51LHP4-K	5.12	128	144	168	572	1.12	1.31	4.46	RSCR	ST/OC/FC	8.8	290
	YX58LHP4	5.84	133	172	200	683	1.29	1.50	5.13	RSCR	ST/OC/FC	9.8	290
YG	HPL21YG-4	6.73	175	185	215	734	1.06	1.23	4.20	RSCR	ST/OC/FC	9.0	290
	HPL27YG-4A	8.69	232	250	291	992	1.08	1.25	4.28	RSCR	ST/OC/FC	9.5	290
	HPL30YG-4	9.92	247	283	329	1123	1.15	1.33	4.55	RSCR	ST/OC/FC	9.5	290

Private Picture Copyright : WWW.MBSM.PRO







Réfrigérateur Congélateur

Modèle R-430NC Classe T

Volume brut 375L

Volume utile compt denrées fraîche 242L

Volume utile compt basse température 90L

Voltage / Fréquence 220-240V - 50Hz

Puissance 0.8A


Puissance de dégivrage 180W

Puissance de lampe 25W*1

Réfrigérant R134a 95grs

N° de série

WIRING DIAGRAM



- Note:** 1. laissez au moins 5cm d'espace libre à l'arrière de l'appareil pour une bonne ventilation.
2. Après avoir débranché l'appareil, attendre 5 minutes avant de le rebrancher.

W341-S



Mbsm dot pro private PDF YX58LHP5-R134aTélécharger

Mbsm.pro, Hermetic compressor,
Aspera, Embraco, NEK6212Z, R134a, 1/2
hp , HBP

Category: compressor

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Hermetic compressor, Aspera, Embraco, NEK6212Z, R134a, 1/2 hp , HBP

Mbsm.pro, R600a, Aruki Compressors,
Compressor, QD65Y(N) (1/9HP) ,
QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP),
QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

Category: compressor

written by www.mbsm.pro | 2 September 2022

WANSHENG®

QD103Y

220-240V~50Hz 1PH

CB

DE

CCC

CE

CSM

NO. 15592401

Warning: Risk of fire

Hangzhou Qianjiang Refrigeration Group Co.,Ltd

R600a

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N) (1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

Mbsm.pro, compressor, MT160HW4D , 13
hp, MT160, Displacement:
271.55cm³/rev

Category: pro

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

Danfoss Commercial Compressors

Danfoss

Model no: MT160HW4EVE

MADE IN FRANCE




Serial no: EF1007049041



380-400V 3~ 50 Hz
460V 3~ 60 Hz
LR 130A 36A MAX
THERMALLY PROTECTED
P.E.D.
Marking LP side HP side
PS 18.4 bar 27.8 bar
TS max 50 °C 68 °C
TS min -35 °C -35 °C
Volume 31 l 1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with160P2

Maneurop
REFRIGERATING COMPRESSORS

WARNING

Installation and servicing must be performed by trained personnel only. Failure to follow safety warnings could result in serious injury or death.
Always use proper safety practices when working with refrigerant. Do not use open flames or smoking materials near the unit.
Do not touch the refrigerant lines. They are very cold and can cause frostbite.
Do not touch the refrigerant lines. They are very hot and can cause burns.
Do not touch the refrigerant lines. They are very cold and can cause frostbite.
Do not touch the refrigerant lines. They are very hot and can cause burns.



CAUTION

Use only manufacturer's approved refrigerants, lubricants and electrical components. Use of other components may void the warranty and could result in fire, explosion, or other hazards.
Do not touch the refrigerant lines. They are very cold and can cause frostbite.
Do not touch the refrigerant lines. They are very hot and can cause burns.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, T3, 3.3 hp,
30000 btu, nht52vbat, 14 A,
Mitsubishi Compressor, r22, 4.5 bar



Category: compressor,Invention

written by www.mbsm.pro | 2 September 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2970 W** AT **50** Hz

LRA

A

REFRIGERANT

86/94

OIL

R-22

AP

1.30 L

SP

2.74


MPa

10.5

MPa

MADE IN THAILAND

THERMALLY PROTECTED



NHT52VBAT-18052012-V0001

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi Compressor

Mbsm.pro, Embraco, Aspera, NEK2150CK,
1/2 hp, freezing (LBP), 121 cm³,
R404A /RS07A / R452A

Category: compressor

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP), 121 cm³, R404A

Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie

Category: Pictures

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Raccord femelle a souder cuivre 14





Mbsm.pro, Compressor, Mly12LA, 1/3 hp—, Lbp , 404a, Low Back Pressure R404a/R507 compressors Cubigel – Spain

Category: pro

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Mly12LA, 1/3 hp—, Lbp , 404a

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp–, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Category: compressor

written by www.mbsm.pro | 2 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp–, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing