

Mbsm.pro, Compressor, Electrolux Group, Zem, Compressor, L45AV, R12, 1/8 hp, HMBP

Category: Archivation,compressor

written by www.mbsm.pro | 14 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Electrolux Group, Zem, Compressor, L45AV, R12, 1/8 hp, HMBP

Mbsm.pro, COMPRESSEUR, CUBIGEL, L45TN, R22, HMBP, 1/5HP, 220/240V 50HZ, ORIGINE 4.56CM3

Category: Archivation,compressor

written by www.mbsm.pro | 14 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSEUR, CUBIGEL, L45TN, R22, HMBP, 1/5HP, 220/240V 50HZ, ORIGINE 4.56CM3

Mbsm.pro, Compressor, C-SB261H5A,
Sanyo, C-SB Scroll, Compressor C-
SB261H5A, 3,5 hp, 31000 btu/h

Category: air conditioner,Archivation,compressor
written by www.mbsm.pro | 14 April 2022



Mbsm.pro, Compressor, C-SB261H5A, Sanyo, C-SB Scroll, Compressor C-SB261H5A, 3,5 hp, 31000 btu/h

**Mbsm.pro, Compressor, C-R191H5C,
Sanyo, 24000BTU, air conditioner
compressor, r22, 2 ton**

Category: expertise

written by www.mbsm.pro | 14 April 2022

SANYO



MODEL C-R191H5C

CODE 80649745

QC PASSED

R22

CHINA RESOURCES SANYO (SHENYANG) COMPRESSOR CO., LTD.
沈阳华润三洋压缩机有限公司

WARNING-SERVICEMAN

1. FIELD SERVICE LEAK TEST PRESSURE MUST NOT EXCEED 10.5KG /CM².
 2. THIS COMPRESSOR MUST BE GROUNDED.
 3. DO NOT OPERATE WITHOUT PROTECTIVE COVER OVER TERMINALS.
- DISCONNECT ALL POWER BEFORE REMOVING THE PROTECTIVE COVER.

CAUTION

COMPRESSOR HOUSING MAY REACH 150 °C WITH THERMAL PROTECTOR
APPROVED BY SANYO AND TESTED IN ACCORDANCE WITH DIN TUV

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, C-R191H5C, Sanyo, 24000BTU, air conditioner compressor, r22, 2 ton

Mbsm.pro, Compressor, SG184SV-H6CUN, 1,5 hp, 12000btu/h, 1T, Hitachi, Rotary Compressor, Panasonic Rotary Compressor, Hitachi Compressor, Hitachi Rotary, SH286UY-C7HUA, 1.5 Hp, r22

Category: Archivation,compressor
written by www.mbsm.pro | 14 April 2022




Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, SG184SV-H6CUN, 1.5 hp, 12000btu/h, Hitachi, Rotary Compressor, Panasonic Rotary Compressor, Hitachi Compressor, Hitachi Rotary, SH286UY-C7HUA, 1.5 Hp, r22

Mbsm.pro, Compressor, Danfoss, SZ300A4cbb, 25 hp, 72800 W, 248300 Btu/h, R407C, 400v/3/50hz 460v/3/60hz

Category: air conditioner,Archivation,Chaud&Froid
written by www.mbsm.pro | 14 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Danfoss, SZ300A4cbb, 25 hp, 72800 W, 248300 Btu/h, R407C, 400v/3/50hz 460v/3/60hz

Mbsm.pro, COMPRESSOR, CUBIGEL,
GLY12RA, 3/8 HP++, R134A, HMBP,
220/240V 50HZ

Category: Archivation,compressor
written by www.mbsm.pro | 14 April 2022

13:51

65

cubigel
impressions

GLY12RA

220-240V~50Hz

PH1

R134a

THERMALLY PROTECTED



CE EAC

MADE IN SPAIN




70283** 0101666

08282

Mbsm.pro, COMPRESSOR, CUBIGEL, GLY12RA, 3/8 HP++, R134A, HMBP, 220/240V 50HZ

Mbsm.pro, Compressor, Westron, QD142H, LBP, 3/8 hp, 333 w, 220-240V/50Hz

Category: Archivation,compressor
written by www.mbsm.pro | 14 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Westron, QD142H, LBP, 3/8 hp, 333 w, 220-240V/50Hz

Mbsm.pro, Compressor, NL60FB, 1/5 Hp, Lbp, R290, 220v, 1 phase 50 hz

Category: Archivation,compressor
written by www.mbsm.pro | 14 April 2022



Private Picture Copyright : WWW.MBSM.PRO


Mbsm.pro, Compressor, NL60FB, 1/5 Hp, Lbp, R290, 220v, 1 phase 50 hz

Mbsm.pro, Climatiseur, MSAGB-12HRN1-Q, 12000 Btu/h, R410a, 300g, Chaud et froid, 5 fils, T1 (Méditerranée), 1 phase, 220 V, 8.4 A

Category: expertise

written by www.mbsm.pro | 14 April 2022

Midea

 PRUDENCE

1- VEILLEZ A EVACUER L'AIR A L'INTERIEUR DE L'UNITE
INTERIEUR ET LES TUYAUX AVEC POMPE A VIDE

2- VEILLEZ A EVACUER LA QUANTITE ADDITIONNELLE DE

 مبرد ذو نظام سبليت

MSAGB-12HRN1-Q	النموذج
MSAGB-12HRN1-Q	نموذج الوحدة الداخلية
MSAGB-12HRN1-Q	نموذج الوحدة الخارجية
3224 واط	قدرة التبريد
3341 واط	قدرة التسخين
R410A/1.03KG	غاز التبريد
4.2 ميغا باسكال	الضغط الأقصى
الدفع 4.2 ميغا باسكال	ضغط العمل المفرد
الامتصاص 1.5 ميغا باسكال	
220-240ف, 50هرتز وحيد المراحل	التواتر الاسمي
8.4 أمبير	التيار الاسمي
1850 واط	استطاعة الاستهلاك الاسمية
IP24	درجة مقاومة الوحدة الخارجية
يحتوي على غاز ذو مفعول مفلور	
امكانية الحثراز العالمي 2088	
ما يعادل 2.15 طن من CO2	

Midea

Mbsm.pro, Climatiseur, MSAGB-12HRN1-Q, 12000 Btu/h, R410a, 300g, Chaud et froid,
5 fils, T1 (Méditerranée), 1 phase, 220 V, 8.4 A