

Mbsm.pro, Compressor, AHA4525AFZ, CAH4525A, 2 hp, r12

Category: compressor

written by www.mbsm.pro | 27 March 2023



Private Picture Copyright : WWW.MBSM.PRO

COMPRESSOR EQUIVALENCE

IDENTIFY YOUR COMPRESSORS

CODE	DESCRIPTION
T AJ 4 5 19 Z H R	Group description
T AJ 4 5 19 Z	Compressor description

	R	No letter = welding valve Letter R = with bottle
	H	H = high induction pressure (-15°C à + 15°C) B = low induction pressure (-40°C à -10°C) M = medium and high induction pressure (-25°C à +15°C)
	Z	A, B, or D = refrigerant R12 C = refrigerant R407 E, F, G or H = refrigerant R22 J, K, L = refrigerant R502 T = refrigerant R22 or R502 Y = refrigerant R134A Z = refrigerant R404A or R407B or R507
19		Corresponds to the first refrigeration power numbers expressed in BTU/h at 60Hz Example : 19 preceded by the number 5 means 19 000 BTU/h
5		Number of figures composing the refrigeration power Example : 19 000 BTU/h
		Applications 1 = Low vaporization pressure. Engine with standard start-up torque 2 = Low vaporization pressure. Engine with start-up torque 3 = High vaporization pressure. Engine with standard start-up torque
4		4 = High vaporization pressure. Engine with start-up torque 5 = Air conditioning 9 = Medium and high vaporization pressure. Engine with high start-up torque 0 = Medium and high vaporization pressure. Engine with high standard start-up torque
	AJ	Family : TH-AZ-AEZ-AE-AJ-FH-AH-AN-RK-RGA P designates compressors intended for parallel disassembly Ex : TAHP, TAGP, TANP D designates compressors mounted in 'couple' S designates single-propeller condensation groups
	T	C or noletter = single-phased T = tri-phased

R12-POWERED LOW PRESSURE COMPRESSORS

Hermetic Unit CV	Aspera	Danfoss	Necchi	Uninad	Zanussi	DKK
AE12Z7	1/12	A1055	TL3A	M3,5	D30AS	E30601 KH0,63N06
AZ1335D	1/8	A1075	TL4A	M4	D36AS	E44101 KH0,75N07
AZ1355D	1/6	A1111	TL5A	M5	L55A	V1040G MH1,0N12
AEZ1360A	1/5	B1112	FR7,5A	M7	L76A	V1350E MH1,25N12
AEZ1380A	1/4	A1118	FR10A	M9	L88	E88102 MH1,6H15
AE1410A	1/3	E1121	FR11A	M11	P12	MH2,0H15
AE1412A	3/8	T1124	SC15A	M13	P14	

This table is published for your guidance only, on no account shall SOGAFRIC SERVICES be held liable for it.

R12-POWERED HIGH PRESSURE COMPRESSORS

Hermetic Unit CV	Aspera	Danfoss	Necchi	Uninad	DKK
AZ9387	1/6	A5132	FR6BX	M4H	AE65ZA7
CAE59ZF9	1/5	A5160	FR8,5B	M7H	L57PX MH1,25N18

CAE4440A	1/3	E6185	SC10B	P14TY
CAJ4452A	3/8	E6187	SC12B	
CAJ4461A	1/2	T6213	SC15B	CAJ2P
CAJ4492A	3/4	J6220	SC21B	
CAJ4511A	1	J6226		
CAH4518A	1,5	H6238		
CAH4525A	2			



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO