

Mbsm.pro, Toshiba, Compressor,
SZ70C1H, 113 w, 1/6 hp, r600a, lbp,
7.0 cm³

Category: compressor

written by www.mbsm.pro | 24 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Toshiba, Compressor, SZ70C1H, 113 w, 1/6 hp, r600a, lbp, 7.0 cm³

Mbsm.pro, Compressor, HSL17J,
HSL17J-5 , HSL17J-5T1, 1/6 hp, lbp,
134 w, 115 kcal, serie J, Daewoo
Compressor , r134a, oil 280, rsir,
LRA 5.22, 220v, 1 ph/50hz

Category: compressor

written by www.mbsm.pro | 24 January 2024

HSL17J-5T1

AC 220V 240V 50Hz

LRA 5.22 B134a (116)

THERMALLY PROTECTED

DAEWOO ELECTRONICS Co., Ltd.



MADE IN KOREA

K10607111




OPPO Reno4

19:47 7.07.2022

Mbsm.pro, Compressor, HSL17J, HSL17J-5 , HSL17J-5T1, 1/6 hp, lbp, 134 w, 115 kcal, serie J, Daewoo Compressor , r134a, oil 280, rsir, LRA 5.22, 220v, 1 ph/50hz

Mbsm.pro, compressor, BRE4-0750-TFD-510, Copeland, 7.5 HP, 460V, 3 PH, R22, R134A, R407C, Scroll Compressor, Copeland Compressor

Category: compressor
written by www.mbsm.pro | 24 January 2024



Private Picture Copyright : WWW.MBSM.PRO
Mbsm.pro, compressor, BRE4-0750-TFD-510, Copeland, 7.5 HP, 460V, 3 PH, R22, R134A, R407C, Scroll Compressor, Copeland Compressor

Mbsm.pro, Donper, Compressor, R600A,

L88CY, 1/5 hp, 1bp

Category: compressor

written by www.mbsm.pro | 24 January 2024

 Condor



RoHS

<http://www.donper.com>



220320003580102311

L88CY1

220~240V~50Hz

1PH

THERMALLY PROTECTED



BUCTH



Warning Risk of fire

Mbsm.pro, Donper, Compressor, R600A, L88CY, 1/5 hp, lbp

Mbsm.pro, Bristol, Compressor,
H24B17QABJA, 17000 btu, 1.5 hp, r22,
Capillary Size (0.060), Capillary
Length 33"

Category: air conditioner,compressor
written by www.mbsm.pro | 24 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Bristol, Compressor, H24B17QABJA, 17000 btu, 1.5 hp, r22, Capillary
Size (0.060), Capillary Length 33"

Mbsm.pro, compressor, Sanyo, Rotary,
Split system air conditioner,
Compressors, C-R221H5S, S6231526791,

24000 btu, R22, 3 hp, 2 ton

Category: air conditioner,compressor

written by www.mbsm.pro | 24 January 2024

SANYO



MODEL C-R221H5S

CODE 80687145

SEAL PROTECT



CHINA RESOURCES SANYO (SHENYANG) COMPRESSOR CO., LTD.

沈阳三洋压缩机有限公司

WARNING-SERVICEMAN

- 1. FIELD SERVICE LEAK TEST PRESSURE MUST NOT EXCEED 400 PSI.
- 2. THE COMPRESSOR MUST BE GROUNDED.
- 3. DO NOT OPERATE WITHOUT PROTECTIVE COVER OVER TERMINALS.
- DISCONNECT ALL POWER BEFORE REMOVING THE PROTECTIVE COVER.

CAUTION

COMPRESSOR HOUSING MAY REACH 100°C WITH THERMAL PROTECTOR.
APPROVED BY SANYO AND TESTED IN ACCORDANCE WITH JIS T14.

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Sanyo, Rotary, Split system air conditioner, Compressors, C-R221H5S, S6231526791, 24000 btu, R22, 3 hp, 2 ton

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B, inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input, cooling 293 btu to 904 , 1/3 hp, r600a, lbp

Category: compressor

written by www.mbsm.pro | 24 January 2024




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B, inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input, cooling 293 btu to 904 , 1/3 hp, r600a, lbp

Mbsm.pro, compressor, Secop, SC18CLX.2, 104L2197, Danfoss R404A, R507, 3/4 hp, lbp

Category: compressor

written by www.mbsm.pro | 24 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Secop, SC18CLX.2, 104L2197, Danfoss R404A, R507, 3/4 hp, 1bp

Mbsm.pro, Toshiba, Rotary,
refrigerator ,compressor,
PH360X3C-4KTS1, 1.5T++, 2,5 hp, 1 ph,
r22

Category: compressor

written by www.mbsm.pro | 24 January 2024

PH350X3C - 4KTS1



TOSHIBA

Mbsm.pro, Toshiba, Rotary, refrigerator ,compressor, PH360X3C-4KTS1, 1.5T++, 3 hp, 1 ph, r22

Mbsm.pro, Compressor, EA65H1E-U, 1/3 hp++, mbp, r290, freezer, with two doors, GMCC Refrigeration Compressor

Category: compressor

written by www.mbsm.pro | 24 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, EA65H1E-U, 1/3 hp++, mbp, r290, freezer, with two doors, GMCC Refrigeration Compressor