

# Mbsm.pro, compressor, CUBIGEL, ELECTOLUX, ACC, R404a, R507, MP14FB, 220-240V 50Hz, LBP, 1/2HP

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Mbsm.pro, compressor, CUBIGEL, ELECTOLUX, ACC, R404a, R507, MP14FB, 220-240V 50Hz, LBP, 1/2HP

---

# Mbsm.pro, Secop, Freezer, Compressor, Sc18cl, 104L2123, 104L2123, 5/8HP++, 1/2-, R404A, Secop SCxxCL Series, LMBP, 495 w

Category: compressor

written by www.mbsm.pro | 2 June 2022



Mbsm.pro, Secop, Freezer, Compressor, Sc18cl, 104L2123, 5/8HP++, 1/2-, R404A, Secop SCxxCL Series, LMBP, 495 w

---

## Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

Category: compressor,Refrigerator  
written by www.mbsm.pro | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

---

**Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, lbp, 750 btu, r134a**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



R 134a	EMX	EMZ 66 CLP	220~240/50	10.61	190	163.4	1.74	1.50	4		ISO 5	CCC/VDE	171	6.73
		EMX 32 CLC	220~240/50	5.96	102	87.7	1.78	1.53	2.5		ISO 5	CCC	166	6.54
		EMX 40 CLC	220~240/50	7.24	128	110.1	1.80	1.55	4		ISO 5	CCC	166	6.54
		EMB 32 CLC	220~240/50	5.96	103	88.6	1.88	1.62	2.5		ISO 5	CCC	166	6.54
		EMB 40 CLC	220~240/50	7.24	128	110.1	1.92	1.65	4		ISO 5	CCC/VDE	171	6.73
	EMB	EMB 46 CLC	220~240/50	7.96	142	122.1	1.90	1.63	4		ISO 5	CCC/VDE	171	6.73
		EMB 55 CLC	220~240/50	9.05	163	140.2	1.88	1.62	4		ISO 5	CCC/VDE	171	6.73
		EMB 66 CLC	220~240/50	10.61	190	163.4	1.87	1.61	4		ISO 5	CCC/VDE	171	6.73
		EMT 45 HLP	220~240/50	4.85	145	124.7	1.40	1.20			ISO 7	CCC/VDE	158	6.22
		EMU 45 HLP	220~240/50	4.85	145	124.7	1.50	1.29			ISO 7	CCC/VDE	158	6.22
	EMU	EMU 55 HLP	220~240/50	5.20	161	138.5	1.50	1.29			ISO 7	CCC/VDE	166	6.54
		EMU 65 HLP	220~240/50	5.96	185	159.1	1.47	1.26			ISO 7	CCC/VDE	166	6.54
		EMU 45 HLP	200~230/50	4.85	145	124.7	1.45	1.25			ISO 22	CCC/VDE	158	6.22
		EMU 55 HLP	200~230/50	5.20	161	138.5	1.45	1.25			ISO 22	CCC/VDE	166	6.54
		EMU 65 HLP	200~230/50	5.96	185	159.1	1.45	1.25			ISO 22	CCC/VDE	166	6.54
		EMU 55 HLP	115~127/60	4.15	148	127.3	1.46	1.26			ISO 7	UL	158	6.22
	EMY	EMY 55 HLC	220~240/50	5.20	161	138.5	1.60	1.38	4		ISO 7	CCC/VDE	166	6.54
		EMY 65 HLC	220~240/50	5.96	185	159.1	1.60	1.38	4		ISO 7	CCC/VDE	166	6.54
		EMY 75 HLC	220~240/50	7.00	215	184.9	1.60	1.38	4		ISO 7	CCC/VDE	171	6.73
		EMY 50 HLP	115~127/60	4.15	140	120.4	1.60	1.38	12		ISO 7	UL	158	6.22
		EMY 55 HLP	115~127/60	4.50	160	137.6	1.60	1.38	12		ISO 7	UL	158	6.22
		EMY 60 HLP	115~127/60	4.85	180	154.8	1.60	1.38	12		ISO 7	UL	166	6.54
	EMH	EMH 60 HER	115~127/60	5.19	189	162.5	1.47	1.26			ISO 7	CCC	166	6.54
R 290	EMT	EMT 2121 U	220~240/50	5.57	256	220.0	1.42	1.22	48	ISO 22	CCC/VDE	166	6.54	
		EMT 2125 U	220~240/50	5.96	301	259.0	1.48	1.28	58	ISO 22	CCC/VDE	166	6.54	

测试条件: 蒸发-23.3°C(-10°F) 冷凝54.4°C(130°F) 吸气/环境32.2°C(90°F) 液体32.2°C(90°F)

Test Conditions: Evaporating: -23.3°C (-10°F) | Condensing: 54.4°C (130°F) | Gas and Ambient: 32.2°C (90°F) | Liquid: 32.2°C (90°F)

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, lbp, 750 btu, r134a

# Mbsm.pro, Compressor, AW700ET-111-P2, Tecumseh 1-1/4 HP, 208-230V, 1 PH, 15,200 BTU, R22, Hermetic Compressor Replacement

Category: compressor

written by www.mbsm.pro | 2 June 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AW700ET-111-P2, Tecumseh 1-1/4 HP, 208-230V, 1 PH, 15,200 BTU, R22, Hermetic Compressor Replacement

---

Mbsm.pro, Freezer, 420 L, regeneration, using Cooling, Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor, L72cZ1

, 1/4 hp, r134a, capillarie 3 M,  
0.032

Category: Chaud&Froid, compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Freezer, 420 L, regeneration, using Cooling, Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor, L72cZ1 , 1/4 hp, r134a, capillarie 3 M, 0.032

---

**Mbsm.pro, compressor, cae2412y,  
Tecumseh, 1/3 hp, 306 w, 236 kcal/h,  
1043 btu/h, Lbp, r134a**

Category: compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, cae2412y, Tecumseh, 1/3 hp, 306 w, 236 kcal/h, 1043 btu/h, Lbp, r134a

---

Mbsm.pro, Compressor, HML190a, 1/4 hp, zel, Lambda, LBP, RSCR, Freezing compressor, R600a, 190 w, 163 kcal/h, run capacitor 3  $\mu$ F, aluminum wire

Category: compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, HML190a, 1/4 hp, zel, LBP, RSCR, Freezing compressor, R600a, 190 w, 163 kcal/h, run capacitor 3  $\mu$ F, aluminum wire

---

## Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a

Category: compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a

---

**Mbsm.pro, Compressor, Toshiba,  
ph441x3cs-4kts1, 3 hp, 1 PH,  
50Hz-220V/240V, R22**

Category: compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022

PH441X3CS-4KTS1

R22

220-240V ~, 50Hz

RoHS



002003197W

**TOSHIBA**(GMCC)



TUV Rheinland

Mbsm.pro, Compressor, Toshiba, ph441x3cs-4kts1, 3 hp, 1 PH, 50Hz-220V/240V, R22