

# Mbsm.pro, Compressor, AE820et-900-a4, AEA2411ZXD, Tecumseh, 1/3 HP, 115V, 1600 BTU, R404A, Hermetic, AE2 Compressor, lbp

Category: Archivation,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, Compressor, AE820et-900-a4, AEA2411ZXD, Tecumseh, 1/3 HP, 115V, 1600 BTU, R404A, Hermetic, AE2 Compressor, lbp

---

# Mbsm.pro, COMPRESSOR, AZ 1328A, 1/10 HP, AZ1328A, 68 w, 58 kcal/h, 234 btu/h, 1 phase, 220 v, r12, TECUMSEH EUROPE

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, AZ 1328A, 1/10 HP, AZ1328A, 68 w, 58 kcal/h, 234 btu/h, 1 phase, 220 v, r12

Mbsm.pro, Compressor, QD series,  
Compressor, Refrigerator, R134, R12,  
R134A, R406, R12/R134A/R406-LBP

# compressor performance parameter

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, QD series, Compressor, Refrigerator, R134, R12, R134A, R406, R12/R134A/R406-LBP compressor performance parameter

---

Mbsm.pro, Compressor, Tecumseh, TPG1390YMR, 805 btu/h, 236w, 1/3hp, LBP, Low Back Pressure, R134a, 208-230V ~ 60Hz, 220-240V ~ 50Hz, Reciprocating Compressor, TP143-MR-232-B8

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Tecumseh, TPG1390YMR, 805 btu/h, 236w, 1/3hp, LBP, Low Back Pressure, R134a, 208-230V ~ 60Hz, 220-240V ~ 50Hz, Reciprocating Compressor, TP143-MR-232-B8



---

# Mbsm.pro, Compressor, Gtm75aa, HERMETIC, Freezer, COMPRESSOR, ZEL, 1/5 hp, R134a, 220-240V/50HZ, Ariston no frost

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

<https://www.mbsmgroup.tn/2433.htm>



|            |       |     |  |  |     |     |     |  |      |  |     |             |
|------------|-------|-----|--|--|-----|-----|-----|--|------|--|-----|-------------|
|            | a 134 | LBP |  |  | 68  | 232 | 58  |  | 2,8  |  |     | GML 70 A    |
| C R MF 2   | a 134 | LBP |  |  | 92  | 314 | 79  |  | 3,4  |  |     | GML 90 A    |
| C R MF 2.5 | a 134 | LBP |  |  | 113 | 386 | 97  |  | 4,1  |  |     | GML 110 A   |
|            | a 134 | LBP |  |  | 120 | 409 | 103 |  | 4,1  |  |     | GML 125 A   |
|            | a 134 | LBP |  |  | 140 | 478 | 120 |  | 4,9  |  | 1/6 | GML 140 A   |
| C R MF 5   | a 134 | LBP |  |  | 140 | 478 | 120 |  | 4,9  |  | 1/6 | GML 140 A/I |
|            |       |     |  |  | 160 | 546 | 138 |  | 5,7  |  | 1/6 | GML 160 A   |
| C R MF 5   | a 134 | LBP |  |  | 180 | 614 | 155 |  | 6,5  |  | 1/5 | GML 180 A   |
| C R MF 5   | a 134 | LBP |  |  | 200 | 682 | 172 |  | 7    |  | 1/5 | GML 200 A   |
| C R MF 6   | a 134 | LBP |  |  | 210 | 716 | 181 |  | 7    |  | 1/5 | GML 200 A/I |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
|            |       |     |  |  | 65  |     |     |  | 2,6  |  | 1/9 | GTM 26 AA   |
|            |       |     |  |  | 200 |     |     |  | 7,5  |  | 1/5 | GTM 75 AA   |
|            |       |     |  |  | 280 |     |     |  | 10   |  | 1/3 | GTM 93 AA   |
|            |       |     |  |  | 300 |     |     |  | 10,6 |  | 1/3 | GTM 10 AA   |
|            |       |     |  |  | 320 |     |     |  | 12   |  | 1/3 | GTM 12 AA   |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
| C R MF 4   | a 134 | LBP |  |  | 167 | 570 | 144 |  | 5,7  |  |     | GDL160 A    |
| C R MF 5   | a 134 | LBP |  |  | 165 | 563 | 142 |  | 6,5  |  |     | GDL200 A    |
| C R MF 4   | a 134 | LBP |  |  | 106 | 362 | 91  |  | 4,1  |  |     | GXL100 A    |
| C R MF 5   | a 134 | LBP |  |  | 123 | 420 | 106 |  | 4,3  |  |     | GXL125 A    |
| C R MF 5   | a 134 | LBP |  |  | 138 | 471 | 119 |  | 4,6  |  |     | GXL140 A    |
| C R MF 4   | a 134 | LBP |  |  | 160 | 546 | 138 |  | 5,7  |  |     | GXL160 A    |
| C R MF 5   | a 134 | LBP |  |  | 195 | 665 | 168 |  | 7    |  |     | GXL 200 A   |
| C R MF 5   | a 134 | LBP |  |  | 240 | 819 | 206 |  | 8,6  |  |     | GXL 240 A   |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
|            |       |     |  |  |     |     |     |  |      |  |     |             |
|            |       |     |  |  |     |     |     |  |      |  |     |             |





Private Picture Copyright: WWW.MBSM.PRO

| model    | motor   | Exhaust volume | Motor power | Motor type | frequency | Cooling capacity | input power | Input power (RC) | Coefficient of performance | Performance coefficient (RC) | run capacitor | high | net weight |
|----------|---------|----------------|-------------|------------|-----------|------------------|-------------|------------------|----------------------------|------------------------------|---------------|------|------------|
| GTM12AA  | With    | 12             | 1/3         | CSIR       | 50        | 320              | 241         | 0                | 1.33                       | 0                            | 50            | 184  | 10         |
| GTM10AA  | With    | 10.6           | 1/3         | CSIR       | 50        | 300              | 226         | 0                | 1.33                       | 0                            | 50            | 184  | 10         |
| GTM93AA  | With    | 10             | 1/3         | hatch      | 50        | 280              | 207         | 0                | 1.35                       | 0                            | 0             | 184  | 9.5        |
| GTM75AA  | To the  | 7.5            | 1/5         | CSIR       | 50        | 200              | 160         | 0                | 1.25                       | 0                            | 50            | 184  | 9          |
| GTM26AA  | Cu / Al | 2.6            | 1/12        | hatch      | 50        | 65               | 59          | 0                | 1.1                        | 0                            | 0             | 163  | 7.5        |
| GL10TB   | With    | 9.3            | 1/2         | CSIR       | 50        | 880              | 429         | 0                | 2.05                       | 0                            | 50            | 184  | 10.2       |
| GL90TB   | To the  | 9.3            | 1/2         | CSIR       | 50        | 860              | 420         | 0                | 2.05                       | 0                            | 50            | 184  | 10         |
| GL80TB   | With    | 7.5            | 1/2         | CSIR       | 50        | 740              | 326         | 0                | 2.27                       | 0                            | 50            | 184  | 10         |
| HKD12FSL |         | 12             |             | PPM        | 0         | 96               | 49~122      | 0                | Upto1.97                   | 0                            | 0             | 184  | 8.5        |
| HKD10FSK |         | 10             |             | PPM        | 0         | 83               | 44~122      | 0                | Upto1.97                   | 0                            | 0             | 184  | 8          |
| HKD86FSL |         | 8.6            |             | PPM        | 0         | 67               | 34~88       | 0                | Upto1.97                   | 0                            | 0             | 184  | 8.6        |
| GKD93AA  | With    | 9.3            | 1/4         | RSCR       | 50        | 270              |             | 163              |                            | 1.66                         | 6             | 184  | 10.4       |
| GTT75AA  | With    | 7.5            | 1/5         | RSCR       | 50        | 210              |             | 134              |                            | 1.57                         | 4             | 184  | 10.1       |
| GTT66AA  | Cu / Al | 6.6            | 1/6         | RSCR       | 50        | 200              |             | 125              |                            | 1.6                          | 4             | 184  | 9.5        |
| GTH93AA  | Cu / Al | 9.3            | 1/4         | RSIR/RSCR  | 50        | 260              | 187         | 174              | 1.39                       | 1.49                         | 5             | 184  | 9.7        |
| GTH86AA  | Cu / Al | 8.6            | 1/4         | RSIR/RSCR  | 50        | 240              | 175         | 163              | 1.37                       | 1.47                         | 5             | 174  | 9          |
| GVY75AA  | Cu / Al | 7.5            | 1/5         | RSIR/RSCR  | 50        | 200              | 153         | 140              | 1.31                       | 1.43                         | 4             | 174  | 8.9        |
| GVY66AA  | Cu / Al | 6.6            | 1/5         | RSIR/RSCR  | 50        | 180              | 134         | 124              | 1.34                       | 1.45                         | 4             | 174  | 8.6        |

Mbsm\_dot\_pro\_private\_picture\_GTM 75 AATélécharger



---

## Mbsm.pro, Compressor, CL30B1Z, C-01-001 447, 1/10 Hp, 140 L, 220V 60 hz, 80w, R12, 88 Gr, Réfrigérateur Westpoint, Réfrigérateur desktop

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, CL30B1Z, C-01-001 447, 1/10 Hp, 140 L, 220V 60 hz, 80w,  
R12, 88 Gr, Réfrigérateur Westpoint, Réfrigérateur desktop

---

## Mbsm.pro, Compressor, NF34J9131AN, 1/3 hp, inverter compressor, form 94 w to 283 w, 240V~50Hz, 220V~60Hz, BLDC, R600a, LBP, Samsung

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Mbsm.pro, Compressor, NF34J9131AN, 1/3 hp, inverter compressor, form 94 w to 283 w, 240V~50Hz, 220V~60Hz, BLDC, R600a, LBP, Samsung

---

## Mbsm.pro, Compressor, SEBERIA Hermetic Compressor, F Series, t Series, y Series, s Series, inverter dc

Category: Archivation,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, SEBERIA Hermetic Compressor, F Series, t Series, y Series, s Series, inverter dc

---

## Mbsm.pro, Compressor, Refrigeration Compressor, 270W, GFF93AA, 1/3 HP++, FFI12HBK, TPH1410Y, F Series 200-220V/50Hz, SEBERIA Hermetic Compressor, lbp, hbp

Category: Archivation,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Refrigeration Compressor, 270W, GFF93AA, 1/3 HP++, FFI12HBK, TPH1410Y, F Series 200-220V/50Hz, SEBERIA Hermetic Compressor, lbp, hbp

---

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP