

# Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

# Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022



Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

---

## Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

---

Mbsm.pro, Compressor, 4ec-6.2-4os,  
6HP, Bitzer Piston Compressor,  
4ces-6, Refrigeration Compressor ,  
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022





Typ 4EC-6.2-40S  
S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH  
Made in E.C.

ER KÜHLMASCHINENBAU GMBH									
Made in E.C.									
Anspannung		Frequ.	Max. Betr. strom		Anlaufstrom		Fördervol.	Drehzahl	
Δ 3Ph~ V Y 3Ph~		Hz	A(Δ)	A(Y)	A(Δ)	A(Y)	m³/h	min	
20-240	380-420	50	22,9	13,2	107,7	62,2	22,7		1450
235-290	440-480	60	22,9	13,2	107,7	62,2	27,4		1750
IP 65		ND/HD max		19 / 28 bar					



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

---

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

---

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

---

Mbsm.pro, Compressor, R290, 0.110Kg,



SC15CNX.2, Secop, DANFOSS, SC15CNX,  
15,28cm<sup>3</sup>, LBP, 230V, Hermetic piston  
compressors, 5/8 Hp, 104h 8568,  
104h8568

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm<sup>3</sup>, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

---

# Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022

High Performance Scroll

A Model Standard Dimension (Refrigerant R22/R600a)

Refrigerant R22											
Model	Capacity (kg/hr)	Power (kW)	Current (A)	Discharge Temp (°C)	Condensing Temp (°C)	Evaporating Temp (°C)	Pressure Ratio	Volume Ratio	Energy Efficiency Ratio (EER)	SEER	Capacity (kg/hr)
JT90GAJV1L	90	1.1	5.0	55	75	-15	2.5	1.5	3.6	12.5	90
JT95BHHY1L	95	1.2	5.5	55	75	-15	2.6	1.6	3.5	12.5	95
JT100GAPV1L	100	1.3	6.0	55	75	-15	2.7	1.7	3.4	12.5	100
JT105GBBY1L	105	1.4	6.5	55	75	-15	2.8	1.8	3.3	12.5	105
JT110GAPV1L	110	1.5	7.0	55	75	-15	2.9	1.9	3.2	12.5	110
JT115GBBY1L	115	1.6	7.5	55	75	-15	3.0	2.0	3.1	12.5	115
JT120GAPV1L	120	1.7	8.0	55	75	-15	3.1	2.1	3.0	12.5	120
JT125GBBY1L	125	1.8	8.5	55	75	-15	3.2	2.2	2.9	12.5	125
JT130GAPV1L	130	1.9	9.0	55	75	-15	3.3	2.3	2.8	12.5	130
JT135GBBY1L	135	2.0	9.5	55	75	-15	3.4	2.4	2.7	12.5	135
JT140GAPV1L	140	2.1	10.0	55	75	-15	3.5	2.5	2.6	12.5	140
JT145GBBY1L	145	2.2	10.5	55	75	-15	3.6	2.6	2.5	12.5	145
JT150GAPV1L	150	2.3	11.0	55	75	-15	3.7	2.7	2.4	12.5	150
JT155GBBY1L	155	2.4	11.5	55	75	-15	3.8	2.8	2.3	12.5	155
JT160GAPV1L	160	2.5	12.0	55	75	-15	3.9	2.9	2.2	12.5	160
JT165GBBY1L	165	2.6	12.5	55	75	-15	4.0	3.0	2.1	12.5	165
JT170GAPV1L	170	2.7	13.0	55	75	-15	4.1	3.1	2.0	12.5	170
JT175GBBY1L	175	2.8	13.5	55	75	-15	4.2	3.2	1.9	12.5	175
JT180GAPV1L	180	2.9	14.0	55	75	-15	4.3	3.3	1.8	12.5	180
JT185GBBY1L	185	3.0	14.5	55	75	-15	4.4	3.4	1.7	12.5	185
JT190GAPV1L	190	3.1	15.0	55	75	-15	4.5	3.5	1.6	12.5	190
JT195GBBY1L	195	3.2	15.5	55	75	-15	4.6	3.6	1.5	12.5	195
JT200GAPV1L	200	3.3	16.0	55	75	-15	4.7	3.7	1.4	12.5	200
JT205GBBY1L	205	3.4	16.5	55	75	-15	4.8	3.8	1.3	12.5	205
JT210GAPV1L	210	3.5	17.0	55	75	-15	4.9	3.9	1.2	12.5	210
JT215GBBY1L	215	3.6	17.5	55	75	-15	5.0	4.0	1.1	12.5	215
JT220GAPV1L	220	3.7	18.0	55	75	-15	5.1	4.1	1.0	12.5	220
JT225GBBY1L	225	3.8	18.5	55	75	-15	5.2	4.2	0.9	12.5	225
JT230GAPV1L	230	3.9	19.0	55	75	-15	5.3	4.3	0.8	12.5	230
JT235GBBY1L	235	4.0	19.5	55	75	-15	5.4	4.4	0.7	12.5	235
JT240GAPV1L	240	4.1	20.0	55	75	-15	5.5	4.5	0.6	12.5	240
JT245GBBY1L	245	4.2	20.5	55	75	-15	5.6	4.6	0.5	12.5	245
JT250GAPV1L	250	4.3	21.0	55	75	-15	5.7	4.7	0.4	12.5	250
JT255GBBY1L	255	4.4	21.5	55	75	-15	5.8	4.8	0.3	12.5	255
JT260GAPV1L	260	4.5	22.0	55	75	-15	5.9	4.9	0.2	12.5	260
JT265GBBY1L	265	4.6	22.5	55	75	-15	6.0	5.0	0.1	12.5	265
JT270GAPV1L	270	4.7	23.0	55	75	-15	6.1	5.1	0.0	12.5	270
JT275GBBY1L	275	4.8	23.5	55	75	-15	6.2	5.2	-0.1	12.5	275
JT280GAPV1L	280	4.9	24.0	55	75	-15	6.3	5.3	-0.2	12.5	280
JT285GBBY1L	285	5.0	24.5	55	75	-15	6.4	5.4	-0.3	12.5	285
JT290GAPV1L	290	5.1	25.0	55	75	-15	6.5	5.5	-0.4	12.5	290
JT295GBBY1L	295	5.2	25.5	55	75	-15	6.6	5.6	-0.5	12.5	295
JT300GAPV1L	300	5.3	26.0	55	75	-15	6.7	5.7	-0.6	12.5	300
JT305GBBY1L	305	5.4	26.5	55	75	-15	6.8	5.8	-0.7	12.5	305
JT310GAPV1L	310	5.5	27.0	55	75	-15	6.9	5.9	-0.8	12.5	310
JT315GBBY1L	315	5.6	27.5	55	75	-15	7.0	6.0	-0.9	12.5	315
JT320GAPV1L	320	5.7	28.0	55	75	-15	7.1	6.1	-1.0	12.5	320
JT325GBBY1L	325	5.8	28.5	55	75	-15	7.2	6.2	-1.1	12.5	325
JT330GAPV1L	330	5.9	29.0	55	75	-15	7.3	6.3	-1.2	12.5	330
JT335GBBY1L	335	6.0	29.5	55	75	-15	7.4	6.4	-1.3	12.5	335
JT340GAPV1L	340	6.1	30.0	55	75	-15	7.5	6.5	-1.4	12.5	340
JT345GBBY1L	345	6.2	30.5	55	75	-15	7.6	6.6	-1.5	12.5	345
JT350GAPV1L	350	6.3	31.0	55	75	-15	7.7	6.7	-1.6	12.5	350
JT355GBBY1L	355	6.4	31.5	55	75	-15	7.8	6.8	-1.7	12.5	355
JT360GAPV1L	360	6.5	32.0	55	75	-15	7.9	6.9	-1.8	12.5	360
JT365GBBY1L	365	6.6	32.5	55	75	-15	8.0	7.0	-1.9	12.5	365
JT370GAPV1L	370	6.7	33.0	55	75	-15	8.1	7.1	-2.0	12.5	370
JT375GBBY1L	375	6.8	33.5	55	75	-15	8.2	7.2	-2.1	12.5	375
JT380GAPV1L	380	6.9	34.0	55	75	-15	8.3	7.3	-2.2	12.5	380
JT385GBBY1L	385	7.0	34.5	55	75	-15	8.4	7.4	-2.3	12.5	385
JT390GAPV1L	390	7.1	35.0	55	75	-15	8.5	7.5	-2.4	12.5	390
JT395GBBY1L	395	7.2	35.5	55	75	-15	8.6	7.6	-2.5	12.5	395
JT400GAPV1L	400	7.3	36.0	55	75	-15	8.7	7.7	-2.6	12.5	400
JT405GBBY1L	405	7.4	36.5	55	75	-15	8.8	7.8	-2.7	12.5	405
JT410GAPV1L	410	7.5	37.0	55	75	-15	8.9	7.9	-2.8	12.5	410
JT415GBBY1L	415	7.6	37.5	55	75	-15	9.0	8.0	-2.9	12.5	415
JT420GAPV1L	420	7.7	38.0	55	75	-15	9.1	8.1	-3.0	12.5	420
JT425GBBY1L	425	7.8	38.5	55	75	-15	9.2	8.2	-3.1	12.5	425
JT430GAPV1L	430	7.9	39.0	55	75	-15	9.3	8.3	-3.2	12.5	430
JT435GBBY1L	435	8.0	39.5	55	75	-15	9.4	8.4	-3.3	12.5	435
JT440GAPV1L	440	8.1	40.0	55	75	-15	9.5	8.5	-3.4	12.5	440
JT445GBBY1L	445	8.2	40.5	55	75	-15	9.6	8.6	-3.5	12.5	445
JT450GAPV1L	450	8.3	41.0	55	75	-15	9.7	8.7	-3.6	12.5	450
JT455GBBY1L	455	8.4	41.5	55	75	-15	9.8	8.8	-3.7	12.5	455
JT460GAPV1L	460	8.5	42.0	55	75	-15	9.9	8.9	-3.8	12.5	460
JT465GBBY1L	465	8.6	42.5	55	75	-15	10.0	9.0	-3.9	12.5	465
JT470GAPV1L	470	8.7	43.0	55	75	-15	10.1	9.1	-4.0	12.5	470
JT475GBBY1L	475	8.8	43.5	55	75	-15	10.2	9.2	-4.1	12.5	475
JT480GAPV1L	480	8.9	44.0	55	75	-15	10.3	9.3	-4.2	12.5	480
JT485GBBY1L	485	9.0	44.5	55	75	-15	10.4	9.4	-4.3	12.5	485
JT490GAPV1L	490	9.1	45.0	55	75	-15	10.5	9.5	-4.4	12.5	490
JT495GBBY1L	495	9.2	45.5	55	75	-15	10.6	9.6	-4.5	12.5	495
JT500GAPV1L	500	9.3	46.0	55	75	-15	10.7	9.7	-4.6	12.5	500
JT505GBBY1L	505	9.4	46.5	55	75	-15	10.8	9.8	-4.7	12.5	505
JT510GAPV1L	510	9.5	47.0	55	75	-15	10.9	9.9	-4.8	12.5	510
JT515GBBY1L	515	9.6	47.5	55	75	-15	11.0	10.0	-4.9	12.5	515
JT520GAPV1L	520	9.7	48.0	55	75	-15	11.1	10.1	-5.0	12.5	520
JT525GBBY1L	525	9.8	48.5	55	75	-15	11.2	10.2	-5.1	12.5	525
JT530GAPV1L	530	9.9	49.0	55	75	-15	11.3	10.3	-5.2	12.5	530
JT535GBBY1L	535	10.0	49.5	55	75	-15	11.4	10.4	-5.3	12.5	535
JT540GAPV1L	540	10.1	50.0	55	75	-15	11.5	10.5	-5.4	12.5	540
JT545GBBY1L	545	10.2	50.5	55	75	-15	11.6	10.6	-5.5	12.5	545
JT550GAPV1L	550	10.3	51.0	55	75	-15	11.7	10.7	-5.6	12.5	550
JT555GBBY1L	555	10.4	51.5	55	75	-15	11.8	10.8	-5.7	12.5	555
JT560GAPV1L	560	10.5	52.0	55	75	-15	11.9	10.9	-5.8	12.5	560
JT565GBBY1L	565	10.6	52.5	55	75	-15	12.0	11.0	-5.9	12.5	565
JT570GAPV1L	570	10.7	53.0	55	75	-15	12.1	11.1	-6.0	12.5	570
JT575GBBY1L	575	10.8	53.5	55	75	-15	12.2	11.2	-6.1	12.5	575
JT580GAPV1L	580	10.9	54.0	55	75	-15	12.3	11.3	-6.2	12.5	580
JT585GBBY1L	585	11.0	54.5	55	75	-15	12.4	11.4	-6.3	12.5	585
JT590GAPV1L	590	11.1	55.0	55	75	-15	12.5	11.5	-6.4	12.5	590
JT595GBBY1L	595	11.2	55.5	55	75	-15	12.6	11.6	-6.5	12.5	595
JT600GAPV1L	600	11.3	56.0	55	75	-15	12.7	11.7	-6.6	12.5	600
JT605GBBY1L	605	11.4	56.5	55	75	-15	12.8	11.8	-6.7	12.5	605
JT610GAPV1L	610	11.5	57.0	55	75	-15	12.9	11.9	-6.8	12.5	610
JT615GBBY1L	615	11.6	57.5	55	75	-15	13.0	12.0	-6.9	12.5	615
JT620GAPV1L	620	11.7	58.0	55	75	-15	13.1	12.1	-7.0	12.5	620
JT625GBBY1L	625	11.8	58.5	55	75	-15	13.2	12.2	-7.1	12.5	625
JT630GAPV1L	630	11.9	59.0	55	75	-15	13.3	12.3	-7.2	12.5	630
JT635GBBY1L	635	12.0	59.5	55	75	-15	13.4	12.4	-7.3	12.5	635
JT640GAPV1L	640	12.1	60.0	55	75	-15	13.5	12.5	-7.4	12.5	640
JT645GBBY1L	645	12.2	60.5	55	75	-15	13.6	12.6	-7.5	12.5	645
JT650GAPV1L	650	12.3	61.0	55	75	-15	13.7	12.7	-7.6	12.5	650
JT655GBBY1L	655	12.4	61.5	55	75	-15	13.8	12.8	-7.7	12.5	655
JT660GAPV1L	660	12.5	62.0	55	75	-15					

JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE  
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVYE JT100BHV JT100BCBV1L JT100GABV1L  
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE  
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration  
equipment such as air conditioners. Varieties \*\*\*, \*\*\*, \*\*\*, service is  
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it  
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with  
three-legged chassis is added on the basis of the original four-legged  
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and  
other protections are matched by the system. This allows system designers to set  
protections in the system as needed, allowing product designers to better  
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner  
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin  
compressor R407CJT100BDVTYE JT100FBVD JT100FAVD New original Daikin inverter air  
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air  
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP  
Central Air Conditioning Compressor VRV3 generation RHXYQ14PY1 inverter  
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning  
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE  
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D  
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat  
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air  
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin  
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New  
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot  
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump  
Compressor C-SB453





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, Tecumseh, SE307-12, 220V, Fla 1.22 A, Lra 7.0 A, R12, 1/5 hp, 687 btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022

Mbsm.pro, compressor, Tecumseh, SE307-12, 220V, Fla 1.22 A, Lra 7.0 A, R12, 1/5 hp, 687 btu

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w, 220v, 57–240hz, EFI120E13DGH(80RPS), Reciprocating Compressors (Variable Speed), Dc compressor Panasonic (inverter), Refrigerator-Freezer Panasonic, NR-B53V1, 615 L

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 January 2022

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w, 220v, 57–240hz,  
EFI120E13DGH(80RPS), Reciprocating Compressors (Variable Speed), Dc compressor  
Panasonic (inverter), Refrigerator-Freezer Panasonic, NR-B53V1, 615 L