

Mbsm.pro, Compressor, Efl120E13DGH,
1/3 hp, r600a, 70g, 317w, 220v,
57–240hz, EFI120E13DGH(80RPS),
Reciprocating Compressors (Variable
Speed), Dc compressor Panasonic
(inverter), Refrigerator-Freezer
Panasonic, NR-B53V1, 615 L

Category: compressor

written by www.mbsm.pro | 21 January 2022



Panasonic



927650 7123 CF1114842

EFI120E13DGH R600a

240V ~ 57-240Hz

Panasonic Refrigeration Devices (Wuxi) Co., Ltd.

Made in China

无锡松下冷机压缩机有限公司

江苏省无锡市锡新一路2号 原产地:中国





Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w, 220v, 57-240hz, EFI120E13DGH(80RPS), Reciprocating Compressors (Variable Speed), Dc compressor Panasonic (inverter), Refrigerator-Freezer Panasonic, NR-B53V1, 615 L

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

Category: compressor

written by www.mbsm.pro | 21 January 2022

Hitachi Hermetic Compressors

FL Series																			
STANDARD MODEL																			
Application & Refrigerant LBP R134a																			
Model	Nominal Power		Cooling Capacity				D	Cooling			O	Wg	Motor Type	Power Source					Dimension Type - H
	HP	W	Hz	W	Kcal/h	BTU/h		N	Oil	Fan				cm3	Kg	1	2	3	
FL0634	1/12	65	50	78	67	266	3.42				200	6.8	RSCR						Type1-165
			60	90	77	307													
FL0739	1/10	75	50	95	82	324	3.94				270	7.8	RSCR						Type1-179
			60	108	93	368													
FL0845	1/8	85	50	105	90	358	4.50				270	8.1	RSCR						Type2-180
			60	118	101	403													
FL1052	1/6	100	50	120	103	409	5.19	•			240	8.3	RSIR						Type1-195
			60	140	120	478													
FL1157	1/5	110	50	135	116	461	5.70				320	9.5	RSCR						Type2-200
			60	158	136	539													
FL1262	1/5	125	50	150	129	512	6.23	•			300	10.6	CSIR						Type3-211
			60	170	146	580													
FL1675	1/4	180	50	185	159	631	7.47		•	•	300	10.6	CSIR						Type4-216
			60	210	181	717													
FL1888	1/4	180	50	215	185	734	8.83		•	•	300	11.1	CSIR						Type4-216
			60	250	215	853													

Note All data covered by this catalog are given as general information only.

Since we are constantly improving our product, the specification and availability are subject to change with out notice.

Test Conditions (ASHRAE Condition)	Low back pressure (FL, RL, CL Series)	High back pressure (FH Series)
Evaporating Temperature	-23.3°C (-10°F)	7.2°C (45°F)
Condensing Temperature	54.4°C (130°F)	54.4°C (130°F)
Liquid Temperature	32.2°C (90°F)	46.1°C (115°F)
Return gas Temperature	32.2°C (90°F)	35°C (95°F)
Ambient Temperature	32.2°C (90°F)	35°C (95°F)
Power Source	Rated Voltage	

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

Mbsm.pro, Embraco, Aspera, NEU2155GK, R404A, 220 – 240V 1~ 50 Hz, 3/4 hp, 12.1 cm³, R404A, freezing (LBP), csir, 12.12cc

Category: compressor

written by www.mbsm.pro | 21 January 2022





Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Embraco, Aspera, NEU2155GK, R404A, 220 – 240V 1~ 50 Hz, 3/4 hp , 12.1 cm³, R404A, freezing (LBP), csir, 12.12cc

Mbsm.pro, Toshiba, Compressor, R410A,
PA235G2CS-4KTM1, 2.5 hp, 19931 btu ,
1.6 Ton, 1935 w PA235G2CS, 4KTM1,
r410a, T3 rotary compressor,
PA206G2C-4KTL, PA225G2C-3MT,
PA235G2CS-4KTM1

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Toshiba, Compressor, 2.5 hp, PA235G2CS-4KTM1, 2.5 hp, 19931 btu , 1935
w PA235G2CS, 4KTM1, r410a, T3 rotary compressor, PA206G2C-4KTL, PA225G2C-3MT,
PA235G2CS-4KTM1

Mbsm.pro, Hermetic, Compressor,
Electrolux, L88TN, 3/8 Hp ++, R-22,

HMBP, Q=416W, tk-15°C/, tc55, 230V
50Hz, L88TN , ACC, ALPENINOX, ASCASO,
BARLINE ,L88TN, CUBIGEL, EUNASA,
EURFRIGOR , GEV, ICEMATIC, ITV,
SCOTSMAN, SIMAG, ZANUSSI

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Hermetic, Compressor, Electrolux, L88TN, 3/8 Hp ++, R-22, HMBP,
Q=416W, tk-15°C/, tc55, 230V 50Hz, L88TN , ACC, ALPENINOX, ASCASO, BARLINE
,L88TN, CUBIGEL, EUNASA, EURFRIGOR , GEV, ICEMATIC, ITV, SCOTSMAN, SIMAG,
ZANUSSI

Mbsm.pro, Huayi, Compressor, B25H,
R134a, LBP, COMPRESSORS -B SERIES,
B25H5 127V, B25H 220V, Water

Dispenser, 220-240V/50HZ, 55w, 1/14
hp, 220-240V/60HZ, 63w, 1/12hp

Category: compressor

written by www.mbsm.pro | 21 January 2022




Mbsm.pro, Huayi, Compressor, B25H, R134a, LBP, COMPRESSORS -B SERIES, B25H5
127V, B25H 220V, Water Dispenser, 220-240V/50HZ, 55w, 1/14 hp, 220-240V/60HZ,
63w, 1/12hp

Mbsm.pro, TECUMSEH, Compressor,
Condensing, Units, AHC4540EFZ,
FH4540F, FH4524F, FH4528F, FH4531F,
FH4540F, R22, 3-1/2 HP, hbp, CSR,
220V ~ 50HZ

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, TECUMSEH, Compressor, Condensing, Units, AHC4540EFZ, FH4540F, FH4524F,
FH4528F, FH4531F, FH4540F, R22, 3-1/2 HP

Mbsm.pro, Panasonic, rotary,
compressor, rotary compressor, R22,
220-240V 50HZ, 2jd550D3AA03, 2JD550D,

35.000 BTU, Rla 5.65 A, Lra 21.0 A,
4.375 Hp, 2.91 Ton

Category: compressor

written by www.mbsm.pro | 21 January 2022

JD550D3AA03

HERMALLY PROTECTED R22

PH 50Hz 220 - 240V

Matsushita Electric Industrial Co., Ltd.

SERIAL NO. J55A
7077944

C0036563



WARNING / DANGER



Danger of Electric Shock

- Earth the equipment.
- Disconnect power before work.
- Mount the terminal cover in place.



Danger of Explosion or Fire

- Do not use unprescribed ref. & oils.
- Do not operate air intake into the refrigerant cycle.
- Wear protective goggles.



Caution , Hot Surface

- Do not touch with bare hands.

Mbsm.pro, Panasonic, rotary, compressor, rotary compressor, R22, 220-240V 50HZ, 2jd550D3AA03, 2JD550D, 35.000 BTU, R1a 14.7, Lra 68.0, 4.375 Hp, 2.91 Ton

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

Mbsm.pro, COMPRESSOR, 1/3 HP ++ (big), HERMETIC, TECUMSEH, CAE4440Y, AE4440Y, HBP, R134a, 220-240V, 50 Hz, 1 PH, CSIR

Category: compressor

written by www.mbsm.pro | 21 January 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, 1/3 HP ++ (big), HERMETIC, TECUMSEH, CAE4440Y, AE4440Y, HBP, R134a, 220-240V, 50 Hz, 1 PH, CSIR