



Deep cleaning AC units from A to Z... that's our craft

Category: Mbsmpro


written by www.mbsm.pro | 13 April 2026




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO

LG NS24LAEG Compressor Specs and Replacements

Category: Mbsmpro, Refrigeration

written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

The LG NS24LAEG is a compact 1/12 HP compressor built for R134a LBP systems. You'll usually find this unit running small water dispensers and mini-fridges. Here is the raw technical data and field replacements.

Panasonic SFH39C73H Compressor Specs and Replacements

Category: Mbsmpro, Refrigeration
written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

The Panasonic SFH39C73H is a compact 1/5 HP compressor designed for R134a refrigeration systems, commonly found in domestic refrigerators and small freezers. This guide provides the full technical data sheet, including cooling capacity in Watts and BTU, oil requirements, and a comprehensive list of compatible replacements for both R134a and modern alternative refrigerants to ensure your repair is successful.

spera J7238GE Compressor 1.5 HP R407C HBP Technical Specifications and Performance Data

Category: Mbsmpro

written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

The Aspera J7238GE is a powerhouse in the commercial cooling sector. Delivering 1.5 HP of performance using R407C refrigerant, this Slovakia-built compressor is designed for High Back Pressure applications. With a 32.7 cc displacement and a robust CSR motor, it provides reliable cooling for large-scale industrial chillers and commercial walk-in refrigeration systems worldwide.

Unionaire PUJ012HR5R0WPK 12000 BTU Heat Pump R22 Technical Specifications and Compressor Replacement Guide

Category: air conditioner, Mbsmpro
written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Unionaire, PUJ012HR5R0WPK, 12000 BTU, 1.5 HP, Heat Pump, R22, 220V, Cooling and Heating

When working in the HVAC field, encountering a Unionaire system is quite common, especially in regions requiring robust performance under high ambient temperatures. The PUJ012HR5R0WPK is a classic example of a reliable reversible heat pump designed to handle both the scorching summer heat and the chill of winter. As a technician, seeing these specifications tells a clear story of a 1-ton (12,000 BTU) system built for durability and efficiency.

The heart of this system is its rotary compressor, optimized for R22 refrigerant. While R22 is being phased out globally, many of these units remain in service because of their heavy-duty build quality. With a cooling and heating

capacity of 3.52 kW, this model provides a balanced thermal load for standard residential or small commercial spaces.

Technical Performance and Engineering Insight

From an engineering perspective, the electrical characteristics of this unit are standard but precise. With a Rated Load Amperage (RLA) of 6A for the compressor and a Locked Rotor Amperage (LRA) of 31A, the electrical draw is manageable for most residential circuits, provided a 10A fuse or circuit breaker is utilized. The design pressures are particularly noteworthy. A high-side pressure of 400 PSI and a low-side of 82 PSI indicate a system that operates comfortably within the safety margins of R22, ensuring longevity even when the outdoor unit is exposed to intense sun. The 0.850 kg refrigerant charge is a relatively small amount for a 12,000 BTU unit, reflecting an efficient heat exchanger design that maximizes every gram of gas.

Efficiency Metrics (COP)

Efficiency in a heat pump is measured by the Coefficient of Performance. Below is a breakdown of estimated performance across various evaporating temperatures for a compressor of this class.

Evaporating Temp (°C)	Cooling Capacity (Watts)	Power Consumption (Watts)	COP (W/W)
10	4100	1150	3.56
7.2 (Standard Rating)	3520	1080	3.26
5	3200	1020	3.13
0	2650	950	2.78
-5	2150	880	2.44
-10	1700	820	2.07

Technical Specification Table: Unionaire PUJ012HR5R0WPK

Data Point	Specification
Model	PUJ012HR5R0WPK
Utilisation	HBP (High Back Pressure)
Domaine	Comfort Cooling & Heating (Heat Pump)
Cooling Wattage at -23°C	N/A (AC Application)
Cubic feet/Litres capacity	Effectively cools rooms approx. 150-250 sq. ft.
Kcal/h	3024 Kcal/h
Oil Type and Quantity	Mineral Oil (SUNISO 3GS or equivalent), ~350ml
Horsepower (HP)	1.5 HP
Refrigerant Type	R22
Power Supply	220-240V / 50Hz / 1 Phase
Cooling Capacity BTU	12,000 BTU/h
Motor Type	Permanent Split Capacitor (PSC)
Displacement	Approx. 16.0 to 18.0 cc

Winding Material	Copper
Pressure Charge	High: 400 PSI / Low: 82 PSI
Capillary Size	0.054" x 30" (Typical for 12k BTU AC)
Recommended Application	Split Unit Air Conditioners
Temperature Function	Reversible (Cooling/Heating)
Fan Requirement	Yes (Forced Air Condenser)
Commercial Use	Yes (Light Commercial/Residential)
Amperage in Function (RLA)	6.0 A
Locked Rotor Amps (LRA)	31.0 A
Type of Relay	Potential Relay or Start Kit (Optional)
Capacitor Value	30uF or 35uF / 450V
Country of Origin	Made in Egypt

Compressor Replacement Guide

If the original compressor in the PUJ012HR5R0WPK fails, finding an exact match or a compatible alternative is essential for maintaining system balance.

5 Direct Replacements (R22 Gas)

1. **GMCC** – PH215X2C-4FT1 (Highly reliable rotary)
2. **Highly (Hitachi)** – ASD102SK
3. **LG** – QJ222P
4. **Panasonic** – 2K22C225A
5. **Samsung** – UR4D124

5 Replacements (Alternative Refrigerant / Conversion)

Note: Converting from R22 to other gases often requires oil changes and capillary adjustments.

1. **GMCC (R410A)** – PA145X2C-4FZ1 (Requires system modification)
 2. **Tecumseh (R404A)** – AE4440Z (For MBP applications)
 3. **Danfoss (R407C)** – HRP034T4
 4. **Copeland (R134a)** – ARE37C3E (Only for specific low-pressure setups)
 5. **Bristol (R22/R407C)** – H23A153DBEA
-

Technician's Advice and Maintenance Notice

1. **Refrigerant Charge:** Always use a scale. The nameplate specifies exactly 0.850 kg. Overcharging this unit will lead to high head pressure and premature compressor failure, especially in a heat pump where the reversing valve adds complexity.
2. **Electrical Protection:** Ensure the 10A breaker is dedicated. If the LRA (31A) is hit frequently due to short-cycling, the windings will degrade. Installing a "Hard Start Kit" can significantly extend the life of older compressors in this model.
3. **Reversing Valve Check:** Since this is a heat pump, if you find the unit is not

cooling but the compressor is running, check the solenoid on the reversing valve before assuming the compressor is faulty.

4. **Clean Coils:** A 12,000 BTU unit relies heavily on airflow. Clogged condenser fins will quickly push the high-side pressure above the 400 PSI design limit.

Focus Keyphrase: Unionaire PUJ012HR5R0WPK 12000 BTU Heat Pump R22 Technical Specifications and Compressor Replacement Guide

SEO Title: Mbsm.pro, Unionaire, PUJ012HR5R0WPK, 12000 BTU, 1.5 HP, Heat Pump, R22, 220V, Cooling and Heating

Meta Description: Discover the full specs for the Unionaire PUJ012HR5R0WPK heat pump. Includes R22 charge data, electrical RLA/LRA ratings, and a comprehensive compressor replacement guide for technicians.

Slug: unionaire-puj012hr5r0wpk-12000-btu-heat-pump-specs

Tags: Unionaire, PUJ012HR5R0WPK, 12000 BTU, 1.5 HP, R22, Heat Pump, Compressor Replacement, GMCC PH215X2C, Highly ASD102SK, LG QJ222P, Panasonic 2K22C, Samsung UR4D124, Mbsmgroup, Mbsm.pro, mbsmpro.com, mbsm

Excerpt: The Unionaire PUJ012HR5R0WPK is a robust 12,000 BTU (1.5 HP) heat pump system designed for efficient cooling and heating. Utilizing R22 refrigerant with an 850g charge, this 220V/50Hz unit is a staple in residential HVAC. Our guide covers its electrical RLA/LRA specs, design pressures, and provides a detailed list of compatible compressor replacements.



Private Picture Copyright : WWW.MBSM.PRO

Unionaire PUJ012HR5R0WPK 12000 BTU Heat Pump R22 Technical Specifications and Compressor Replacement Guide mbsmpro
 mbsmpro.com-Unionaire PUJ012HR5R0WPK 12000 BTU Heat Pump R22 Technical Specifications and Compressor ReplacementDownload

Unionaire G+ ITWG 022 R5 Air Conditioner Specifications, 21500 BTU Cooling Capacity, Technical Manual and Installation Guide

Category: air conditioner, Mbsmpro
 written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

The Unionaire G+ ITWG 022 R5 represents a robust cooling solution engineered for demanding Mediterranean and Middle Eastern climates. Delivering a potent 21,500 BTU/Hr cooling capacity, this Egyptian-manufactured indoor unit balances high-volume airflow with structural durability. Designed for 220-240V/50Hz systems, it features an IPX4 rating and a compact 12.5 kg chassis for versatile wall-mounted installation.

Jiaxipera TT1114GY R600a compressor technical specifications and high-efficiency replacement guide for

professional HVAC technicians

Category: Mbsmpro, Refrigeration

written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

The Jiaxipera TT114GY is a cornerstone of modern eco-friendly refrigeration, utilizing R600a isobutane to deliver high-efficiency cooling in household appliances. Designed for Low Back Pressure (LBP) applications, this 1/5 HP unit provides a cooling capacity of 168W at standard evaporating temperatures. This guide offers the technical data required for precision field replacements and system optimization.

What is the best type of washing machine available on the market in

terms of cleaning performance, easy maintenance, and long lifespan?

Category: Mbsmpro

written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

Selecting a washing machine in 2026 requires balancing advanced technology with mechanical endurance. This professional guide evaluates the market's leading brands—LG, Bosch, and Samsung—based on cleaning efficiency, ease of repair, and structural longevity. We break down the engineering behind Direct Drive motors and high-build quality chassis to help you make an investment that lasts.

ZMC GL90TB Compressor Technical

Specifications and R134a Replacement Guide

Category: Mbsmpro

written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

The ZMC GL90TB is a high-performance 1/4 HP compressor designed for High Back Pressure (HBP) commercial refrigeration. Operating on R134a with a 220-240V supply, it offers a cooling capacity of approximately 2800 BTU/h. This article provides technical specs, COP efficiency metrics, and direct replacement models for professional HVAC technicians and industrial cooling experts.

Daewoo JX58LHS5-K vs Embraco FFI7.5HAK Comparison

Category: Mbsmpro, Refrigeration

written by www.mbsm.pro | 13 April 2026



Private Picture Copyright : WWW.MBSM.PRO

Selecting the right compressor is the heartbeat of any refrigeration repair. Today, we dive deep into the Daewoo JX58LHS5-K and Embraco FFI7.5HAK. Both use R134a and operate in the LBP range, but their cooling capacities and displacements differ, making one better suited for tropical climates and the other for high-performance pull-down needs.