

# Mbsm.pro, Compressor, NB series, NB6144Z, AE8LMY, B6144Z, 1/5 hp++, MED/HIGH, 1/4 hp-, Emkarate RL22HB POE lubricant

Category: Non classé

written by www.mbsm.pro | 24 May 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, NB series, NB6144Z, AE8LMY, B6144Z, 1/5 hp++, MED/HIGH,  
1/4 hp-, Emkarate RL22HB POE lubricant,

---

# Mbsm.pro, Refrigerator, freezer, NR62L22A, 1/5 hp, Compressor, power, 132W, R134a

Category: Non classé

written by mahdi miled | 24 May 2023



R134a

S



LG

P

132W 0.72A

**NR62L22A**

220-240V ~ 50Hz 1PH

THERMALLY PROTECTED



ROHS

Taizhou LG Electronics Refrigeration Co.,Ltd MADE IN CHINA



KNR62L22A113071401590

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Refrigerator, freezer, NR62L22A, 1/5 hp, Compressor, power, 132W, R134a

# Mbsm.pro, Compressor, fla150nbma, LG inverter freezer compressor, LBP, R600, 280 w, 1/3 hp

Category: Non classé

written by www.mbsm.pro | 24 May 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, fla150nbma, LG inverter freezer compressor, LBP, R600, 280 w, 1/3 hp

---

# Mbsm.pro, Compressor, AE 1370, AE1370, 1/5 hp ++, 158 w, 1/4 hp-, lbp, R134a, replaced by HYE69YK, rated Amp 1.5 A

Category: Non classé

written by www.mbsm.pro | 24 May 2023



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AE 1370, AE1370, 1/5 hp ++, 158 w, 1/4 hp-, lbp, R134a, replaced by HYE69YK, rated Amp 1.5 A

---

Mbsm.pro, compressor, 1/6 Hp, R134a, LBP, EMI60HER, EM2S60HLP, EMI50HNP, EMU60HLC, EMYS60HLP, EM2U50HLP, EMI55HER, EMU60HSC, EMZ60HSC,

EM2Y50HLT, EMI60HSC, EMUS60HLP,  
EMZS60HLC, THG1352Y, THB1350Y,  
AEA1360YXA, TSB1355Y, THB1365Y,  
THG1358Y, EM55HNR, EMI60HSR,  
EMX60HLC, EMZ60HLP, EM55HNX,  
EMS60HLP, EMY60HER, FF6HBK,  
EME60HER, EMT60HLC, EMY60HSC,  
FF6HBKW, EMH60HER, EMT60HSC,  
EMYS60HEP, FGS60HA, EMI50HER,  
EMU60HER, EMYS60HEP, FGS60HA,  
EMI60HER, EM2S60HLP, EMI50HNP,  
EMU60HLC, EMYS60HLP, EM2U50HLP,  
EMI55HER, EMU60HSC, EMZ60HSC,  
EM2Y50HLT, EMI60HSC, EMUS60HLP,  
EMZS60HLC, THG1352Y, THB1350Y,  
AEA1360YXA, TSB1355Y, THB1365Y,  
THG1358Y, EM55HNR, EMI60HSR,  
EMX60HLC, EMZ60HLP, EM55HNX,  
EMS60HLP, EMY60HER, FF6HBK, EME60HER,  
EMT60HLC, EMY60HSC, FF6HBKW,  
EMH60HER, EMT60HSC, EMYS60HEP,  
FGS60HA, EMI50HER, EMU60HER,  
EMYS60HEP, FGS60HAW

Category: Non classé

written by [www.mbsm.pro](http://www.mbsm.pro) | 24 May 2023

R-134a	1/12	EMIS20HR	172	200	Estático/ forçado	LBP	EM20HHR / EM20HHP EM20HSC / EM20HBR	THB1324Y AZ03060Y / THB4410Y
	1/10	EMIS30HR	270	340	Estático	LBP	BP1058Z / EMI28HER / EMIE30HJR / EMU30HSC EM30HHR / EMI30HER / EMT30HHR / EMUS30HEP EM30HNP / EMI30HEX / EMT30HSC / PW4,5HA EM30HNR / EMIE30HER / EMT30HSR / PW4,5HAK EM35HNR / EMIE30HJP / EMU30HER / PW4,5HK11	THG1330Y / THB1335Y / AEA1338YXA AZ0374Y / THB3413Y AZ0368Y / THB4415Y THG1335Y / THB4413Y THG1324Y
	1/8	EMI45HER	340	420	Estático	LBP	BP1072Z / EM45HNR / EMI45HEX / EMU45HEP BP1084Z / EMH45HER / EMIE40HER / EMU45HER EM45HHR / EMI40HNP / EMIE40HJP / EMU45HSC	THG1340Y / THB1340Y THG1346Y
	1/6	EMI60HER	470	570	Estático	LBP	EM2S60HLP / EMI50HNP / EMU60HLC / EMYS60HLP EM2U50HLP / EMI55HER / EMU60HSC / EMZ60HSC EM2Y50HLT / EMI60HSC / EMUS60HLP / EMZS60HLC EM55HNR / EMI60HSR / EMX60HLC / EMZ60HLP EM55HNX / EMS60HLP / EMY60HER / FF6HBK EME60HER / EMT60HLC / EMY60HSC / FF6HBKW EMH60HER / EMT60HSC / EMYS60HEP / FGS60HA EMI50HER / EMU60HER / EMYS60HEP / FGS60HAW	THG1352Y / THB1350Y / AEA1360YXA / TSB1355Y / THB1365Y / THG1358Y
						EGAS70HLP / EGZS70HLC / EMI70HER / FF8,5HBK		

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, compressor, 1/6 Hp, R134a, LBP, EMI60HER, EM2S60HLP, EMI50HNP, EMU60HLC, EMYS60HLP, EM2U50HLP, EMI55HER, EMU60HSC, EMZ60HSC, EM2Y50HLT, EMI60HSC, EMUS60HLP, EMZS60HLC, THG1352Y, THB1350Y, AEA1360YXA, TSB1355Y, THB1365Y, THG1358Y, EM55HNR, EMI60HSR, EMX60HLC, EMZ60HLP, EM55HNX, EMS60HLP, EMY60HER, FF6HBK, EME60HER, EMT60HLC, EMY60HSC, FF6HBKW, EMH60HER, EMT60HSC, EMYS60HEP, FGS60HA, EMI50HER, EMU60HER, EMYS60HEP, FGS60HA, EMI60HER, EM2S60HLP, EMI50HNP, EMU60HLC, EMYS60HLP, EM2U50HLP, EMI55HER, EMU60HSC, EMZ60HSC, EM2Y50HLT, EMI60HSC, EMUS60HLP, EMZS60HLC, THG1352Y, THB1350Y, AEA1360YXA, TSB1355Y, THB1365Y, THG1358Y, EM55HNR, EMI60HSR, EMX60HLC, EMZ60HLP, EM55HNX, EMS60HLP, EMY60HER, FF6HBK, EME60HER, EMT60HLC, EMY60HSC, FF6HBKW, EMH60HER, EMT60HSC, EMYS60HEP, FGS60HA, EMI50HER, EMU60HER, EMYS60HEP, FGS60HAW

## Mbsm.pro, Siam, Rotary, Compressor, R22, RH277-VHAT, RH277VHAT, 1.74 HP, 220v, 2040w

Category: Non classé

written by [www.mbsm.pro](http://www.mbsm.pro) | 24 May 2023

05  
RH277VHAT

 **REFRIGERANT COMPRESSOR**  
**MODEL RH277VHAT**

DATE 05052001	PHASE 1
VOLT AC 220-240	
FREQ. 50 Hz	L.R.A. 33/35
REFRIGERANT R-22	OIL MS-56
AP 28 $\text{kg/cm}^2$	SP 84

RH277VHAT A0021720JA  
LICENSED BY MITSUBISHI ELECTRIC  
SIAM COMPRESSOR INDUSTRIES CO., LTD.


Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Siam, Rotary, Compressor, R22, RH277-VHAT, RH277VHAT, r22, 1.74 HP, 220v, 2040w

# Compressor, ACC, Cubigel, GL60AN, R134a, 220-240V, HMBP, 1/6HP

Category: Non classé

written by [www.mbsm.pro](http://www.mbsm.pro) | 24 May 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Type: Hermetic piston compressors Producer: ACC Series: HMBP

Model: GL60AN

General data

Refrigerant: R134a

Discharge element: C

Cooling: S  
Maximum ambient temperature [°C]: 50

### Compressor's data

Cylinder capacity [cm<sup>3</sup>]: 6  
Displacement [m<sup>3</sup>/h]: 1  
Weight [kg]: 9,9  
Oil charge [cm<sup>3</sup>]: 345  
Oil type: ISO VG 19 ESTER

### Engine's data


Engine type: RSIR  
Power [KM]: 1/6  
Starting element: LST  
Power supply: 220V 50Hz  
Voltage range: 170-264  
Locked rotor current [A]: 14,6  
Running winding resistance (25°C) [Ω]: 9,33  
Starting winding resistance (25°C) [Ω]: 10,81

### Electrical data

Relays: 3003  
Shielding element: MRA38085, T0515, AF11BJ  
Starting capacitor volume [μF]:

### Connections

	milimeters	inches
Suction tube:	6,5	
Service tube:	6,5	
Discharge tube:	4,9	



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_GL60ANTélécharger

---

Compressor, nbu1118y, réfrigérateur,  
brandt, BRANDT, MA-45CA562COMP-KU950,  
R600a, 1/4 Ch, 11,2 cm<sup>3</sup>, ACC,  
HMK12AA, SECOP, EMBRACO, NBU1118Y  
DANFOSS, NLE13KK3

Category: Non classé

written by [www.mbsm.pro](http://www.mbsm.pro) | 24 May 2023

**Embraco®** NBU1118Y

THERMALLY PROTECTED		0-240V-50Hz
CE	RoHS	R-600a
MIN. OIL 280°C / 5 PH		

SUCTION SKM NO START WITHOUT STARTING DEVICE



815DA42 16/SEP/08 PA8LC10P

CAUTION RISK OF FIRE



R 600a

Compressor, nbu1118y, réfrigérateur, brandt, BRANDT, MA-45CA562COMP-KU950,  
R600a, 1/4 Ch, 11,2 cm<sup>3</sup>, ACC, HMK12AA, SECOP, EMBRACO, NBU1118Y DANFOSS,  
NLE13KK3

Modèles d'appareils concernés: 42X0249 – DZN4710XE – DZN4710XE/1 Pièce d'origine  
constructeur

Référence : MA-45CA562COMP-KU950

COMPRESSEUR R600a – 1/4 Ch – 11,2 cm<sup>3</sup>

ACC HMK12AA SECOP

Equivalent :

EMBRACO NBU1118Y

DANFOSS NLE13KK3 – NLE15K – HMK12AA

ELECTROLUX HP16AH

SECOP HMK12AA

**Embraco®** NBU1118Y

THERMALLY PROTECTED		0-240V-50Hz
CE	800a	
MIN. OIL 200°C / PH		

SUCTION SKM NO START WITHOUT STARTING DEVICE



815DA42 16/SEP/08 PA8LCI0P

CAUTION RISK OF FIRE



R 600a



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_NBU1118y-ametist-produce-doc1702-5Télécharger](#)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_NBU1118y-EMBRACO-ASPERATélécharger](#)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_NBU1118y-embraco-r600-compressorsTélécharger](#)

---

Compressor, ASPERA, b3118b , 1/4 hp ,  
240V~50hZ, Frigidaire 2 portes,  
Philips, 180W, Class T, 422L (460L  
Total), compressor b3118b, 220g ,  
R134a

Category: compressor,Non classé

written by [www.mbsm.pro](http://www.mbsm.pro) | 24 May 2023



**PHILIPS**

**MADE IN EGYPT**

Service  
Service  
Service

**MODEL ARG 425 / PH**

230 V - 50 Hz

**Class T**

Gross Volume	460	Ltr
Net Volume	440	Ltr
Net Storing Volume	422.5	Ltr
System Compressor	ccl <sub>2</sub> F <sub>2</sub> 220 g	

1000000000

Compressor, ASPERA, b3118b , 1/4 hp , 240V~50hZ, Frigidaire 2 portes, Philips,  
180W, Class T, 422L (460L Total), compressor b3118b, 220g , R134a



**PHILIPS**

**MADE IN EGYPT**

Service  
Service  
Service

**MODEL ARG 425 / PH**

230 V - 50 Hz

**Class T**

Gross Volume	460	Ltr
Net Volume	440	Ltr
Net Storing Volume	422.5	Ltr
System Compressor	ccl <sub>2</sub> F <sub>2</sub> 220 g	

1000000000

#### 4.30 BAJA TEMPERATURA, Monofásicos 220 V 50 Hz

R12  
MP39  
FX56

Modelo	Tipo	CV.	Cm3	Código	Precio €
BP1084A	S	1/8	4,30	10600	-
BP1111A	S	1/8	5,73	10601	139,00
NB1112A	S	1/6	5,9	10602	167,00
NB1116A	S	1/4	8	10603	161,00
B3116B	RH	1/4	8	10604	166,00
NB1118A	S	1/4	8,85	10605	165,00
B3118B	RH	1/4	8,85	10606	172,00
B2118B	S	1/4	8,85	10607	181,00

Modelo	Tipo	CV.	Cm3	Código	Precio €
NE2121A	F	1/3	12,00	10608	210,00
T2124A	F	1/3	12,58	10609	-
T2128A	F	1/3	14,50	10610	-
NE2130A	F	1/3	14,20	10611	236,00
T2134A	F	3/8	17,40	10612	310,00
T2140A	F	3/8	20,40	10613	321,00
J2152A	F	1/2	26,00	10614	439,00
J2170A	F	3/4	34,37	10615	462,00

Ver aplicación de todos los compresores de esta página en el nuevo reglamento Europeo (CE) nº 2037/2000, publicado el 29/09/2000.

#### 4.40 BAJA TEMPERATURA, Monofásicos 220 V 50 Hz

R22  
R417a  
R427a

Modelo	Tipo	CV.	Cm3	Código	Precio €
NE2125E	F	1/3	8,90	10618	199,00
NE2134E	F	3/8	12,00	10619	217,00
T2140E	F	1/2	14,50	10620	339,00
T2155E	F	5/8	17,40	10621	362,00

Modelo	Tipo	CV.	Cm3	Código	Precio €
T2168E	F	3/4	20,40	10622	373,00
NJ2178E	F	3/4	23,50	10623	413,00
J2190E	F	3/4	27,10	10624	429,00







# Mitsubishi, Refrigeration, Compressor, for chiller, JH527YEB, 10HP, 380 à 420 V 50 Hz, 460 V 60 Hz, 29,7 kW, 74 kg, R22


Category: compressor, Non classé  
written by www.mbsm.pro | 24 May 2023

Model	Horsepower	Power KW	Refrigeration capacity			Voltage	Weight kg	Highth mm
	HP		Frequenc y	KW	(kcal/h)			
JH512-Y	4HP	3.2	50Hz	13.1	11.3	N.T.Y.X. J	48.5	390.4
			60Hz	15.6	13.4			
JH513-Y	5HP	3.75	50Hz	14.3	12.3	N.T.Y.X. J	49	390.4
			60Hz	17	14.6			
JH515-Y	5.5HP	4.1	50Hz	16.3	14	N.T.Y.X. J	49	390.4
			60Hz	19.3	16.6			
JH516-Y	6HP	4.5	50Hz	17.1	15.2	T.Y	49	390.4
			60Hz	20.7	17.8			
JH517-Y	6.33HP	4.75	50Hz	18.7	16.1	T.Y.X.J	49	390.4
			60Hz	22	18.9			
JH518-Y	6.5HP	4.85	50Hz	19.9	17.1	T.Y.X	54.5	415.4
			60Hz	23.3	20			
JH519-Y	7.5HP	5	50Hz	21.3	18.3	T.Y.X.J	54.5	415.4
			60Hz	24.9	21.4			
JH521-Y	7.5HP	5.5	50Hz	23.3	20	T.Y.X.J	54.5	415.4
			60Hz	27.6	23.7			
JH522-Y	8HP	6	50Hz	25.1	21.6	T.Y.X	54.5	415.4
			60Hz	29.2	25.1			
JH525-Y	9.33HP	7	50Hz	27.3	23.5	T.Y.X.J	74.5	441.6
			60Hz	32	27.5			
JH527-Y	10HP	7.5	50Hz	29.7	25.5	T.Y.X.J	74.5	441.6
			60Hz	34.8	29.9			
JH529-Y	10.67HP	8	50Hz	31.9	27.4	T.Y.X	74.5	441.6

Private Picture Copyright: WWW.MBSM.PRO

Mitsubishi Refrigeration Compressor JH527YEB 10HP  
Données techniques

Model	Horsepower	Power	Refrigeration capacity			Voltage	Weight	Highth
	HP		KW	Frequenc y	KW			
JH512-Y	4HP	3.2	50Hz	13.1	11.3	N.T.Y.X. J	48.5	390.4
			60Hz	15.6	13.4			
JH513-Y	5HP	3.75	50Hz	14.3	12.3	N.T.Y.X. J	49	390.4
			60Hz	17	14.6			
JH515-Y	5.5HP	4.1	50Hz	16.3	14	N.T.Y.X. J	49	390.4
			60Hz	19.3	16.6			
JH516-Y	6HP	4.5	50Hz	17.1	15.2	T.Y	49	390.4
			60Hz	20.7	17.8			
JH517-Y	6.33HP	4.75	50Hz	18.7	16.1	T.Y.X.J	49	390.4
			60Hz	22	18.9			
JH518-Y	6.5HP	4.85	50Hz	19.9	17.1	T.Y.X	54.5	415.4
			60Hz	23.3	20			
JH519-Y	7.5HP	5	50Hz	21.3	18.3	T.Y.X.J	54.5	415.4
			60Hz	24.9	21.4			
JH521-Y	7.5HP	5.5	50Hz	23.3	20	T.Y.X.J	54.5	415.4
			60Hz	27.6	23.7			
JH522-Y	8HP	6	50Hz	25.1	21.6	T.Y.X	54.5	415.4
			60Hz	29.2	25.1			
JH525-Y	9.33HP	7	50Hz	27.3	23.5	T.Y.X.J	74.5	441.6
			60Hz	32	27.5			
JH527-Y	10HP	7.5	50Hz	29.7	25.5	T.Y.X.J	74.5	441.6
			60Hz	34.8	29.9			
JH529-Y	10.67HP	8	50Hz	31.9	27.4	T.Y.X	74.5	441.6



Private Picture Copyright : WWW.MBSM.PRO

## Production Description

compresseur de réfrigération mitsubishi  
modèle JH527YEB pour refroidisseur

Modèle	jh527yeb
Puissance en chevaux (Hp)	10,0
Réfrigérant	R22
An	2019
Couleur	Noir
Moq	1
type	Piston
Poids (kg)	74,5
Origine	JAPON
Emballage	Dessin animé / caisse en bois



# REFRIGERANT COMPRESSOR

JH527YEB

MODEL

VOLT. 380~415 400~460 V	PHASE	3
REFRIGERANT R-22	FREQ.	50/60 Hz
AP 1.3 MPa	SP	3.9 MPa
DP 1.3 MPa	DT	-30°C

DATE 2007 02

SERIAL 79722112

MITSUBISHI ELECTRIC CORPORATION  
JAPAN





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)