

Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,R134 ,Danfos

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020


Non	Modèle	HP	La température	L'électricité	Réfrigérant
1	SC10C	1/3	LBP	220~240V/50HZ	R22
2	SC12C	3/8	LBP	220~240V/50HZ	R22
3	SC15CM	1/2	LBP	220~240V/50HZ	R22
4	SC18CM	5/8	LBP	220~240V/50HZ	R22
5	SC10D	3/8	MBP	220~240V/50HZ	R22
6	SC12D	1/2	MBP	220~240V/50HZ	R22
7	SC15D	5/8	MBP	220~240V/50HZ	R22
8	SC10G	5/16	MBP	220~240V/50HZ	R22
9	SC12G	1/3	MBP	220~240V/50HZ	R134A
10	SC15G	3/8	MBP	220~240V/50HZ	R134A
11	SC18G	1/2	MBP	220~240V/50HZ	R134A
12	SC21G	5/8	MBP	220~240V/50HZ	R134A
13	SC10CL	1/3	LBP	220~240V/50HZ	R404a
14	SC12CL	3/8	LBP	220~240V/50HZ	R404a
15	SC15CL	1/2	LBP	220~240V/50HZ	R404a
16	SC18CL	5/8	LBP	220~240V/50HZ	R404a
17	SC21CL	7/8	LBP	220~240V/50HZ	R404a

Private Picture : www.MBSM.PRO

Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,de R134 Danfos

SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP ,R134a

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020



Private Picture : www.MBSM.PRO

SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP

Compresseur, Samsung , 1/5 HP,
155/160w , r600a , 220/240v~50,
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Category: Technologie, Tester ok
written by www.mbsm.pro | 9 May 2020



Private Picture : www.MBSM.PRO

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50, Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Compresseur Embraco ,Aspera,
nbm1118y, nby1118y ,coolant ,R600a
,NBY1118Y ,220-240V 50Hz, LBP ,fully
hermetic, 10,8kg ,1/4HP

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020



Embraco®

NBY1118Y



SUCTION →

THERMALLY PROTECTED		220-240V~50Hz
	R 600a	
MIN. OIL 280CC	1 PH	

SKM

NO START WITHOUT STARTING DEVICE



816BA42

19/AUG/08

PA8HQHBL

Private Picture : www.MBSM.PRO

ompresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a ,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg ,1/4HP,nbt1118y

MTS 185 MT,S224-20 ,TURK ELEKTRIK
,1/4 HP,LBP , R600a ,Lra 13.9AMP
,194/220VAC 50Hs , 170w

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020



Private Picture Copyright : WWW.MBSM.PRO

MTS 185 MT,S224-20 ,TURK ELEKTRIK ,1/4 HP,LBP , R600a ,Lra 13.9AMP ,194/220VAC
50Hs



Private Picture Copyright : WWW.MBSM.PRO



Private Picture : www.MBSM.PRO



Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020



Private Picture : www.MBSM.PRO

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

Good quality Reciprocating Compressor , MSS151G-L1U ,R134a ,LBP ,AC 220-240V~50Hz, 1/8 HP ,90w ,Samsung

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020



Private Picture : www.MBSM.PRO

Good quality Reciprocating Compressor , MSS151G-L1U ,R134a ,LBP ,AC
220-240V~50Hz, 1/8 HP ,90w ,Samsung

Compressor ,ACC Cubigel ,Huayi
Electrolux ,ZEM GL80AA / GVY75AA, LBP
– R134a, 220 – 240V/1/50Hz, 1/4 HP,
discharge 7.52 cm³, motor type RSIR /
RSCR, oil type ester, oil charge 180
cm³, 150 W at -25 / +55 °, input

power, current 146 W, 1.16 A,
expansion device: capillary, cooling:
static, weight 8.6 kg

Category: Technologie, Tester ok
written by www.mbsm.pro | 9 May 2020

cubigel compressors			ORIGINAL INSTRUCTIONS MANUAL / MANUAL DE INSTRUCCIONES ORIGINAL / MANUALE D'ISTRUZIONI ORIGINALE / MANUAL D'INSTRUCTIONS ORIGINAL / ORIGINALS ANWEISUNGEN – HANDBUCH / Оригинальное руководство по эксплуатации / 原版操作規程		RANGE / GAMA / GAMMA / GAMME / BAUREIHE / ДИАПАЗОН / 系列 "D"/"L"/"P"/"S"/"X"	
						<p>RUSSIAN</p> <p>1-White 2-Blue 3-Black 4-Orange 5-Red 6-Black 7-Blue 8-White</p> <p>ITALIANO</p> <p>1-Bianco 2-Azzurro 3-Nero 4-Verde 5-Rosso 6-Giallo 7-Blu 8-Bianco</p> <p>FRANCAIS</p> <p>1-Blanc 2-Bleu 3-Noir 4-Vert 5-Rouge 6-Blanc 7-Vert 8-Blanc</p> <p>DEUTSCH</p> <p>1-Weiß 2-Blau 3-Schwarz 4-Grün 5-Rot 6-Gelb 7-Blau 8-Weiß</p> <p>РУССКИЙ</p> <p>1-Белый 2-Синий 3-Черный 4-Зеленый 5-Красный 6-Желтый 7-Синий 8-Белый</p> <p>中文</p> <p>1-白色 2-蓝色 3-黑色 4-绿色 5-红色 6-黄色 7-蓝色 8-白色</p>
<p>EXTERNAL CONNECTING BOX / CAJAS CONEXIONES / SCATOLE CONNESSIONI / BOÎTIER ELECTRIQUE / EXTERNE ELEKTRIKBOJ / внешняя клемная коробка / 外置接线盒</p>						<p>PSC</p>
				"S"/"X". Components: a (Compressor), b (Overload), c (PTC), d (Relay), e (Start capacitor), f (Run capacitor), g (Thermostat), h (Earth connection)."/>		<p>FRANCAIS</p> <p>1-Blanc 2-Bleu 3-Noir 4-Vert 5-Rouge 6-Blanc 7-Vert 8-Blanc</p> <p>DEUTSCH</p> <p>1-Weiß 2-Blau 3-Schwarz 4-Grün 5-Rot 6-Gelb 7-Blau 8-Weiß</p> <p>РУССКИЙ</p> <p>1-Белый 2-Синий 3-Черный 4-Зеленый 5-Красный 6-Желтый 7-Синий 8-Белый</p> <p>中文</p> <p>1-白色 2-蓝色 3-黑色 4-绿色 5-红色 6-黄色 7-蓝色 8-白色</p>

Private Picture : www.MBSM.PRO

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA / GUY75AA, LBP – R134a,
220 – 240V/1/50Hz, 1/5 HP, discharge 7.52 cm³, motor type RSIR / RSCR, oil type
ester, oil charge 180 cm³, 150 W at -25 / +55 °, input power, current 146 W,
1.16 A, expansion device: capillary, cooling: static, weight 8.6 kg

Danfoss Refrigeration, R134a, GL90TG
, 220-240V 50-60Hz, R134A ,HBP ,CSIR
, compressor Haute pression avec
condensateur

Category: Technologie, Tester ok
written by www.mbsm.pro | 9 May 2020



Danfoss Refrigeration, R134a, GL90TG, 220-240V 50-60Hz, R134A, HBP, CSIR, compressor Haute pression avec condensateur

Brandt Compresseur, L.B.P ,HVY67AA ,220-240/50,1/7 Hp ,Réfrigérateur Congélateur Indesit, r600 ,107w

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020



Brandt Compresseur, L.B.P ,HVY67AA ,220-240/50,1/7 Hp ,Réfrigérateur Congélateur Indesit, r600 ,107w