

Compressor, KONOR, gqy90aa, GQR90AA,  
R134a, 220-240V 50Hz, LBP , RSIR,  
10,1kg 1/4HP, 220W

Category: compressor

written by www.mbsm.pro | 26 May 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor, KONOR, GQR90AA, R134a, 220-240V 50Hz, LBP , RSIR, 10,1kg 1/4HP, 220W

EGU130HLR, Embraco, ASPERA, 1/3Hp,  
Lbp, Compressor, Hermetic, 313 W, Oil  
Volume (L) 0.18 Oil POE 22 Vladagent,  
R-134, B/Hz/f 220-240 V /50/1

Category: compressor

written by www.mbsm.pro | 26 May 2020



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

EGU130HLR, Embraco, ASPERA, 1/3Hp, Lbp, Compressor, Hermetic, 313 W, Oil Volume (L) 0.18 Oil POE 22 Vladagent, R-134, B/Hz/f 220-240 V /50/1

SIKELAN, R600a, QD75YG Réfrigérateur,  
Congélateur, Réfrigérateur,  
Hermétique, Compresseur, Alternatif  
, 1/6 Hp, 130W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

SIKELAN, R600a, QD75YG Réfrigérateur, Congélateur, Réfrigérateur, Hermétique, Compresseur, Alternatif ,1/6 Hp, 130W

# Daewoo, HSL11Y-5 , Compresseur hermétique, R-134a, 93W, RSIR , 1/8Hp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 May 2020

Series	Model	Displacement [cc/rev]	Consumption Power [W]	Cooling Capacity			Efficiency			Motor Type	Cooling Type	Net Weight [kg]	Oil Qty. [cc]
				kcal/h	Watt	Btu/h	EFF kcal/Wh	COP W/W	EER Btu/Wh				
DS	DS22LHS8	2.18	57	37	43	147	1.54	0.75	2.58	RSIR	ST	6.0	180
	DS25LHS8	2.54	63	50	58	198	1.26	0.92	3.15	RSIR	ST	6.0	180
	DS30LHS8	3.06	78	69	80	274	1.13	1.03	3.51	RSIR	ST	6.0	180
WX	WX20LHS5T	2.01	58	29	34	115	2.00	0.58	1.98	RSIR	ST	5.9	180
	WX24LHS5	2.54	66	40	47	159	1.65	0.70	2.41	RSIR	ST	5.9	180
	WX24LHS5T	2.54	64	40	47	159	1.60	0.73	2.48	RSIR	ST	5.9	180
	WX24LHS8	2.54	66	40	47	159	1.65	0.70	2.41	RSIR	ST	5.9	180
	WX30LHS5	3.06	86	60	70	238	1.43	0.81	2.77	RSIR	ST	5.9	180
	WX30LHS5T	3.06	88	59	69	234	1.49	0.78	2.66	RSIR	ST	5.9	180
	WX30LHS8	3.06	86	60	70	238	1.43	0.81	2.77	RSIR	ST	5.9	180
	WX30LHT5W	3.06	75	52	60	206	1.44	0.81	2.75	RSIR	ST	5.9	180
	WX35LHS5T	3.51	98	64	74	254	1.53	0.76	2.59	RSIR	ST	5.9	180
	WX35LHT5W	3.51	99	64	74	254	1.55	0.75	2.57	RSIR	ST	5.9	180
Y	HPL7Y-5	2.65	62	50	58	198	1.24	0.94	3.20	RSCR	ST	6.7	230
	HPL9Y-5	3.43	76	58	67	230	1.31	0.89	3.03	RSCR	ST	6.7	230
	HSL11Y-5	4.51	89	80	93	317	1.11	1.05	3.57	RSCR	ST	7.0	230
	HSL5Y-5	2.29	65	35	41	139	1.86	0.63	2.14	RSIR	ST	6.3	230
	HSL5Y-5P	2.29	64	35	41	139	1.83	0.64	2.17	RSIR	ST	6.7	230
	HSL7Y-5	2.65	74	48	56	190	1.54	0.75	2.57	RSIR	ST	6.7	230
	HSL9Y-5	3.43	74	46	53	183	1.61	0.72	2.47	RSIR	ST	6.7	230
	<b>HSL11Y-5</b>	<b>4.51</b>	<b>109</b>	<b>80</b>	<b>93</b>	<b>317</b>	<b>1.36</b>	<b>0.85</b>	<b>2.91</b>	RSIR	ST	7.0	230
	HSL11Y-5A	4.51	102	85	99	337	1.20	0.97	3.31	RSIR	ST	7.0	230
	HSL11Y-5T	4.51	108	78	91	310	1.38	0.84	2.87	RSIR	ST	7.0	230
	JE	HPL13JE-5	4.62	97	93	108	369	1.04	1.12	3.80	RSCR	ST/FC	7.4
HPL15JE-5		5.12	107	107	124	425	1.00	1.16	3.97	RSCR	ST/FC	7.7	230
HPL17JE-5		5.55	124	123	143	488	1.01	1.15	3.94	RSCR	ST/FC	7.7	230
HPL19JE-5		5.84	124	134	156	532	0.93	1.26	4.29	RSCR	ST/FC	8.2	230
HSL15JE-5		5.12	114	108	126	429	1.06	1.10	3.76	RSIR	ST/FC	7.7	230
HSL15JE-5A		5.12	117	109	127	433	1.07	1.08	3.70	RSIR	ST/FC	7.7	230
HSL15JE-5C		5.12	115	108	126	429	1.06	1.09	3.73	RSIR	ST/FC	7.8	230

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Daewoo, HSL11Y-5 , Compresseur hermétique, R-134a, 109W, RSIR , 1/8Hp

# R134a, FL1568-SL, HITACHI Compressor, 220 v 50Hz, 1/4 Hp, white whale, 18Feet, LBp, 200W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 May 2020

14/8/2556 OVERLOAD RELAY - Hitachi Compressor (Thailand) ,Ltd..htm

FL0739-S*	3.9	94	81	321	270	St		RSIR	7.8	179	
FL0845-S*	4.5	117	100	400	270	St		RSIR	8.1	179	
FL1052-S*	5.2	121	104	413	270	St		RSIR	8.3	179	
FL1152-S*	5.2	136	117	464	260	St		RSCR	8.3	179	
FL1152-S*	5.2	134	115	457	280	St		RSIR	9.3	188	
220-240V 50Hz	FL1157-S*	5.7	136	117	464	240	St	RSIR	8.7	178	
FL1257-S*	5.7	150	129	512	240	St		RSIR	9.3	181	
FL1257-S*	5.7	173	148	591	240	St		RSCR	9.3	181	
FL1262-S*	6.2	145	124	495	310	St		RSIR	10.5	200	
FL1462-S*	6.2	165	142	563	310	St		RSIR	10.5	200	
FL1462-S*	6.2	185	159	632	310	St		RSCR	11.9	216	
FL1568-S*	6.8	180	154	615	310	St		CSIR	11.5	216	
FL1568-S*	6.8	200	172	683	310	St		RSIR	10.5	200	
FL1568-S*	6.8	200	172	683	310	St		RSCR	10.5	200	
FL1875-S*	7.5	215	184	734	335		OC	RSIR	10.8	211	
FL1875-S*	7.5	208	178	710	310			F	RSIR	11.9	216
FL1888-S*	8.8	207	178	707	300		OC	RSIR	11.2	216	
FL2088-S*	8.8	256	220	874	380			F	CSR	11.4	210
FL2088-S*	8.8	245	210	836	300		OC	RSCR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	CSIR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	RSIR	11.6	216	



Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_P\_COM008\_105\_specTélécharger

14/8/2556 OVERLOAD RELAY - Hitachi Compressor (Thailand) ,Ltd..htm

FL0739-S*	3.9	94	81	321	270	St		RSIR	7.8	179	
FL0845-S*	4.5	117	100	400	270	St		RSIR	8.1	179	
FL1052-S*	5.2	121	104	413	270	St		RSIR	8.3	179	
FL1152-S*	5.2	136	117	464	260	St		RSCR	8.3	179	
FL1152-S*	5.2	134	115	457	280	St		RSIR	9.3	188	
220-240V 50Hz	FL1157-S*	5.7	136	117	464	240	St	RSIR	8.7	178	
FL1257-S*	5.7	150	129	512	240	St		RSIR	9.3	181	
FL1257-S*	5.7	173	148	591	240	St		RSCR	9.3	181	
FL1262-S*	6.2	145	124	495	310	St		RSIR	10.5	200	
FL1462-S*	6.2	165	142	563	310	St		RSIR	10.5	200	
FL1462-S*	6.2	185	159	632	310	St		RSCR	11.9	216	
FL1568-S*	6.8	180	154	615	310	St		CSIR	11.5	216	
FL1568-S*	6.8	200	172	683	310	St		RSIR	10.5	200	
FL1568-S*	6.8	200	172	683	310	St		RSCR	10.5	200	
FL1875-S*	7.5	215	184	734	335		OC	RSIR	10.8	211	
FL1875-S*	7.5	208	178	710	310			F	RSIR	11.9	216
FL1888-S*	8.8	207	178	707	300		OC	RSIR	11.2	216	
FL2088-S*	8.8	256	220	874	380			F	CSR	11.4	210
FL2088-S*	8.8	245	210	836	300		OC	RSCR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	CSIR	11.9	216	
FL2088-S*	8.8	245	210	836	300		OC	RSIR	11.6	216	



Private Picture Copyright : WWW.MBSM.PRO



Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

HITACHI FL1568-SL

.220-240V 50Hz OIL 2008.09.26




SERIAL NO. 22592 HFC-134a

⚠ WARNING | HIGH TEMPERATURE  
ELECTRIC SHOCK

DO NOT TOUCH M15

# CIRCUIT DIAGRAM

GY...GRAY    OR...ORANGE    RD...RED    PK...PINK  
 VT...VIOLET    BR...BROWN    BL...BLUE    BK...BLACK  
 GN/YL...GREEN/YELLOW    YL...YELLOW  
 BK



\*THE PLUG TYPE CAPACITOR PARTS, EARTH PARTS ON CIRCUIT DIAGRAM ARE SUBJECTED TO CHANGE ACCORDING MODEL TYPE



Insulation Blowing Gas:  
Cyclo-Pentane

N02



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

QB73C12GAW5, 185W, 1/4Hp , RSIR, Q  
Series PANASONIC (Reciprocating Fixed  
Speed), R134a, LBP

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 May 2020

## Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm <sup>3</sup> )	7.3
Voltage (V)	220/240
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	185
COP@ASHRAE	1.26/1.23
Capacity@CECOMAF	-
COP@CECOMAF	-

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


QB73C12GAW5, 185W, 1/4Hp , RSIR, Q Series PANASONIC (Reciprocating Fixed Speed), R134a, LBP

---

# PRISE INDUSTRIELLE, Prise Triphasé, IP44, 3Pôles+Neutre+Terre, 5 Pôles

Category: electricity

written by [www.mbsm.pro](http://www.mbsm.pro) | 26 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

PRISE INDUSTRIELLE, Prise Triphasé, IP44, 3Pôles+Neutre+Terre, 5 Pôles

TPH1413YKS, R-134a, 220-240V à 50Hz,  
Tecumseh/Taikang , 271 w , 3/8Hp

Category: Technologie, Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 26 May 2020



(P)



Tecumseh

14944038

R-134a


TPH1413YKS

220-240V ~ 50 Hz

LRA: 13

626-10017

(T)




51

E0417

12

154807



THERMALLY PROTECTED  
COUNTRY OF ORIGIN: BRAZIL



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

TPH1413YKS, R-134a, 220-240V à 50Hz, Tecumseh/Taikang , 271 w , 3/8Hp

Compressor ,ACC Cubigel ,Huayi  
,Electrolux ,ZEM ,GP16TG, HMBP,R134a,  
200- 220V / 220-230V/1/50/60Hz, 3/8  
HP, displacement 16,15 cm<sup>3</sup>

Category: Technologie,Tester ok  
written by www.mbsm.pro | 26 May 2020



Private Picture Copyright : WWW.MBSM.PRO

Compressor ,ACC Cubigel ,Huayi ,Electrolux ,ZEM ,GP16TG, HMBP,R134a, 200- 220V /  
220-230V/1/50/60Hz, 3/8 HP, displacement 16,15 cm<sup>3</sup>

---

Compressor ,WS85YG, 220 to 240V/50Hz,  
1/8HP ,RSCR , R600

Category: Technologie,Tester ok  
written by www.mbsm.pro | 26 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor ,WS85YG, 220 to 240V/50Hz, 1/8HP ,RSCR , R600