

THG1374Y, TH271-ms-316, 1/4 HP, 192 W, Compresor Tecumseh , LBP

Category: compressor

written by www.mbsm.pro | 31 May 2020

Gas Refrigerante Refrigerant	Modelo del Compresor Compressor Model	Listado de Materiales Bill of Materials	Referencia Comercial Commercial Reference	Desplazamiento Displacement	50 Hz (ASHRAE)		60 Hz (ASHRAE)	
					Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	C.O.P.	Capacidad Friorífica Cooling Capacity -23,3°C (-10°F)	E.E.R.
					cm ³ /rev	W	W/W	Btu/h
R-134a	THB1324Y	TH324	1/14	2,72	62	0,93	250	3,47
	THG1330Y	TH261	1/10+	3,14	84	1,10	320	4,00
	THG1335Y	TH251	1/8	3,40	92	1,12	370	4,11
	THG1340Y	TH201	1/8+	3,79	104	1,21	425	4,25
	THG1346Y	TH211	1/6	4,23	117	1,32	475	4,20
	THG1352Y	TH221	1/6+	5,01	135	1,20	525	4,37
	THG1358Y	TH231	1/5	5,60	154	1,17	600	4,17
	THG1365Y	TH241	1/5	5,90	167	1,16	640	4,27
	TSB1355Y	TS304	1/5	4,59	140	1,61	610	5,42
	TSB1360Y	TS305	1/5	5,23	149	1,53	640	5,11
	TPH1380Y	TP152	1/5+	6,53	204	1,40	880	5,18
	THG1374Y	TH271	1/4	6,95	192	1,28	760	4,20
	TSB1374Y	TS306	1/4	5,65	167	1,37	700	5,04
	TSB1380Y	TS307	1/4	6,53	191	1,49	820	5,36
	TSB1390Y	TS308	1/3	7,28	215	1,35	930	5,10
	TPH1410Y	TP154	1/3	8,37	270	1,40	1100	4,66
TPH1413Y	TP155	1/3+	10,86	315	1,29	1275	4,65	
TPH1415Y	TP156	1/2	12,52	363	1,34	1450	4,75	
R-600a	AZA1330M	AZ526	1/10	5,59	91	1,00	310	3,83
	TSB1335M	TS406	1/8	5,65	91	1,65	365	5,02
	THG1345M	TH671	1/8+	6,96	108	1,12	430	4,39
	TSB1340M	TS404	1/7	6,53	111	1,59	410	5,07
	TSB1345M	TS407	1/6	7,28	123	1,58	500	5,21
	THG1355M	TH681	1/5	8,20	138	1,35	-	-
	TSB1355M	TS408	1/5	8,36	141	1,65	580	5,69
	TSB1360M	TS409	1/5	9,32	167	1,58	675	5,87
	TSB1365M	TS410	1/4	9,98	179	1,50	725	5,53
	TSB1370M	TS411	1/4	10,87	189	1,58	750	5,64
	TSB1380M	TS412	1/4	11,69	202	1,52	800	5,56
	AZ1328D	AZ225	1/10	2,95	73	1,02	280	3,26
AZ1335D	AZ223	1/8	3,60	91	1,05	360	3,45	

Private Picture Copyright : WWW.MBSM.PRO

THG1374Y, TH271-ms-316, 1/4 HP, 192 W, Compresor Tecumseh , LBP

R134a, High Temperature, Hermetic, Compressor, TECUMSEH, AE1144E, HP 1/3 (lbp), AE3440Y, HP 1/3 (Big+), HBP/CBP – High/Commercial Back Pressure, 1 Phase

Category: compressor

written by www.mbsm.pro | 31 May 2020

Application	High Temperature
B/M	AE1155E-212-J7
BtuH Capacity @ 45°F Evap.	4350
CCH	No
Compressor	Reciprocating
Discharge Conn.	1/4" IDS
HP	1/3
Height	8
Mounting Centers	4" x 6-1/2"
Overload	B18-516
Phase	1
Refrigerant	R134a
Relay	B18-498
Starting Torque	Normal
Suction Conn.	5/16" IDS
Volts	115
Wt. Lbs.	23
Shipping Weight	23.80
Shipping Width	9.80
Shipping Length	13.60
Shipping Height	10.10



Private Picture Copyright : WWW.MBSM.PRO

R134a, High Temperature, Hermetic, Compressor, TECUMSEH, AE1144E, HP 1/3 (lbp), AE3440Y, HP 1/3(Big+), HBP/CBP – High/Commercial Back Pressure, 1/3 HP/Ton , 1 Phase

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO FROST

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO FROST

COMPRESSEUR, Dongbei, (Donper) ,LBP , S série, S43CZ , 1/7Hp, R134a, RSIR

Category: compressor

written by www.mbsm.pro | 31 May 2020

制冷剂 Refrigerant	应用类型 Application	型号 Model	马力 Power	气缸容积 Displacement	冷却方式 Cooling	电机类型 Motor Type	电源 Power Supply	制冷量 Cooling Capacity											COP		运行电容 Run Capacitor	启动电容 Start Capacitor	
								ASHRAE											CECCOMF	ASH-RAE			CECCOMF
								-35	-30	-25	-23.3	-20	-15	-10	-5	0	-25	-23.3	-25	w/w			w/w
D系列 D Series																							
R134a	LBP	D25CZ	1/14	2.5	S	RSIR	220/50	18	28	42	55	65	86	116	145	182	42	0.95	0.72				
		D30CZ	1/12	3.0	S	RSIR	220/50	25	37	51	66	74	101	136	169	213	50	0.95	0.72				
		D43CZ	1/7	4.3	S	RSIR	220/50	43	66	84	106	114	152	196	250	320	82	1.07	0.81				
		D25BZ	1/10	2.5	S	RSIR	115/60	32	44	57	67	80	100	135	168	214	51	0.95	0.72				
		D30BZ	1/9	3.0	S	RSIR	115/60	36	50	65	72	88	119	150	200	270	55	0.96	0.72				
		D36BZ	1/8	3.6	S	RSIR	115/60	44	65	92	103	109	140	178	228	292	78	1.20	0.91				
直流变频DC Frequency Conversion Range																							
R134a	LBP	W20EZ	1/16	2.0	S	BDM	12-24VDC		28	40	45	56	76	102	130	165	34	1.17	0.89				
		W25EZ	1/14	2.5	S	BDM	12-24VDC		38	57	62	76	100	128	166	210	47	1.15	0.87				
S系列 S Series																							
R134a	LBP	S30CZ	1/12	3.0	S	RSIR	220/50	26	39	53	66	76	102	138	188	232	50	0.95	0.72				
		S36CZ	1/8	3.6	S	RSIR	220/50	35	53	75	90	104	139	180	242	307	68	1.05	0.80				
		S43CZ	1/7	4.3	S	RSIR	220/50	43	66	84	106	114	152	196	250	320	81	1.07	0.81				
		S53CZ	1/6-	5.3	S	RSIR	220/50	46	72	106	118	145	195	246	320	388	90	1.15	0.87				
		S30BZ	1/10	3.0	S	RSIR	115/60	36	50	65	72	88	119	150	200	270	55	0.96	0.73				
		S36BZ	1/7	3.6	S	RSIR	115/60	44	65	92	103	109	140	178	228	292	78	1.10	0.84				
		S43BZ	1/6-	4.3	S	RSIR	115/60	48	74	108	125	150	206	270	336	412	95	1.16	0.88				
		S53BZ	1/6+	5.3	S	RSIR	115/60	50	90	131	145	172	226	300	380	468	110	1.18	0.90				
		SK30CZ	1/10	3.0	S	RSCR	220/50	36	55	74	80	98	132	166			61	1.25	0.95	4			
		SK36CZ	1/8	3.6	S	RSCR	220/50	40	62	86	95	114	158	206			72	1.25	0.95	4			
		SK43CZ	1/6-	4.3	S	RSCR	220/50	46	71	95	115	143	190	245			87	1.30	0.99	4			
		SK53CZ	1/6	5.3	S	RSCR	220/50	48	79	116	130	153	200	260			99	1.30	0.99	4			
		SK36BZ	1/8	3.0	S	RSCR	115/60	40	62	84	95	114	158	200			72	1.25	0.95	12			
		SK36BZ	1/6-	3.6	S	RSCR	115/60	47	73	98	120	138	188	250			91	1.30	0.99	12			
SK43BZ	1/6	4.3	S	RSCR	115/60	52	82	120	140	168	221	293			106	1.35	1.03	12					
SK53BZ	1/5	5.3	S	RSCR	115/60	55	95	138	158	180	237	304			120	1.35	1.03	12					



Private Picture Copyright: WWW.MBSM.PRO

COMPRESSEUR, Dongbei, (Donper) ,LBP , S série, S43CZ , 1/7Hp, R134a, RSIR

www.mbsm.pro, Beko Compressor, MTS170MT, R600A ,Capacity 170 kcal, 1/4HP , 197W ,LBP, LRA 12.6 A ,1PH ,BEKO FRIDGE & FREEZER

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright: WWW.MBSM.PRO

www.mbsm.pro, Beko Compressor, MTS170MT, R600A ,1/4HP , 1PH ,

BEKO FRIDGE & FREEZER

More About This Product

Fitting

This product is manufactured and designed to be compatible or used with appliances of the brand or manufacturer listed above, or for selected commercial/domestic applications.

Other Information

None, at present.

Product Classification

This is a genuine original product made and supplied by the original equipment manufacturer (OEM). In order to maintain a valid warranty it is recommended to always use genuine original products. Genuine original products are specifically manufactured to increase the performance, functionality and life-span of your machine.

Manufacturer Information

We stock and supply a range of Beko, Blomberg, Flavel, Leisure Arcelik Group products.

Beko has become one of the fastest growing brands in the UK offering today an extensive product range including refrigeration, laundry, dishwashers and television. Second largest brand in Turkey, its home market, Beko continues to develop the mission and the reputation to serve customers with innovative products that genuinely surprise them, like the New Xpress Washing machine. Beko

has been operating in the UK & Ireland since 1990 and is the UK's Best-selling Large Home Appliance brand. Designed to make your life easier thanks to super-fast programmes and energy saving technology – Beko delivers exceptional value for money, providing smart, innovative and energy efficient home appliances. Beko has achieved an average of 9 out of 10 review score from thousands of customer reviews for its range of American style fridge freezers, Built In Ovens and washing machines.

Consumables

Bulk Ordering

This product may be offered in bulk quantities, please refer to the box or pallet quantity in the specification box above. There may be a bulk discount available. In order to benefit from any discount available, add the box or pallet quantity (or multiples thereof) to your basket and the price will be updated automatically.

Related Items & Substitutes

Where available we may have an alternative or substitute product, or other items we think you may be interested in. Please see below.

Still Having Trouble?

If the information provided on this page still isn't sufficient for you to be certain it's what you require, please contact us for further assistance.

MTS = SERIE

170 Capacity En Kcal
1 kilocalories/hour = 1.163
watts
170 Kcal * 1.163 = 197.71
197 = 1/4 hp



Mbsm_dot_pro_private_PDF_ntu170mt-1Télécharger

L76CZ1, Donper, R134A, 220W,
220-240V/50-60HZ, 1Phase, 1/4 Hp,
(+BIg = 1/3-Hp), compressor,
Hermetic, refrigerator, RSIR, oil 250
ML

Category: compressor

written by www.mbsm.pro | 31 May 2020

Model	Application	Power supply	Refrigeration capacity	Power	Cylinder volume	Refrigerant	Motor	COP:	Weight	Working current
K230CZ1	Refrigerator	220v~240v /50Hz	230W	220W	8.3cm ³	R134a	RSIR	1.3W/W	9.7 ± 0.4kg	1.35A
K270CZ1	Refrigerator	220v~240v /50Hz	270W	220W	9.5cm ³	R134a	RSIR	1.3W/W	9.8 ± 0.4kg	1.5A
K325CZ1	Refrigerator	220v~240v /50Hz	325W	235W	11.4cm ³	R134a	CSIR	1.3W/W	9.9 ± 0.4kg	1.6A
K375CZ1	Refrigerator	220v~240v /50Hz	375W	310W	12.7cm ³	R134a	CSIR	1.3W/W	9.9 ± 0.4kg	2.1A
L58CZ1	Refrigerator	220v~240v /50Hz	150W	120W	5.8cm ³	R134a	RSIR	1.3W/W	7.8 ± 0.4kg	0.85A
L65CZ1	Refrigerator(200L~320L)	220v~240v /50Hz	170W	136W	6.5cm ³	R134a	:RSIR	1.25W/W	8.2 ± 0.4kg	1.15A
L72CZ1	Refrigerator(200L~370L)	220v~240v /50Hz	195W	150W	7.2cm ³	R134a	RSIR	1.3W/W	9.1 ± 0.4kg	1.04A
L76CZ1	Refrigerator(280L~360L)	220v~240v /50Hz	220W	170W	7.6cm ³	R134a	RSIR	1.32W/W	8.9 ± 0.4kg	1.4A
NE5165CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	850W	380W	9cm ³	R134a	RSIR	2.1W/W	11 ± 0.5kg	2.3A
NE6188CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	860W	410W	12.1cm ³	R134a	CSIR	2.0W/W	11 ± 0.5kg	2.6A
NE6210CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	1050W	500W	14.2cm ³	R134a	CSIR	2.1W/W	11.2 ± 0.5kg	3.5A

Private Picture Copyright : WWW.MBSM.PRO

L76CZ1, Donper, R134A, refrigerator, RSIR, 220W, 1/4 Hp, (+BIg), (1/3- HP), compressor, High Pressure, High Pressure ,

Electrolux, Group, Compressor, Fridge-Freezer, R600a, 1/10HP, S53CY, 1PH220V50HZ, LBP, Industrial, Refrigeration

Category: compressor

written by www.mbsm.pro | 31 May 2020



SHOT ON OPPO

Private Picture Copyright : WWW.MBSM.PRO

Electrolux, Group, Compressor, Fridge-Freezer, R600a, 1/10HP, S53CY 1PH220V50HZ, LBP, Industrial, Refrigeration

Relais, démarrage, klaxon, compresseur, réfrigérateur, ZEM A2P9 A6D8 8100 , Branchement, Compressor CSR avec Condensateur 5Mic

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright : WWW.MBSM.PRO


Relais, démarrage, klaxon, compresseur, réfrigérateur, ZEM A6D8 8100 ,
Branchement, Compressor CSR avec Condensateur 5Mic

PDF , HVAC et Refrigeration Parts, Copper, Chemicals, Compressors, Controls, Coils, Fans & Motors, Electronics, Service Tools, Supplies

Category: Solutions,Technologie

written by www.mbsm.pro | 31 May 2020

Dimension of the paddle (Unit: inch)



Application:


- FSF series flow switches are used in measuring and controlling the flow of the liquid in the pipe, such as water, alcohol, etc., as well as in the places where it needs chain effect or cutout protection.

FSF series flow switches have SPDT switch, full-sealing structure as its shell, and stainless steel as its inside components, which can assure its use in any conditions. FSF-A series flow switches are used for caustic fluid liquid, the materials of FSF-A in contact with the medium is stainless steel.

Feature:

- Ambient temperature: -20~50°C.
- Liquid temperature: -25~120°C.
- Max. liquid pressure: 1.5MPa.
- Approvals: DnV, Det norske Veritas(Norway), CQC(China)CE (Europe).

FSF50P-1(A)/FSF50P-2(A)/FSF50P-3(A)



FSF50P-1SN

Our Customers:



Private Picture Copyright: WWW.MBSM.PRO

PDF , HVAC et Refrigeration Parts, Copper, Chemicals, Compressors, Controls, Coils, Fans & Motors, Electronics, Service Tools, Supplies

ALL ELECTROLUX HERMETIC COMPRESSORS – R134a LBP VOLTAGE 220-240/1/50

Category: compressor


written by www.mbsm.pro | 31 May 2020

Compressors
Compresseurs

Compressori

Compresores
Компрессоры



 Electrolux



 cubigel
compressors

ELECTROLUX HERMETIC COMPRESSORS - R134a LBP
VOLTAGE 220-240/1/50

Code	Model	Nom. hp	Displacem. cc	Expansion	Ashrae -23,3C° kcal/h	Cecomaf -25C° W
CMP100AC	GD24AA	1/20	2,44	C	41	34
CMP101AC	GD30AA	1/12	3,08	C	62	52
CMP102AC	GD36AA	1/12	3,62	C	72	61
CMP103AC	GD40AA	1/10	4,03	C	82	70
CMP104AC	AS45AA	1/8	4,56	C/V	112	82
CMP105AC	AS60AA	1/6	5,99	C/V	154	114
CMP106AC	AS75AA	1/5	6,64	C/V	176	129
CMP107AC	AS80AA	1/5	7,39	C/V	198	145

Private Picture Copyright : WWW.MBSM.PRO

ALL ELECTROLUX HERMETIC COMPRESSORS – R134a LBP VOLTAGE 220-240/1/50