

# Mbsm.pro, Hermetic compressor, Aspera, Embraco, NEK6212Z, R134a, 1/2 hp , HBP

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Hermetic compressor, Aspera, Embraco, NEK6212Z, R134a, 1/2 hp , HBP

---

Mbsm.pro, R600a, Aruki Compressors,  
Compressor, QD65Y(N) (1/9HP) ,  
QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP),  
QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022

WANSHENG®

QD103Y

220-240V~50Hz 1PH

CB

DE

CCC

CE

CSM

R60a

Warning: Risk of fire

NO. 15592401

Hangzhou Qianjiang Refrigeration Group Co.,Ltd

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N) (1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

---

**Mbsm.pro, compressor, MT160HW4D , 13  
hp, MT160, Displacement:  
271.55cm<sup>3</sup>/rev**

Category: pro

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

**Danfoss Commercial Compressors**



Model no: MT160HW4EVE



Serial no: EF1007049041



MADE IN FRANCE

380-400V 3- 50 Hz UL electrical rating

460V 3- 60 Hz

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D.

Marking LP side HP side


PS 18,4 bar 27,8 bar

TS max 50 °C 68 °C


TS min -35 °C -35 °C

Volume 31 l 1,2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with160P2



**WARNING**

Installation and servicing shall be performed by trained personnel with the necessary tools. Safety warnings shall be read at every stage of work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.  
Do not touch the compressor for 24 hours after the start of the work.



**CAUTION**

Use only manufacturer's approved refrigerants, lubricants and electrical components. Use of incorrect refrigerant / lubricant / electrical components could lead to fire, explosion, electric shock or death.  
For details refer to local language manual, safety and technical data sheets, or contact the distributor or the manufacturer.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, T3, 3.3 hp,  
30000 btu, nht52vbat, 14 A,  
Mitsubishi Compressor, r22, 4.5 bar



Category: compressor,Invention

written by www.mbsm.pro | 31 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

**220-240V 1~ 50Hz**

POWER INPUT **2970** W AT **50** Hz

LRA A

REFRIGERANT **86/94**

OIL **R-22**


AP **1.30** L

SP **2.74** MPa

**10.5** MPa

**THERMALLY PROTECTED**

MADE IN THAILAND



NHT52VBAT-011205-1-0000

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi  
Compressor

---

**Mbsm.pro, Embraco, Aspera, NEK2150CK,  
1/2 hp, freezing (LBP), 121 cm<sup>3</sup>,  
R404A /RS07A / R452A**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP), 121 cm<sup>3</sup>, R404A

# Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Raccord femelle a souder cuivre 14





# Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a, Low Back Pressure R404a/R507 compressors Cubigel – Spain

Category: pro

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a

---

# Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



ZMC GL80TB 1515  
220-240V~50Hz  
R134a  
MADE IN EGYPT  
3 950  
0238165

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

---

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Category: compressor,Refrigerator

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

---

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 –

# Phase, 380/420 V , CR QR Series

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 31 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 – Phase, 380/420 V , CR QR Series