

Mbsm.pro, Compressor, HIGHLY, BSA645CR-R1EN, GBSA645CR, 840w, r134a, 1.12hp, Constant-Speed, [1ph] 100/100-110V 50/60Hz

Category: compressor

written by www.mbsm.pro | 10 May 2025




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, HIGHLY, BSA645CR-R1EN, GBSA645CR, 840w, r134a, 1.12hp, Constant-Speed, [1ph] 100/100-110V 50/60Hz

Mbsm.pro, 8HP Open Type 3pH 220V 60Hz Aircooled S4n-8.2y-40p Compressor Condensing Unit

Category: compressor

written by www.mbsm.pro | 10 May 2025



Product Description

Product Description



Product name: condensing unit
Compressor type: Semi-hermetic
Application: Refrigeration Parts
Color: Green
Brand Name: Enfriar
Compressor: 8 Hp semi-hermetic compressor
Voltage: 3/220V/60HZ
Refrigerant: R404A


The compressor is mainly adopts semi-hermetic compressor, .It can also choose other brands of compressors. 1. The use of high-quality copper tube aluminum sheet condenser, large heat exchange area, high heat exchange efficiency; 2. A two-speed low-speed fan is used, and the fan speed can be adjusted according to the change in condensing pressure; 3. Selection of imported refrigeration accessories, complete configuration, good reliability of unit operation; 4. The main electrical components of the electrical unit of the unit adopt Delixi which has multiple protections such as overheating and overload, phase loss, and frequent start prevention; 5. The product structure is divided into integral type and split type, which can meet various needs of customers.




Detailed Images

















Air-cooled condenser

- 1: Use mechanical expansion tube to make copper tube and aluminum fin closely combined, high heat exchange efficiency
- 2: The motor adopts external rotor motor, high efficiency and energy saving
- 3: It can be customized in different styles.

Air -Cooled Condensing Units Parts Components

Compressor, Air cooled condenser, Oil separator, Gas separator, Vibration absorber, filter, solenoid valve, liquid mirror, reservoir and other parts of conventional units