

Compressor, ZMC EGM66AF, is an excellent fit for a 10-foot refrigerator

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The ZMC EGM66AF is a high-reliability 1/6 HP compressor designed for Low Back Pressure (LBP) applications in domestic refrigerators ranging from 10 to 12 feet. Utilizing R134a refrigerant and a 6.66cc displacement, this unit features durable copper windings and an RSIR motor, making it a preferred choice for technicians seeking longevity and efficiency.

Compressor, ZMC EGM66AF, is an excellent fit for a 10-foot refrigerator

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The ZMC EGM66AF is a high-reliability 1/6 HP compressor designed for Low Back Pressure (LBP) applications in domestic refrigerators ranging from 10 to 12 feet. Utilizing R134a refrigerant and a 6.66cc displacement, this unit features durable copper windings and an RSIR motor, making it a preferred choice for technicians seeking longevity and efficiency.

Role of Current Relays in Compressor Ignition

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026

CHARACTERISTIC TABLES OF VARIOUS START AND PROTECTION STEMS

CURRENT RELAYS



Model	Compressor horse (HP)	Terminal	Apply current(I)	Applied current (A)
117U 2010	1/3	5	4.5	4.5
117U 2100	1/4	6	3	3.6
117U 2104	1/5	4	6.6	6.5
117U 2050	1/2	1	14	1.4

THERMAL OVERLOAD PROTECTORS



Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Max Connect current (A)	12.5	9	9.8	7.5	7	5
Max Connect current (A)	19	16	14	3.5	3.5	3.5
Max release (A)	5	4.75	4	3.5	3	3.3



THERMAL OVERLOAD PROTECTORS

Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Power Model 151	12.5	9	8	7.5	7.5	7
Max connect current (A)	6	4.05	3.65	4	3.5	3.5
Release current (A)	5	4.75	4	3.5	3	3

Compressor power (HP)	Compressor power (HP)	Max connect current (A)	Minimum release
	8583	6.83	1.93
1/2	BEA15	2.8	2.8
1/3	BEA10	3.8	3.6
1/4	BGA11	1.25	3.25
1/5	BGA11	1.75	3.55



THERMAL OVERLOAD PROTECTOR CAPS

Compressor power (HP)	Overload current (A)	Movement temperature	Applied current (1133+10%)	Reply return nument temperatures
5	35	125±10°C	JET+TEW	60±10°C
1/2	30		JET+TEW	
1/4	25		JET+TEW	

Private Picture Copyright : WWW.MBSM.PRO

Selecting the right electrical components is the heartbeat of refrigeration maintenance. When a compressor fails to start or constantly trips, the culprit is often a mismatched Current Relay or a fatigued Thermal Overload Protector. Ensuring these parts align perfectly with the compressor's horsepower (HP) and amperage rating is vital for long-term system reliability.

Role of Current Relays in Compressor Ignition

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026

CHARACTERISTIC TABLES OF VARIOUS START AND PROTECTION STEMS

CURRENT RELAYS



Model	Compressor horse (HP)	Terminal	Apply current(I)	Applied current (A)
117U 2010	1/3	5	4.5	4.5
117U 2100	1/4	6	3	3.6
117U 2104	1/5	4	6.6	6.5
117U 2050	1/2	1	14	1.4

THERMAL OVERLOAD PROTECTORS



Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Max Connect current (A)	12.5	9	9.8	7.5	7	5
Max Connect current (A)	19	16	14	3.5	3.5	3.5
Max release (A)	5	4.75	4	3.5	3	3.3



THERMAL OVERLOAD PROTECTORS

Compressor power (HP)	1/2	1/3	1/4	1/5	1/6	1/2
Power Model 151	12.5	9	8	7.5	7.5	7
Max connect current (A)	6	4.05	3.65	4	3.5	3.5
Release current (A)	5	4.75	4	3.5	3	3

Compressor power (HP)	Compressor power (HP)	Max connect current (A)	Minimum release
	8583	6.63	1.93
1/2	BEA15	2.8	2.8
1/3	BEA10	3.8	3.6
1/4	BGA11	1.25	3.25
1/5	BGA11	1.75	3.55



THERMAL OVERLOAD PROTECTOR CAPS

Compressor power (HP)	Overload current (A)	Movement temperature	Applied current (1133+10%)	Reply return nument temperatures
5	35	125±10°C	JET+TEW	60±10°C
1/2	30		JET+TEW	
1/4	25		JET+TEW	




Private Picture Copyright : WWW.MBSM.PRO

Selecting the right electrical components is the heartbeat of refrigeration maintenance. When a compressor fails to start or constantly trips, the culprit is often a mismatched Current Relay or a fatigued Thermal Overload Protector. Ensuring these parts align perfectly with the compressor's horsepower (HP) and amperage rating is vital for long-term system reliability.

MAQ QD168H, Can this compressor be installed in a 1.5-meter two-door refrigerator?

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The MAQ QD168H is a high-performance 1/4 HP hermetic compressor designed for R134a refrigerant systems. Ideal for domestic refrigerators and freezers, it offers a cooling capacity of approximately 195W. This article provides a deep dive into its electrical characteristics, displacement, and compatible replacements to ensure a professional and efficient cooling system repair or build.

MAQ QD168H, Can this compressor be installed in a 1.5-meter two-door refrigerator?

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The MAQ QD168H is a high-performance 1/4 HP hermetic compressor designed for R134a refrigerant systems. Ideal for domestic refrigerators and freezers, it offers a cooling capacity of approximately 195W. This article provides a deep dive into its electrical characteristics, displacement, and compatible replacements to ensure a professional and efficient cooling system repair or build.

The Technician's Take on the Matsushita QA77C17GAX5

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The Matsushita QA77C17GAX5 is a workhorse in the refrigeration world. This 1/4 HP R134a compressor is a go-to for many household fridges and freezers. In this guide, we break down the technical specs, electrical wiring, and the most reliable replacement options to help you get your cooling system back up and running fast.

The Technician's Take on the Matsushita QA77C17GAX5

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The Matsushita QA77C17GAX5 is a workhorse in the refrigeration world. This 1/4 HP R134a compressor is a go-to for many household fridges and freezers. In this guide, we break down the technical specs, electrical wiring, and the most reliable replacement options to help you get your cooling system back up and running fast.

Technical Deep Dive: The LG FMA102NAMA Inverter Compressor

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



Private Picture Copyright : WWW.MBSM.PRO

The LG FMA102NAMA is a sophisticated inverter compressor engineered for modern energy-efficient refrigeration systems. Utilizing R600a refrigerant and a variable frequency BLDC motor, this unit provides precise cooling for Low Back Pressure (LBP) applications. Manufactured by Taizhou LG Electronics in China, it features advanced thermal protection and a robust 0-220V 60Hz operating range.

Technical Deep Dive: The LG FMA102NAMA Inverter Compressor

Category: Refrigeration

written by www.mbsm.pro | 29 January 2026



4009

1820308 - 160864



FMA102NAMA BR1M0IL

INVERTER 0-220V,60Hz
THERMALLY PROTECTED (LG Drive Only)
PROTECTION THERMIQUE(LG Drive Only)



Taizhou LG Electronics
Refrigeration Co., Ltd
MADE IN CHINA



Private Picture Copyright : WWW.MBSM.PRO

The LG FMA102NAMA is a sophisticated inverter compressor engineered for modern energy-efficient refrigeration systems. Utilizing R600a refrigerant and a variable frequency BLDC motor, this unit provides precise cooling for Low Back Pressure (LBP) applications. Manufactured by Taizhou LG Electronics in China, it features advanced thermal protection and a robust 0-220V 60Hz operating range.