

ZEL , Refrigeration ,Compressor
,Gml200a ,152w , 1/5 Hp
,220/240V/50Hz ,R134a

Category: Technologie,Tester ok

written by www.mbsm.pro | 27 April 2020

MADE IN EGYPT



unionaire ^{ON} **SPECIFICATIONS**

MODEL	RD 310
REFRIGERANT AMOUNT	R134a / 100g
RATED INPUT OF LAMP	15 W
RATED VOLTAGE	220-240V~
RATED CURRENT	1.1A
RATED FREQUENCY	50Hz
CLIMATE CLASS	T
POWER INPUT	130 W
GROSS VOLUME	310 L
CAPACITY (NET)	290 L
GROSS VOLUME cabinet	227
Net volume cabinet	210
PRODUCTION DATE	JULY/2108

意大利扎努西 ZEL — R134a


220—240V / 50Hz

GML200A	输入功率.152W	制冷量.200W
GML180A	输入功率.144W	制冷量.187W
GML160G	输入功率.129W	制冷量.168W
GML140A	输入功率.108W	制冷量.140W
GML110A	输入功率.90W	制冷量.112W

WOMA® 旺石马
广州旺石马制冷设备有限公司



MADE IN EGYPT

 **unionaire** SM **SPECIFICATIONS**

MODEL	RD 310
REFRIGERANT AMOUNT	R134a / 100g
RATED INPUT OF LAMP	15 W
RATED VOLTAGE	220-240V~
RATED CURRENT	1.1A
RATED FREQUENCY	50Hz
CLIMATE CLASS	T
POWER INPUT	130 W
GROSS VOLUME	310 L
CAPACITY (NET)	290 L
GROSS VOLUME cabinet	227
Net volume cabinet	210
PRODUCTION DATE	JULY/2108

Zel gml200a gml180a gml160g gml140a gml110a r134a Compressors

- gml200a 152W
- GML180A 144W
- gml160g 129W
- gml140a 108W
- GML110A 90W

C 65873967

ZEL

GML200A

18-16

220-240V 50Hz

R134a

SUCTION ➤

8 207 0006168 5



ZANUSSI ELETTROMECCANICA COMPRESSOR

Model	Motor	Disp.	Power	motor type	Freq.	Cooling capacity	input power	power (RC)	COP	COP (RC)	Run capacitor	Height	Netweight
GDL145D	Cu	4.4	1/8	RSIR/RSCR	60	145	94	87	1.55	1.67	10	161	7.3
GDL175D	Cu	5.3	1/6	RSIR/RSCR	60	175	112	106	1.56	1.65	10	161	7.3
GML140A	Al	4.9	1/6	RSIR	50	140	112	0	1.25	0	0	152	6.3
GML160A	Al	5.7	1/6	RSIR	50	160	128	0	1.25	0	0	161	6.9
GML180A	Al	6.5	1/5	RSIR	50	180	144	0	1.25	0	0	161	7.1
GML200A	Al	7	1/5	RSIR	50	200	160	0	1.25	0	0	164	7.3
GML145D	Al	4.4	1/7	RSIR/RSCR	60	145	97	92	1.5	1.57	10	164	7.1
GML175D	Al	4.9	1/6	RSIR/RSCR	60	175	118	112	1.48	1.56	10	164	7.1
GPL175D*	Cu	4.9	1/7	CSCR	60	175		97		1.8	10	161	7.6
GXL175D	Cu	4.9	1/7	RSCR	60	175		101		1.73	10	164	7.6
GXL200D	Cu	5.7	1/6	RSCR	60	200		116		1.73	10	164	7.6



PictureS Mbsm Dot Pro : www.mbsm.pro

Lambda

R134a

Variable Speed Range 变频系列

型号	电机	排气量	电机功率	电机类型	频率	制冷量	输入功率		性能系数		运行电容	高度	净重
Model	Motor	Displ.	Power	Motor Type	Freq.	Cooling Capacity	Input Power without RC	Input Power with RC	COP without RC	COP with RC	Run Capacitor	Height (h)	Net Weight
		cc	hp		hz	w	w	w	w/w	w/w	μF	mm	kg
220-240V/50Hz													
普效系列 Standard Efficiency Range													
GML140A	Al	4.9	1/6	RSIR	50	140	112		1.25		-	152	6.3
GML160A	Al	5.7	1/6	RSIR	50	160	128		1.25		-	161	7.0
GML180A	Al	6.5	1/5	RSIR	50	180	144		1.25		-	161	7.0
GML200A	Al	7.0	1/5	RSIR	50	200	160		1.25		-	164	7.3
115V/60Hz													
普效系列 Standard Efficiency Range													
GML145D	Al	4.4	1/7	RSIR/RSCR	60	145	97	92	1.50	1.57	10	164	7.0
GML175D	Al	4.9	1/6	RSIR/RSCR	60	175	118	112	1.48	1.56	10	164	7.0
中效系列 Medium Efficiency Range													
GDL145D	Cu	4.4	1/8	RSIR/RSCR	60	145	94	87	1.55	1.67	10	161	7.3
GDL175D	Cu	5.3	1/6	RSIR/RSCR	60	175	112	106	1.56	1.65	10	161	7.3
高效系列 High Efficiency Range													
GXL175D	Cu	4.9	1/7	RSCR	60	175		101		1.73	10	164	7.6
GXL200D	Cu	5.7	1/6	RSCR	60	200		116		1.73	10	164	7.6
超高效系列 Top Efficiency Range													
GPL175D*	Cu	4.9	1/7	CSCR	60	175		97		1.80	10	161	7.6

型号	排气量	电机类型	变频范围
Model	Displ.	Motor Type	Speed Range
	cc		RPM

220-240V/50Hz

HKD86FSL	8.6	PPM	1400-3600
HKD10FSK	10.0	PPM	1400-4000
HKD12FSL	12.0	PPM	1400-3600

115V/50-60Hz

GKD44FDK	4.4	PPM	1400-4000
GKD75FDK	7.5	PPM	1400-4000



Mbsm_dot_pro_private_PDF_gml200aDownload

https://www.mbsm.pro/wp-content/uploads/2024/03/Mbsm_dot_pro_private_PDF_gml200a.pdf