

Mbsm.pro, Compresor, Embraco, NB, NEK1118Z, R134A, 220v, 1/4 hp, 8.4cm3, LBP

Category: compressor

written by www.mbsm.pro | 29 September 2023



Private Picture Copyright : WWW.MBSM.PRO

Product information "Compressor Aspera Embraco NEK1118Z, LBP – R134a, 220 – 240 V/50 Hz"

Aspera NEK1118Z is a HERMETIC compressor for low pressure range (LBP)• Engine type: RSIR, RSCR• Performance: 1/4 hp• Displacement: 8.4 cm3• LBP Evaporation temperature -35° C to -10° C• Temperature range -25° C•.

Compressor type: Reciprocating piston

Condensation temperature: 45 °C

Condensing units Compressors: Compressor

Connection: Connection

Connection Size: Connection Size

Cooling capacity (W): 225

Cooling capacity (W) at To -25°C: 195

Cooling capacity (W) at To 5°C: 519

Design: Design, Design

Dimensions (length × width × height): 24.20 × 17.80 × 20.00 cm

Displacement (cm3):	8,39
Engine type:	RSIR, RSIR RSCR
Info:	Oil prefilled
Manufacturer:	Aspera, Embraco Aspera
Max. Starting current (A):	11
Measuring conditions:	EN12900
Model series:	NEK
Oil quantity (l):	0,35
Oil type:	ISO22, POE22
Power range (W):	201 – 300 W
Power supply:	230 V
Refrigerant:	R134a
Scope of application:	LBP
Series:	NEK
Start-up torque:	Start-up torque
Suction side:	6.1 mm
To be used with:	Capillary tube
Type / Series:	NEK1118Z
Voltage:	220-240V
cooling capacity (W) at To -10°C:	417
cooling capacity (W) at To -15°C:	328
cooling capacity (W) at To -20°C:	256
cooling capacity (W) at To -30°C:	144

